Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



62.67

Fall 1939 Price List to the Trade

COLE'S

Cole's Sensational New Hardy Fuchsia Fuchsia riccartoni SCARLET BEAUTY See Pages 80-81

Balling Schedule, Page 79. Deciduous Shrubs 19 to 42. Evergreens 42 to 53. Evergreen Shrubs 54 to 56. Fruits 75 to 79. Ornamental Trees 1 to 19. Perennials 63 to 74. Peonies 63. Roses 58 to 63. Truehedge Columnberry Second Cover. Vines 56 to 58. Native Plants 74. Terms and Conditions 78 Supplies 78.

The COLENURSERY Co.


Introducers of Gruehedge Columnberry Plant Pat. No. 110

PAINESVILLE, OHIO

ESTABLISHED 1881 600 ACRES

Cole Guarantees Truehedge! See Page 79

NEW LOW PRICES — SEE NEXT PAGE



Ordinary Japanese Barberry

New Truehedge Columnberry

Truehedge is Better

BERBERIS THUNBERGI ERECTA. (PLANT PAT. No. 110)

NEW REDUCED PRICES!

. 5	Each	25 Each	250 Each
9 to 12 inch\$	$.12\frac{1}{2}$	\$.09\frac{1}{2}	\$.08
12 to 15 inch	.15	$.11\frac{1}{2}$.10
15 to 18 inch	$.17\frac{1}{2}$	$.13\frac{1}{2}$.12
$1\frac{1}{2}$ to 2 feet	.21	.17	.15
2 to 2½ feet	. —	. –	
2½ to 3 feet	.40	.33	.30

Extra Fine Trimmed Specimens

furnished in Ovals, Globes, Boxes,	Ba	re Root	В 8	& B
Fans, and Spires.	5 Each	25 Each	5 Each	25 Each
12 to 15 inch	$37\frac{1}{2}$	\$.30	\$.65	\$.50
15 to 18 inch	$.47\frac{1}{2}$	$.37 \frac{1}{2}$.75	.60
1½ to 2 feet	.55	.45	.85	70
2 to 2½ feet	.70	.60	1.10	.90

	MIN	IMUI		L PRICE		
	1 E	ach	5 Each	25 Each	100 Each	250 Each
9 to 12	inch\$.25	\$.20	\$.16	\$.14	\$.125
12 to 15	inch	.30	.25	.20	.17	.15
15 to 18	inch	.35	.28	.23	.20	.18
$1\frac{1}{2}$ to 2	feet	.45	.33	.28	.25	.23
2 to $2\frac{1}{2}$	feet	.55	.45	.38	.35	.32
$2\frac{1}{2}$ to 3	feet	.75	.60	.55	.50	.45

Trimmed Specimens

furnished in Ovals, Globes,	Bar	e Root	В 8	εB	
Boxes, Fans, and Spires.	1 Each	5 Each	1 Each	5 Each	
12 to 15 inch	\$.75	\$.60	\$1.25	\$ 1.00	
15 to 18 inch	90	.75	1.50	1.25	
1½ to 2 feet			1.75	1.50	
2 to 2½ feet	1.50	1.25	2.25	2.00	

Write for Further Information

SEE OUR GUARANTEE ON PAGE 79

Ornamental Trees

The size immediately following the description indicates approximate height at maturity.

LARGE B & B SHADE TREES

We are specialists in balling and handling large shade trees up to 8" caliper. Our stock and workmanship is second to none. We would be pleased to quote prices for your special requirements on request or you may refer to Page 79 for charges.

ACER	1 Each	5 Each	25 Each
campestre. Hedge Maple—25'			
4 to 5'	\$ 1.40	\$ 1.15	\$ 1.00
5 to 6'		1.40	1.25
6 to 8'	2.25	2.00	1.80
8 to 10'	3.00	2.75	2.50
10 to 12'	4.25	3.85	3.50
dasycarpum. Silver Maple—60'	_	-	
6 to 8'	.80	.60	.50
8 to 10'	1.10	.85	.75
1½ to 1½"	1.40	1.15	1.00
1½ to 1¾"	1.65	1.40	1.25
1 % to 2"	1.90	1.65	1.50
2 to 2½"	2.15	1.90	1.75
2½ to 3"	2.65	2.40	2.15
3 to 3½"	3.35	3.00	2.75
$3\frac{1}{2}$ to $4''_{}$	4.25	3.85	3.50
4 to 5"	5.50	5.00	4.50
5 to 7", Prices on Application			
dasycarpum wieri. Wier Cutleaf Maple—	50′		
6 to 8'	1.00	.85	.75
8 to 10'	1.40	1.15	1.00
1 ½ to 1½"	1.65	1.40	1.25
1½ to 1¾"	1.90	1.65	1.50
1 3/4 to 2"	2.50	2.25	2.00
2 to 2½"	3.00	2.75	2.50
ginnala. Amur Maple—15'			
5 to 6'	1.10	.85	.75
6 to 8'	1.40	1.15	1.00
8 to 10′	1.90	1.65	1.50
10 to 12'	2.50	2.25	2.00
negundo. Boxelder—60'		4 00	~~
1 ½ to 1½"	1.25	1.00	.85
1 ½ to 2"	1.50	1.25	
2 to 2½"	2.00	1.75	
2½ to 3"			2.25
3 to 4"	3.85	3.50	-
palmatum atropurpureum. Bloodleaf			
Japanese Maple—8'	1 00	1 05	4 50
1 ½ to 2′, Grafted (11″ Ball)	1.90	1.65	1.50
2 to 2½', Grafted (12" Ball)	2.50	2.25	
2½ to 3', Grafted (13" Ball)	3.00	2.75	
3 to 4', Grafted (15" Ball)	4.00	$\frac{3.60}{4.40}$	
4 to 5', Grafted (16" Ball)	4.75	4.40	
5 to 6', Grafted (18" Ball)	6.00	5.50	
6 to 7', Grafted (21" Ball)	8.25	7.50	

A CED Continued	1	Each	5 Each	25 Each
ACER—Continued	1	Each	5 Each	20 Each
pennsylvanicum. Striped Maple—25'	\$	1 40	\$ 1.15	\$ 1.00
5 to 6'6 to 8'	Ψ	1.75	1.50	
8 to 10'		2.25	2.00	1.80
platanoides. Norway Maple—50'		2.20	2.00	1.00
6 to 8'		1.40	1.15	1.00
8 to 10'			1.40	1.25
1 1/4 to 1 1/4"	"	1.90	1.65	1.50
1 ½ to 1½" 1½ to 1¾"		2.25	2.00	1.80
1 3/4 to 2"		2.60	2.35	2.10
1 3/4 to 2"		3.00	$\frac{2.75}{2.75}$	$\frac{2.50}{2.50}$
2½ to 3"		4.00	3.60	3.25
3 to 3½"		5.25	4.75	4.25
3½ to 4"		6.50	6.00	5.50
4 to 5"	- 	8.25	7.50	7.00
5 to 7", Prices on Application				
platanoides globosum. Globe Norway				
3 year head, 6' stem		5.00	4.50	
platanoides schwedleri. Purple Norway	/			
Maple = 50'		1 05	1 40	1.05
6 to 8'			1.40	1.25
8 to 10'			1.65	1.50
1½ to 1¾"			2.75	2.50
1 % to 2"		3.75 4.50	$3.35 \\ 4.10$	$\frac{3.00}{3.75}$
2 to 2½"			5.25	3.75 4.75
3 to 3½"		8.00	7.25	6.50
$3\frac{1}{2}$ to $4''_{}$		9.75	9.00	0.00
4 to 5"			12.00	
5 to 6"	 	17.50	16.00	
pseudoplatanus. Sycamore Maple—60'				
2 to 2½"		3.60	3.25	
2 to 2½"		5.00	4.50	
3 to 4"		7.00	6.50	
rubrum. Red or Scarlet Maple—50'				•
5 to 6'	- 	1.25	1.00	.90
6 to 8'		1.50	1.30	1.15
8 to 10'	- 	2.00	1.75	
1 ½ to 1½" 1½ to 1¾"		2.50	2.25	
$1\frac{1}{2}$ to $1\frac{3}{4}$ "		3.00	2.75	
1 % to 2"		4.50	4.00	
2 to 2½"		6.00	5.50	
2½ to 3″		8.00	7.50	
·-		10.25	9.50	
saccharum. Sugar or Rock Maple—60'		1.40	1.15	1.00
6 to 8' 8 to 10'		$1.40 \\ 1.65$	$\begin{array}{c} 1.13 \\ 1.40 \end{array}$	1.00 1.25
1 1/4 to 1 1/2 "		1.90	$1.40 \\ 1.65$	1.50
1½ to 1¾"		2.50	$\frac{1.05}{2.25}$	2.00
1 % to 2"		$\frac{2.50}{3.00}$	2.75	2.50
2 to 2½"		3.75	$\frac{2.15}{3.35}$	$\frac{2.50}{3.00}$
		4.25	3.85	3.50
2 ½ to 3"			0.00	
2½ to 3″			5.00	4.50
2 ½ to 3"3 to 3½"		$5.50 \\ 7.25$	$\begin{array}{c} 5.00 \\ 6.50 \end{array}$	$\begin{array}{c} \textbf{4.50} \\ \textbf{6.00} \end{array}$
2½ to 3″		5.50		

ACER—Continued	1 Each	5 Each	25 Each
spicatum. Mountain Maple—25'			
3 to 4'		\$.60	
4 to 5'		.80	
5 to 6'	1.25	1.00	
tataricum. Tatarian Maple—12'			
3 to 4'		.60	\$.50
4 to 5'		.80	.70
5 to 6'	1.25	1.00	
AESCULUS			
carnea. Red Horsechestnut—35'			
3 to 4'		1.75	
4 to 5'		2.75	
5 to 6'	3.90	3.50	
glabra. Ohio Buckeye—30'			
5 to 6'		1.25	1.10
6 to 8'		1.65	1.50
1¼ to 1½″		2.25	2.00
1½ to 2″	_ 3.35	3.00	2.75
2 to 2½"		3.85	3.50
2½ to 3″		5.00	4.50
3 to 3½"	7 . 75	7.00	
hippocastanum. European Horse Chest-			
nut—40'			
4 to 6'		.85	.75
6 to 8'		1.40	1.25
1½ to 2″		2.25	2.00
2 to 2½"		3.00	2.75
2½ to 3″		4.50	
3 to 4"		7.00	
4 to 5"	_ 11.00	10.00	
octandra. $Yellow$ $Buckeye$ —30'			
4 to 6'	$_{-}$ 1.50	1.25	1.10
6 to 8'		1.50	1.35
1¼ to 1½″	$_{-}$ 2.25	2.00	
1½ to 1¾"	_ 3.00	2.75	
pavia. Red Buckeye—30'			
3 to 4'		2.25	2.00
4 to 5'		3.00	2.7 5
5 to 6'		3.75	
6 to 7'	$_{-}$ 5.25	4.75	
${f AILANTHUS-glandulosa.}\ \ {\it Tree-of-Heaven-}$			
5 to 6'		.85	.75
6 to 8'	_ 1.40	1.15	1.00
8 to 10'	_ 1.65	1.4 0	1.25
ALNUS—glutinosa—60'			
6 to 8'	_ 1.15	.90	.80
8 to 10'	_ 1.50	1.25	
AMYGDALUS			
alboplena. Double White Flowering Peace	ch—20'		
rubroplena. Double Red Flowering Peach			
2 to 3'		.22	.18
3 to 4'		.30	.25
4 to 5'		.40	.35
1 00 0	50	• ±0	.00

(See page 79 for Balling (B&B) schedule

10 rate applies to 5 or more of one variety; 100 rate applies to 25 or more of one variety; 1000 rate applies to 250 or more of one variety.

			-
1 E	ach 5	Each	25 Each
ARALIA—spinosa. Devils Walking Stick—25'			
	.60 \$.45	\$.35
	.70	.55	.45
5 to 6'	.80	.65	.55
	.10	.85	.75
• • • •	.40	1.15	1.00
10 to 12' 1	.75	1.50	1.35
(Clumps, 50% additional)			
BETULA—alba. European White Birch—40'			
.	.10	.85	.75
6 to 8' (15" Ball Extra) 1.	.40	1.15	1.00
	.75	1.50	
$1\frac{1}{4}$ to $1\frac{1}{2}$ " (18" Ball Extra) 2	.10	1.85	
alba pendula. European Weeping Birch—35'			
/	.50	1.25	1.10
6 to 8' (15" Ball Extra) 2	.00	1.75	1.60
lenta. Sweet Birch—45'			
	.10	.85	.75
,	.40	1.15	1.00
	.00	1.75	1.60
	.90	3.50	
,	.25	4.75	
3 to 3½" (38" Ball Extra) 7	.25	6.50	
Clumps, 3 to 6 stems			
- · · · · · · · · · · · · · · · · · · ·	.35	3.00	
· · · · · · · · · · · · · · · · · · ·	.40	$\frac{3.00}{4.00}$	
	.50	6.00	
lutea. $Yellow \; Birch -50'$.00	0.00	
	.25	1.00	
	.60	1.35	
	.10	1.85	
nigra. River Birch—40'	•••	1.00	
	.00	4.50	
3 to 4" (36" Ball Extra) 7		6.50	
4 to 5" (42" Ball Extra) 10	.00	9.00	
5 to 9" Prices on Application			
o to be a rived on rippinousion			
Clumps, 2 to 4 stems			
	.50	5.00	
	.00	6.50	
	.00	8.50	
18 to 20' (38" Ball Extra) 13	.00	12.00	
papyrifera. Canoe Birch—60'			
	.50	1.25	
,	.75	1.50	1.35
	.00	1.75	
,	.50	2.25	
CARPINUS—betulus. European Hornbeam—60'	CF	1 40	1.05
,	.65	1.40	1.25
	.25 .75	$\frac{2.00}{2.50}$	1.80
	.75 .75	$2.50 \\ 3.35$	
	50	4.00	
		1.00	
(See page 79 for balling schedu	ule)		

CARPINUS—Continued	l Each	5 Each	25 Each
caroliniana. (americana) American Hornb	eam—	35 ′	
2 to 3' (13" Ball Extra)		\$.90	\$.80
3 to 4' (14" Ball Extra)		1.25	1.10
4 to 5' (16" Ball Extra)	1.75	1.50	
5 to 6' (18" Ball Extra)	2.00	1.75	
6 to 8' (20" Ball Extra)	2.50	2.25	2.00
8 to 10' (23" Ball Extra)	_	3.00	
10 to 12' (26" Ball Extra)		4,50	
· · · · · · · · · · · · · · · · · · ·		_,00	
CASTANEA—mollissima. Hairy Chestnut—40	,		
2 to 3'	1.65	1.40	1.25
3 to 4'	2.25	2.00	1.75
CAMATDA			
CATALPA higher points are the built Catalog 10'			
bignonioides nana. Umbrella Catalpa—10'	1.00	٥٢	or
2 year head, 5 to 7' stem	$\frac{1.20}{1.50}$.95	.85
3 year head, specimens	1.50	$\frac{1.25}{1.65}$	1.10
4 year head, specimens	1.90	1.65	1.50
speciosa. Western Catalpa—35'	70	F0	40
6 to 8'	$\frac{.70}{1.00}$.50	.40
8 to 10′		.75	.65
1½ to 2″	1.40	1.15	1.00
CELTIS—mississippiensis. Sugarberry—60'			
5 to 6'	1.15	.90	.80
6 to 8'	1.60	1.35	1.20
8 to 10'		1.75	
occidentalis. Hackberry—45'	2.00	2.10	
4 to 5'	.95	.70	.60
5 to 6'	1.15	.90	.80
6 to 7'		1.25	
	2 = 1		
CERCIDIPHYLLUM—japonicum. Katsura-tre			0.0
3 to 4'	1.15	.90	
4 to 5'		1.25	1.10
5 to 6'	1.90	1.65	1.50
CERCIS—canadensis. Judas Tree, American Redbud—30'			
2 to 3' (12" Ball Extra)	.50	.35	.25
3 to 4' (13" Ball Extra)	.65	.50	.40
4 to 5' (15" Ball Extra)	.85	.70	.60
5 to 6' (15" Ball Extra)	1.10	.90	.80
6 to 8' (18" Ball Extra)		1.15	1.00
8 to 10' (22" Ball Extra)	2.50	2.25	1.00
10 to 12' (26" Ball Extra)		3.50	
12 to 14' (30" Ball Extra)		4.60	
· · · · · · · · · · · · · · · · · · ·	0.00	4.00	
CLADRASTIS—lutea. Yellow-wood—35'		. .	105
4 to 5'	1.75	1.50	1.35
5 to 6'	2.15	1.90	1.75
6 to 8'	2.75	2.50	2.25
8 to 10'	3.35	$\frac{3.00}{2.00}$	2.75
1½ to 1½"	4.00	3.60	$\frac{3.25}{2.75}$
1½ to 1¾"	4.50	4.10	3.75
2 to 2½"		5.00	4.50
2½ to 3″	7.75	7.00	

Truehedge Columnberry prices are greatly reduced. See inside front cover.

CORNUS—florida. White Flowering Dogwood—	-20′	•	No.
1	Each	5 Each	25 Each
2 to 3' (12" Ball)\$		\$.75	\$.65
3 to 4' (13" Ball)	1.40	1.15	1.00
4 to 5' (14" Ball) 5 to 6' (15" Ball)	$\frac{1.85}{3.00}$	$1.60 \\ 2.75$	$1.45 \\ 2.50$
6 to 8' (17" Ball)	$\frac{3.00}{4.40}$	$\frac{2.73}{4.00}$	2.50 3.60
8 to 10' (19" Ball)	6.25	$\frac{4.00}{5.75}$	5.00 5.25
10 to 12' (22" Ball)	8.75	8.00	$\frac{5.25}{7.50}$
florida rubra. Redflowering Dogwood—20'	00	0.00	1.00
2 to 3' (12" Ball)	1.90	1.65	1.50
3 to 4' (13" Ball)	2.50	2.25	2.00
4 to 5' (15" Ball)	3.75	3.35	3.00
5 to 6' (16" Ball)	4.75	4.40	4.00
6 to 8' (18" Ball)	6.00	5.50	5.00
8 to 10' (22" Ball)	9.00	8.00	
	13.50	12.00	
florida welchi. Welch Variegated-leaved			
Dogwood—Beautiful new form—20'	0.50	0.05	
3 to 4' (14" Ball)	$2.50 \\ 4.10$	2.25	
4 to 5' (16" Ball) 5 to 6' (18" Ball)	5.50	$\begin{array}{c} 3.75 \\ 5.00 \end{array}$	
6 to 7' (20" Ball)	7.50	6.75	
kousa. Kousa Dogwood—18'	1.00	0.10	
4 to 5' (14" Ball Extra)	1.25	1.10	1.00
5 to 6' (15" Ball Extra)	2.15	1.90	1.75
6 to 8' (17" Ball Extra)	2.75	2.50	2.25
- /			
CRATAEGUS			
arnoldiana. Arnold Hawthorn—20'			
3 to 4'	1.40	1.15	1.00
5 to 6' (16" Ball Extra)	2.00	1.75	
6 to 8' (18" Ball Extra)	2.50	2.25	
coccinea. Scarlet-fruited Hawthorn—20'	1.40	1.15	1.00
3 to 4' (13" Ball Extra) 4 to 5' (15" Ball Extra)	1.40 1.65	1.15 1.40	$1.00 \\ 1.25$
5 to 6' (16" Ball Extra)	1.90	1.65	1.50
6 to 8' (18" Ball Extra)	2.50	2.25	2.00
8 to 10' (22" Ball Extra)	3.00	2.75	2.50
10 to 12' (26" Ball Extra)	4.00	$\frac{2.10}{3.60}$	3.25
12 to 14' (30" Ball Extra)	5.50	5.00	4.50
cordata. Washington Hawthorn—20'			
3 to 4' (13" Ball Extra)	1.50	1.25	1.10
4 to 5' (15" Ball Extra)	1.90	1.65	1.50
5 to 6' (17" Ball Extra)	2.25	2.00	1.85
crusgalli. Cockspur Thorn—20'			
3 to 4' (13" Ball Extra)	1.40	1.15	1.00
4 to 5' (15" Ball Extra)	1.65	1.40	1.25
5 to 6' (17" Ball Extra)	1.90	1.65	1.50
6 to 8' (19" Ball Extra)	2.50	2.25	2.00
mollis. Downy Hawthorn—18' 3 to 4' (13" Ball Extra)	1.10	or	75
4 to 5' (15" Ball Extra)	$1.10 \\ 1.65$	$\begin{array}{c} .85 \\ 1.40 \end{array}$	$\begin{array}{c} .75 \\ 1.25 \end{array}$
5 to 6' (16" Ball Extra)	1.90	1.40 1.65	1.23 1.50
6 to 8' (18" Ball Extra)	2.50	2.25	$\frac{1.50}{2.00}$
nitida	4.00	4.40	4.00
3 to 4' (13" Ball Extra)	1.40	1.15	1.00
4 to 5' (15" Ball Extra)	$\overline{1.65}$		1.25
5 to 6' (16" Ball Extra)	1.90	1.65	1.50
•			

Continuou	Each	5 Each	25 Each
oxycantha. English Hawthorn—20' 3 to 4' (13" Ball Extra)\$	1 20	\$ 1.15	\$ 1.00
4 to 5' (15" Ball Extra)		0.1.15	ψ 1.00 1.25
5 to 6' (16" Ball Extra)	1.90	1.65	1.50
oxycantha splendens. Paul Double Scarlet	1.00	2.00	1.00
Hawthorn—15'			
3 to 4' (13" Ball Extra)	1.40	1.15	1.00
4 to 5' (15" Ball Extra)	1.65	1.40	1.25
5 to 6' (16" Ball Extra)	1.90	1.65	1.50
6 to 8' (18" Ball Extra)	2.50	2.25	2.00
8 to 10' (21" Ball Extra)		3.50	
10 to 12' (24" Ball Extra)	5.50	5.00	
tomentosa. Pear Hawthorn—15'			
4 to 5' (15" Ball Extra)	1.65	1.40	1.25
5 to 6' (16" Ball Extra)	1.90	1.65	1.50
6 to 8' (18" Ball Extra)	2.50	2.25	2.00
8 to 10' (22" Ball Extra)		2.75	2.50
10 to 12' (26" Ball Extra)	4.00	3.60	3.25
DIOSPYROS—virginiana. Common Persimmon	—15 ′		
5 to 6'	1.25	1.00	
6 to 8'	1.65	1.40^{-1}	
8 to 10'	2.25	2.00	1.80
1½ to 2″	2.75	2.50	2.25
FAGUS—americana. American Beech—60'			
3 to 4' (14" Ball Extra)	1.65	1.40	1.25
4 to 5' (16" Ball Extra)	1.90	1.65	1.50
5 to 6' (18" Ball Extra)	2.50	2.25	2.00
6 to 8' (20" Ball Extra)	3.00	2.75	2.50
8 to 10' (24" Ball Extra)	4.25	3.85	3.50
sylvatica riversi. Rivers Purple Beech—45' 2 to 3' (12" Ball)	2 00	0.75	
2 to 3' (12" Ball) 3 to 4' (14" Ball)	$\begin{array}{c} 3.00 \\ 3.60 \end{array}$	$2.75 \\ 3.25$	
4 to 5' (16" Ball)	4.40	$\begin{array}{c} 3.23 \\ 4.00 \end{array}$	
5 to 6' (18" Ball)	5.75	5.25	
6 to 7' (20" Ball)		7.00	
7 to 8' (22" Ball)		8.50	
8 to 10' (25" Ball)		11.00	
10 to 12' (30" Ball)		14.00	
FRAXINUS—americana. White Ash—60'			
6 to 8'	1.10	.85	.75
1½ to 1½"	1.65	1.40	1.25
1½ to 2″	2.50	2.25	2.00
2 to 2½"	3.50	3.25	3.00
2½ to 3″	4.40	4.00	3.65
3 to 4"	6.00	5.50	5.00
4 to 5"	8.00	7.25	
GINKGO—biloba. Maiden Hair Tree—50'			
4 to 6'	1.75	1.50	1.35
6 to 8'	2.15	1.90	1.75
8 to 10'	2.75	2.50	2.25
1½ to 1½″	3.35	3.00	2.75
1½ to 1¾″	4.10	3.75	3.5 0
1% to 2"	5.50	5.00	
2 to 2½"	7.00	6.50	

(See page 79 for balling schedule)

			
GLEDITSIA—triacanthos. Common Honeylos	cust—60	,	
GLEDIISIII—diacandos. Common Honogro	1 Each	5 Each	25 Each
5 to 6'	\$ 1.00	\$.75	\$.65
6 to 8'		1.15	1.00
8 to 10'		1.65	
1½ to 2"		2.50	
2 to 2½"		3.50	
2½ to 3"	5.50	5.00	
-		\ <u>'</u>	
GYMNOCLADUS—dioica. Kentucky Coffee T	1 1 1 0) 05	.75
3 to 4' 6 to 8'	$\begin{array}{cc} 1.10 \\ 2.50 \end{array}$	$\begin{array}{c} .85 \\ 2.25 \end{array}$.75
8 to 10'		$\frac{2.25}{2.75}$	
		2.15	
HICORIA—laciniosa. Shellbark Hickory—75'			•
6 to 8'	2.75	2.50	
8 to 10'	3.50	3.25	
JUGLANS nigra. Black Walnut—80'			
3 to 4'	.75	.50	.40
4 to 6'		.85	.75
6 to 8'		1.15	1.00
8 to 10'	1.90	1.65	1.50
1½ to 2"	2.50	2.25	
· -			
KOELREUTARIA—paniculata. Goldenrain T			
3 to 4'		$\begin{array}{c} .75 \\ 1.00 \end{array}$	
4 to 5' 5 to 6'		1.35	
	. 1.00	1.59	
LARIX—europea. European Larch—45'	0.55	0.00	
10 to 12' (27" Ball)	8.75	8.00	
12 to 14' (30" Ball)		11.00	
14 to 16' (33" Ball)		14.00	
16 to 18' (36" Ball)		18.00	
LIQUIDAMBER—styraciflua. Sweet Gum—50		0.00	
6 to 8'	2.25	2.00	
8 to 10'		2.75	
1½ to 2″		3.50	
2 to 2½"	5.00	$\frac{4.60}{6.50}$	
2½ to 3″	7.00	6.50	
3 to 4"	9.00	8.25	
4 to 5"		11.00	
LIRIODENDRON—tulipifera. Tulip Tree—60)′		
6 to 8'	1.65	1.40	
8 to 10'	2.00	1.75	
1½ to 1½"	2.50	2.25	
1½ to 2"	3.25	2.90	
2 to 2½"		3.60	
2 ½ to 3"		5.00	
3 to 4"	7.75	7.00	
4 to 5"		10.00	
MAGNOLIA—acuminata. Cucumber Tree—70			
3 to 4' (13" Ball)	1.50	1.25	1.10
4 to 5' (14" Ball)		1.75	1.60
5 to 6' (15" Ball)		2.25	2.00
6 to 8' (16" Ball)		3.00	2.75
8 to 10' (18" Ball)		4.00	
10 to 12' (20" Ball)		6.00	
1½ to 2" (24" Ball)		8.00	
2 to 2½" (27" Ball)	11.00	10.00	

MAGNOLIA—Continued	1 Each	5 Each	25 Each
glauca. Sweet Bay—20'			
2 to 3' (12" Ball)\$	1 40	\$ 1.15	\$ 1.00
3 to 4' (13" Ball)		$\frac{4}{1.75}$	$\frac{4}{1.60}$
4 to 5' (15" Ball)	$\frac{2.50}{2.50}$	$\frac{1.15}{2.25}$	$\frac{1.00}{2.00}$
5 to 6' (16" Ball)		$\frac{2.20}{3.00}$	$\frac{2.75}{2.75}$
6 to 8' (18" Ball)	4.40	4.00	$\frac{3.65}{3.65}$
soulangeana. Saucer Magnolia—18'			
2 to 3' (12" Ball)	2.15	1.90	1.75
3 to 4' (13" Ball)	3.00	2.75	2.50
4 to 5' (15" Ball)	4.50	4.10	3.75
5 to 6' (16" Ball)	6.00	5.50	
6 to 7' (18" Ball)		7.50	
soulangeana nigra. Purple Lily Magnolia—			
2 to 3' (12" Ball)	2.75	2.50	
3 to 4' (13" Ball)	3.85	3.50	
4 to 5' (15" Ball)	4.90	$\frac{4.50}{6.00}$	
5 to 6' (16" Ball)	6.50	6.00	
6 to 7' (18" Ball)	8.75	8.00	
tripetala. Umbrella Magnolia—30'	1 40	4 4 5	1 00
4 to 5' (15" Ball Extra)	1.40	1.15	1.00
5 to 6' (16" Ball Extra) 6 to 8' (18" Ball Extra)	$\begin{array}{c} 1.75 \\ 2.25 \end{array}$	$\frac{1.50}{2.00}$	1.35
6 to 8' (18" Ball Extra) 8 to 10' (21" Ball Extra)		$\frac{2.00}{3.00}$	1.80
8 to 10 (21 Dan Extra)	0.00	3.00	
MALUS arnoldiana. Arnold Crab-10'			
4 to 5'	1.10	.85	
5 to 6'	1.40	1.15	
6 to 7'	1.90	1.65	
atrosanguinea. Carmine Crab—12'			
4 to 5'	1.10	.85	.75
5 to 6'	1.35	1.10	
6 to 7'	1.90	1.65	
baccata. Siberian Crab—25'			
4 to 5'	1.15	.90	
5 to 6'	1.50	1.25	
6 to 8'	2.00	1.75	
8 to 10'		2.50	
baccata mandshurica. Manchurian Crab—2			05
3 to 4'	1.00	.75	.65
4 to 5' 5 to 6'	$\begin{array}{c} 1.25 \\ 1.65 \end{array}$	$\frac{1.00}{1.40}$.90
	1.00	1.40	
coronaria. Wild Sweet Crab. Fragrant blush bloom—15'			
3 to 4'	.80	.60	.50
4 to 5'	1.00	.75	.65
5 to 6'	1.25	1.00	.90
6 to 8'		1.65	
8 to 10'	3.00	2.75	
10 to 12'	4.10	3.75	
eleyii. Best red variety—12'			
3 to 4'	.85	.60	.50
4 to 5'		.75	.65
5 to 6'	1.25	1.00	.90
6 to 8'	$\frac{1.75}{2.50}$	$\frac{1.50}{2.05}$	1.35
8 to 10' 10 to 12'	$\begin{array}{c} 2.50 \\ 3.35 \end{array}$	$\begin{array}{c} 2.25 \\ 3.00 \end{array}$	
10 to 12'	0.00	0.00	

			
MALUS—Continued	l Each	5 Each	25 Each
floribunda. Japanese Flowering Crab—12'			•
3 to 4'\$		\$.70	\$.60
4 to 5'	1.10	.85	
5 to 6'	1.40	1.15	1.00
6 to 8'	1.90	1.65	1.50
halliana parkmani. Parkman Crab—12'			
Semi-double, rose-pink			
3 to 4'	1.35	1.10	
4 to 5'	1.65	1.40	
5 to 6'	2.25	2.00	
6 to 7'	3.00	2.75	
hopa. Red Flowering Crab—12'			
4 to 5'	1.10	.85	.75
5 to 6'	1.40	1.15	1.00
6 to 8'	1.75	1.50	1.35
8 to 10'	2.50	2.25	
ioensis plena. Bechtel Double Pink Crab—1			
1½ to 2'	.60	.50	.40
2 to 3'	.75	.60	.50
3 to 4'	.90	.75	.65
4 to 5'	1.15	1.00	.90
5 to 6'	1.90	1.65	
6 to 7'	2.50	2.25	
niedzwetzkyana. Redvein Crab—12'	4 00		
4 to 5'	1.00	.75	
5 to 6'	1.25	1.00	.90
6 to 8' 8 to 10'	$\begin{array}{c} 1.65 \\ 2.50 \end{array}$	$1.40 \\ 2.25$	$\frac{1.25}{2.00}$
10 to 12'	3.35	3.00	2.00
	0.00	5.00	
prunifolia rinki. Chinese Apple—15' 4 to $5'_{}$	1.10	.85	
5 to 6'	1.40	1.15	
6 to 8'	1.90	1.65	1.50
8 to 10'	2.50	2.25	2.00
10 to 12'	$\frac{2.60}{3.60}$	$\frac{-3.25}{3.25}$	
purpurea. Purple Crab—14'			
4 to 5'	1.00	.75	.65
5 to 6'	1.25	1.00	.90
6 to 8'	1.65	1.40	1.25
8 to 10'	2.25	2.00	
10 to 12'	3.00	2.75	
12 to 14'	4.00	3.60	
sargenti. Sargent Crab. Dwarf, pure white	e6'		
3 to 4'	1.25	1.00	.90
4 to 5'	1.65	. 1.40	1.25
5 to 6'	2.25	2.00	
scheideckeri. Double rose—12'			
4 to 5'	1.10	.85	.75
5 to 6'	1.40	1.15	1.00
6 to 8'	1.90	1.65	
sieboldi. Toringo Crab—15'		,m. a.m.	
4 to 5'	1.10	.85	.75
5 to 6'	1.40	1.15	
6 to 8' 8 to 10'	1.90	$\frac{1.65}{2.25}$	
8 to 10′	2.50	2.25	

MIII OD COMUNICA	Each	5 Each	25 Each
spectabilis fl. pl. Double Chinese Flowering			e 75
4 to 5'\$ 5 to 6'\$	1.10 1.40	\$.85 1.15	\$.75
5 to 6' 6 to 8'	1.90	$\begin{array}{c} 1.15 \\ 1.65 \end{array}$	
	1.00	1.00	
sublobata. Yellow Autumn Crab—12'	1.9 0	1.65	1.50
6 to 8' 8 to 10'	$\frac{1.90}{2.50}$	2.25	1.00
theifera. Tea Crab—18'	2.00	2.20	
2 to 3'	1.00	.7 5	
3 to 4'	1.25	1.00	
4 to 5'	1.75	1.50	
toringoides. Cutleaf Crab-15'	_,,		
3 to 4'	1.00	.75	.65
4 to 5'	1.25	1.00	.90
5 to 6'	1.75	1.50	1.35
6 to 8'	2.25	2.0 0	
MORUS—alba globosa. Globe Mulberry—10'			
3 year head, 5 to 7'	3.00	2.75	
alba pendula. Tea's Weeping Mulberry—8'	0.00	2110	
2 year head	2.15	1.90	1.75
3 year head	2.50	2.25	2.00
alba tatarica. Russian Mulberry-30'			
4 to 6'	.65	.40	.30
6 to 8'	.75	.50	.40
8 to 10'	.95	.7 0	.60
1½ to 2″	1.35	1.10	1.00
2 to 2½″	1.90	1.65	1.50
New American. Large Fruits—40'			
6 to 8'	.85	.60	
8 to 10'	1.25	1.00	
OXYDENDRUM—arboreum. Andromeda,			
Sourwood, Sorrel Tree-30'			
2 to 3'	.75	.60	.50
3 to 4'	1.00	.75	.65
4 to 5'	1.25	1.00	.90
5 to 6'	1.60	1.35	1.20
6 to 8'	2.25	2.00	1.80
8 to 10'	3.35	3.00	2.75
10 to 12'	4.40	4.00	
PHELLODENDRON—amurense. Amur			
Corktree—50'			
4 to 5'	.80	.60	
5 to 6'	1.00	.75	
6 to 8'	1.10	.85	.75
8 to 10'	1.50	1.25	1.10
1 1/4 to 1 1/2"	1.75	1.50	1.35
1½ to 1¾"	2.25	2.00	
PLATANUS—acerifolia. London Planetree—8			
8 to 10'	1.75	1.50	1.35
1¼ to 1½″	2.25	2.00	1.80
1½ to 1¾″	2.75	2.5 0	2.25
1 3/4 to 2"	3.35	3.00	2.75
2 to 2½"	4.00	3.6 0	3.25
2 ½ to 3"	5.75	5.2 5	4.75
3 to 3½"		7.00	6.50
3½ to 4″	10.50	9.50	

PLATANUS—Continued	1 Each	5 Each	25 Each
occidentalis. American Planetree	A 4 6 F	4.40	*
6 to 8' 8 to 10'		$\begin{array}{c} \$ \ 1.00 \\ 1.25 \end{array}$	\$.85 1.10
orientalis. European Sycamore or Plane-	70'		
6 to 8'	1.40	1.15	1.00
8 to 10'	1.65	1.40	1.25
1 1/4 to 1 1/2 "	2.00	1.80	1.65
1½ to 1¾"	2.60	2.35	2.10
1 3/4 to 2"	3.10	2.85	2.60
Z to Z½	4.00	3.60	$3.25 \\ 4.75$
2½ to 3″ 3 to 3½″	$5.75 \\ 8.75$	$\begin{array}{c} 5.25 \\ 8.00 \end{array}$	$\begin{array}{c} 4.75 \\ 7.25 \end{array}$
3½ to 4"		10.50	1.20
4 to 4½″		13.00	
4 to 4 72	16.50	$15.00 \\ 15.00$	
5 to 5½"	20.00	18.50	
5 ½ to 6"		23.00	
6 to 6½"	32.50	30.00	
POPULUS	32.00	30,00	~
alba nivea. Silver Poplar—40'			
6 to 8'	.95	.70	.60
8 to 10'	1.25	1.00	.90
bolleana Bolleana Silver Poplar—50'			
5 to 6'		.50	.40
6 to 8'		.65	.55
8 to 10'	1.20	.95	.85
1½ to 1½"	1.65	1.40	1.25
1½ to 1¾"	$\frac{2.25}{3.00}$	2.00	1.75
1 3/4 to 2"		$\begin{array}{c} 2.75 \\ 3.60 \end{array}$	2.50
2 to 2½"	5.50	5.00	3.25
$\frac{2}{3}$ to $\frac{3}{2}$ "	$\frac{5.50}{7.75}$	7.00	
3½ to 4"	10.00	9.00	
4 to 4½"		12.00	
4 ½ to 5"	17.00	15.00	
5 to 6"		20.00	
6 to 7"	27.50	25.00	
eugenie. Carolina Poplar—75'			
8 to 10' 1 \(\frac{1}{4} \) to 1 \(\frac{1}{2} \)"	.65	.45	.35
		.65	.55
1½ to 2"	1.10	.85	.75
maximowiczi. Japanese Poplar—70'	0.05	0.00	1 05
1½ to 2″	$\begin{array}{c} 2.25 \\ 3.00 \end{array}$	$\frac{2.00}{2.75}$	$\frac{1.85}{2.50}$
nigra italica. Lombardy Poplar—70'			
4 to 6', (\$140 per 1000)	.35	.25	.18
6 to 8', (\$225.00 per 1000)		.35	.275
8 to 10', (\$325.00 per 1000)		.50	.375
$1\frac{1}{4}$ to $1\frac{1}{2}$ ", (\$400.00 per 1000)		.60	.50
$1\frac{1}{2}$ to $1\frac{3}{4}$ " (\$550 per 1000)		.75	.65
1 3/4 to 2"		1.00	.90
2 to 2½"		1.50	1.35
$2\frac{1}{2}$ to $3''$		$\frac{2.25}{2.50}$	2.00
3 to 3½"	3.85	3.50	

POPULUS—Continued	1 Each	5 Each	25 Each
simoni. Simon Poplar—30'			
6 to 8'	\$.65	\$.45	\$.35
8 to 10'	80	.60	.50
1 1/4 to 1 1/2 "	1.00	.80	.70
$1\frac{1}{2}$ to $1\frac{3}{4}$ "	1.25	1.00	.90
1 % to 2"	1.75	1.50	1.35
2 to 2½"	2.25	2.00	1.80
PRUNUS—(See Shrubs for other Prunus).			
americana. American Plum—20'			
3 to 4'		.45	.35
4 to 6'		.55	.45
6 to 8'	1.00	.75	.65
8 to 10'		1.15	
americana Newport. Purple-leaved Amer			
3 to 4'		.45	.40
4 to 5'		.55	.50
5 to 6'	1.00	.80	.70
6 to 8'		1.00	.90
cerasifera pissardi nigra. Deepest purple		,	4.0
3 to 4'	55	.45	.40
4 to 5'		.65	.55
5 to 6'		.90	.80
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1.50	1.25	
cistina. Hansen's Purpleleaf Plum—6'			
A semi-dwarf, very hardy variety			
with brilliant foliage. 3 to $4'$		15	4.0
·		$\frac{.45}{co}$.40
4 to 5'		.60	.50
5 to 6'pennsylvanica. Pin Cherry—25'	1.10	.85	.75
	1.00	.80	.70
6 to 8' 8 to 10'	1.40	1.15	
serotina. Black Cherry—60'	1.40	1.10	1.00
3 to 4'	.65	.45	.35
4 to 5'		.55	.50
5 to 6'		.70	
subhirtella. Higan Cherry—30'	•••	•••	
5 to 6'	1.75	1.50	
6 to 8'		2.25	
virginiana. Common Chokecherry-30'			
2 to 3'	.40	.325	.25
3 to 4'	.60	.45	.35
4 to 5'		.55	.45
5 to 6'		.75	.65
6 to 8'	1.15	.90	
JAPANESE DOUBLE FLOWERIN	NG CHE	RRIES	
Prices following variet	ies:		
3 to 4'	1.10	.85	.75
4 to 5'		1.15	1.00
5 to 6'		1.40	1.25
6 to 8'	-2.00	1.75	1.60
8 to 10' varieties*		2.50	
10 to 12' varieties*	$\frac{4.25}{2}$	3.75	
fugenzo. Kofugen. James H. Veitch—S	30'. Doub	le pink.	
*sekiyama. Kwanzan Cherry—30'. Dou *sieboldi. Naden. Siebold Cherry—30'.	ble dark Double	pink. pink	
		1	

JAPANESE FLOWERING CHERRIES

NEWER AND FINER VARIETIES

		1	Each	5 Each	25 Each
3	to	4'\$	1.25	\$ 1.00	\$.90
4	to	5'	1.65	1.35	1.20
5	to	6'	2.00	1.75	1.60

Horinjii—Double pale pink.

Hosakowanioi—Semi-double white.

Ojochin-Semi-double pink.

Shogetsu—Double pink. Takinioi—Single white.

Ukon-Double tea colored.

WEEPING JAPANESE CHERRIES

subhirtella pendula. Shidare-higan—12'			
2 year head	2.50	2.25	2.00
3 year head, specimens			2.50
4 year head, specimens			
double pink weeping—12' Similar to Shid			with
beautiful double dark pink flowers.		, will both	,
2 year head. 5 to 7'	3.75	3.35	3.00
2 year head, 5 to 7'	4.50	4.10	3.75
PTELEA—trifoliata. Common Hoptree—25'			
2 to 3'	.60	.40	.30
QUERCUS			
coccinea. Scarlet Oak—75'			
4 to 6'	1.40	1.15	1.00
6 to 8'	2.00	1.75	2.00
8 to 10'	3.25	3.00	
1 ½ to 2"	4.75	4.25	
2 to 2½"		6.00	
macrocarpa. Mossy-cup Oak—75'			
8 to 10'	3.00	2.75	2.50
1 ½ to 2"	4.25	3.85	3.50
2 to 2½"	5.50	. 5.00	4.50
2½ to 3″	7.25	6.50	
palustris. Pin Oak—75'			
5 to 6'	1.10	.85	.75
6 to 8'	1.40	1.15	1.00
8 to 10'	1.65	1.40	1.25
1 ½ to 1½"	1.90	1.65	. 1.50
1½ to 1¾"	2.50	2.25	2.00
1 % to 2"	3.25	3.00	2.75
2 to 2½"	4.25	3.85	3.50
2½ to 3″	5.50	5.00	4.50
3 to 3½"	6.75	6.25	5.75
3 ½ to 4"	9.00	8.25	7.50
4 to 5"	12.00	11.00	10.00
5 to 6"	16.50	15.00	14.00
6 to 12", Prices on Application			

At Cole's you may see some of the finest Willows available. Thousands of well grown specimens. All weeping varieties are individually staked to develop straight, sturdy stems.

QUERCUS—Continued

1 Each 5 Each 25 Each

Quercus robur is an exceptionally desirable variety and should be carefully considered when making planting lists. Our trees are of especially high quality and may be had in large quantities if needed.

robur. English Oak—70'			
1½ to 1¾"	8 3.00	\$ 2.75	\$ 2.50
1 3/4 to 2"		3.35	3.00
2 to 2½″		$\frac{3.35}{4.25}$	3.75
2 to 2 /2	5.75	5.25	$\frac{3.15}{4.75}$
3 to 3½"	7.00	6.50	6.00
3 ½ to 4"		8.00	7.25
4 to 4½"	11.00	10.00	9.00
4½ to 5″	14.00	12.50	11.50
5 to 6"	17.50	16.00	
rubra. Red Oak—75'			
4 to 6'	1.40	1.15	1.00
6 to 8'		1.65	1.50
8 to 10'	2.60	2.35	2.10
1 1/4 to 1 1/2"	3.35	3.00	
1½ to 1¾"		3.75	
1 3/4 to 2"	4.75	4.25	
2 to 2½"	5.75	5.25	
2 ½ to 3"		7.00	
3 to 3½"	10.00	9.00	
3 ½ to 4"		12.00	
4 to 5"	17.50	16.00	
ROBINIA pseudoacacia. Common Locust—55'			
6 to 8'	.80	.60	.50
8 to 10'	1.10	.85	.75
10 to 12'		1.15	1.00
1½ to 2"	1.90	1.65	1.50
SALISBURIA—(See Ginkgo)			
SALIX alba. White Willow-50'		_	
6 to 8'	1.00	.80	.70
8 to 10'	1.25	1.15	1.00
aurantha aurea. New. Gold Bark			
5 to 6'		.55	.45
6 to 8'	.95	.70	.60
8 to 10'	1.25	1.00	.90
1 1/4 to 1 1/2 "		1.35	1.20
1 ½ to 2"	2.00	1.75	1.60
2 to 2½"	2.75	2.50	
9 % to 3"	3.75	3.35	
babylonica. Babylon Weeping Willow—55'	CF	50	.40
5 to 6', (\$350.00 per 1000)	.65	.50	.50
6 to 8', (\$400.00 per 1000)	.80	.60	.70
8 to 10'	1.00	.80	
1 1/4 to 1 1/2 "	1.40	$\frac{1.15}{2.00}$	$\frac{1.00}{1.80}$
1½ to 2"	2.25	$\frac{2.00}{2.75}$	1.80
2 to 2½"		2.75	2.50
2 ½ to 3"	4.50	$\frac{4.00}{6.25}$	
3 to 4"			
(Q) $= 70 for 1.11 may (D for D)$	مرام ما م	al o	

(See page 79 for balling (B&B) schedule

SALIX—Continued	1 Each	5 Each	25 Each
blanda. $Wisconsin\ Weeping\ Willow-40'$ 5 to $6'_{}$	\$.75	\$.55	\$.45
6 to 8' (\$450.00 per 1000)	.90	.65	.55
8 to 10' (\$650.00 per 1000)	1.10	.85	.75
1 1/4 to 1 1/2 "	1.50	1.25	1.10
1½ to 2"	2.25	2.00	1.80
2 to 2½	. 3.00	2.75	2.50
2½ to 3″	. 4.50	4.00	-
discolor, $Pussy \ Willow = 18'$ 2 to $3'$.25	.18	.14
3 to 4'		.23	.18
4 to 6'		.32	.27
6 to 8'		.55	.45
gracilistyla. Longstyle Willow			
2 to 3'		.50	.40
3 to 4'	1.00	.75	
incana. Rosemary Willow-12'	0.0		
1½ to 2'		.22	.17
2 to 3'		.28	$.22\frac{1}{2}$
3 to 4'		.35	.30
4 to 5'	.60	.50	.40
Marcel. Corkscrew Willow—30'	1.05	1 00	
6 to 8'		1.00	
8 to 10'	. 1.65	1.40	
Niobe. Golden Weeping Willow—50'	5 0	50	4.0
5 to 6'	70	.50	.40
6 to 8' (\$450.00 per 1000)	85	$.65\\.90$.55
8 to 10' (\$700.00 per 1000) 1 1/4 to 1 1/2 "		1.35	.80
1 ½ to 2"		$\begin{array}{c} 1.35 \\ 2.25 \end{array}$	$\begin{array}{c} 1.20 \\ 2.00 \end{array}$
2 to 2½"	. 3.35	$\frac{2.25}{3.00}$	2.75
2½ to 3"	5.00	$\frac{3.00}{4.50}$	2.10
pentandra. Laurel-leaved Willow-25'		\ \ \	
5 to 6'	75	.55	.45
6 to 8'	1.00	.75	.65
regalis. Royal Willow—Beautiful silver fo	oliage—	35 ′	
2 to 3', shrub form		.35	.25
3 to 4', shrub form	60	.45	.35
4 to 6', shrub form	90	.70	.60
6 to 8', shrub form	1.25	1.00	.90
salamoni. Salamon Weeping Willow—50'	0.0	70	CO
5 to 6' 6 to 8'	0.90 $0.1.10$.70	.60
8 to 10'		$\begin{array}{c} .90 \\ 1.25 \end{array}$	$.80 \\ 1.10$
vitellina. Golden-barked Willow—40'	1.00	1.40	1.10
5 to 6' (\$300.00 per 1000)	.65	.45	.35
6 to 8' (\$450.00 per 1000)		.60	.50
8 to 10' (\$650.00 per 1000)	1.10	.85	.75
1 ½ to 1½"	1.25	1.00	.90
$1 \frac{1}{2}$ to $2''_{}$	1.65	1.40	1.25
2 to 2½"	2.25	2.00	1.80

Secure a supply of Truehedge Columnberry.

America's Greatest Plant Sensation.

SORBUS—aucuparia. European Mt. Ash—30' 1 Each	5 Each	25 Each
6 to 8'\$ 1.75	\$ 1.50	\$ 1.35
8 to 10' 2.00	4.75	$\frac{\psi}{1.60}$
		1.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ "	2.25	
1 ½ to 2" 3.35	3.10	
2 to 2½" 4.50	4.10	
2½ to 3″ 5.50	5.00	
3 to $3\frac{1}{2}$ "	7.00	
4 to 5" 12.50	11.50	
aucupara pendula. Weeping Mountain-Ash—12'		
	0.50	
3 year head, 5 to 7' stem 2.75	$\frac{2.50}{2.75}$	
4 year head, specimens $_{}$ 4.25	3.75	
TAXODIUM—distichum. Common Baldcypress—80'		
10 to 12' (27" Ball) 9.00	8.00	
12 to 14' (30" Ball) 11.00	10.00	
14 to 16' (33" Ball) 14.00	12.50	
TILIA—americana. American. Linden—80'		
	OF	75
6 to 8' 1.10	.85	.75
8 to 10' 1.35	1.10	1.00
1½ to 1¾"1.90	1.65	1.50
1 3/4 to 2"	2.25	2.00
2 to 2½"	2.75	2.50
$2\frac{1}{2}$ to $3''_{}$ 3.75	3.35	3.00
3 to 3½" 4.75	4.40	4.00
3 ½ to 4"6.50	6.00	
4 to 5" 9.00	8.00	
	12.00	
	12.00	
cordata. Littleleaf European Linden—70'		
6 to 8' 1.75	1.50	1.35
8 to 10' 2.25	2.00	1.85
$1 \frac{1}{2}$ to $2''_{}$ 4.25	3.85	
2 to 2½" 5.75	5.25	
$2\frac{1}{2}$ to $3^{"}$	7.00	
2½ to 3"	9.00	
	0.00	
platyphyllos. Bigleaf European Linden—75'	4.05	4.00
2 to 2½"4.75	4.35	4.00
2½ to 3″6.00	5.50	5.00
3 to 3½" 7.75	7.00	6.50
$3\frac{1}{2}$ to $4''_{$	9.00	
4 to 5" 13.00	12.00	
1 . G Farmanaga Lindon 60'		
vulgaris. Common European Linden—60'	1 15	1.00
5 to 6'1.40	1.15	
6 to 8'1.65	1.40	1.25
8 to 10'	$\frac{1.90}{2.75}$	1.75
$1\frac{1}{4}$ to $1\frac{1}{2}''_{}$ 3.00	2.75	
1 ½ to 2" 4.00	3.60	
2 to 2½" 5.50	5.00	4.50
$2\frac{1}{2}$ to $3''_{}$ 7.00	6.50	
3 to 3½"	8.00	
3 ½ to 4" 12.00	11.00	
10 50	15.00	
4 10 0	20.00	
5 to 0 ==================================	25.00	
6 to 7" 27.50	20.00	

Secure a supply of Truehedge Columnberry.

America's Greatest Plant Sensation.

ULMUS	1 Each	5 Each	25 Each
americana. White or American Elm—80'		\$.60	\$.50
6 to 8'			•
8 to 10' 1 ½ to 1½"	95 - 1.10	.70 .85	.60 .75
		1.00	.13
1½ to 1¾" 1¾ to 2"	_ 1.25 _ 1.60	$\begin{array}{c} 1.00 \\ 1.35 \end{array}$	1.20
1 34 to 2" 2 to 2 ½"	_ 2.25	$\frac{1.35}{2.00}$	$\frac{1.20}{1.80}$
2 ½ to 3"		$\frac{2.00}{3.00}$	2.75
3 to 3½"	_ 4.50	4.00	$\frac{2.19}{3.60}$
3 ½ to 4"		5.00	$\frac{3.00}{4.50}$
4 to 5"	- 7.50	6.75	6.25
5 to 6"	11.00	10.00	9.00
6 to 7"		13.00	12.00
americana—Vase Type—60'			
8 to 10'	- 1.25	1.00	.90
1 1/4 to 1 1/2 "	_ 1.50	1.25	1.10
1½ to 1¾"	_ 1.90	1.65	1.50
1 ¾ to 2"	~ 2.25	2.00	1.80
$\frac{2}{3}$ to $\frac{2}{2}$	-2.75	2.50	
Z ½ to 3	_ 4.50	4.00	
3 to 3½"	-6.50	6.00	
3½ to 4"	_ 8.75	8.00	
4 to $5''_{}$ americana moline. Moline Elm —90'	_ 13.50	12.00	
8 to 10'	_ 1.20	.95	.85
1 ½ to 1½"	- 1.20 - 1.50	1.25	1.10
1½ to 1¾"	_ 1.90	1.65	1.50
1 % to 2"		$\frac{2.25}{2.25}$	2.00
2 to 2½"		3.00	$\frac{2.75}{2.75}$
2 ½ to 3"	4.25	3.80	$\frac{2.00}{3.50}$
3 to 3½"		5.25	4.75
3½ to 4"		7.25	6.50
4 to 4½"	_ 10.00	9.25	
campestris. English Cork Elm—80'	•		
6 to 8'		1.40	1.25
8 to 10'	1.90	1.65	1.50
1½ to 1½″ 1½ to 1¾″	- 2.50	2.25	2.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ "glabra camperdowni. $Camperdown \ Elm$ -		2.75	2.50
2 year head, 5 to 7' stem		2.15	1.90
3 year head, 5 to 7' stem		$\frac{2.75}{2.75}$	$\frac{1.50}{2.50}$
4 year head, specimens		$\frac{2.10}{4.00}$	3.60
pumila. Chinese Elm. New—45'	1.00	1.00	9.00
5 to 6'		.65	.55
6 to 8'		.85	.75
8 to 10'	_ 1.40	1.15	1.00
1 ½ to 1½"	2.00	1.75	1.60
1 ½ to 2"	$\frac{2.65}{1}$	2.40	2.15
2 to 2 ½ "	-3.75	3.35	3.00
$2\frac{1}{2}$ to $3''_{1}$		4.50	
3 to 3½"		6.00	
3½ to 4"		7.75	
4 to 5"		10.00	
5 to 6" 6 to 7"	- 19.00		
6 to 7"	_ 20.00		

(See page 79 for balling (B&B) schedule).

ZANTHOX	YL	UM—americanum.	Prickly Ash-	30 ′				
			1	Each	5	Each	$25~\mathrm{F}$	Each
2	to	3'	\$.45	\$.35	\$.95
		4'						
4	tο	5'		60		50		

Deciduous Shrubs

The size immediately following the description indicates approximate height at maturity.

approximate neight at maturi	Each	5 Each	25 Each
			29 Each
ACANTHOPANAX—pentaphyllum. Five-leaved			Φ -1.4
1½ to 2′\$.20	\$.17	\$.14
2 to 3'	.25	.22	.18
3 to 4'	.35	.30	.25
4 to 5'	$\frac{50}{70}$.45	
5 to 6'	.70	.60	
AMELANCHIER—canadensis. Downy Servicebo			~ -
1 ½ to 2'	.35	.30	.25
2 to 3'	.50	.45	.40
3 to 4'	.80	.70	.60
AMORPHA—canescens. Leadplant—3'	25	0.0	25
12 to 18"	.35	.30	.25
	.40	.35	.30
fruiticosa. False Indigo—10'	95	C 0	4.4
2 to 3' 3 to 4'	.25	.20	.14
	.30	.22	.17
4 to 5'	.35	.27	.22
5 to 6' 6 to 8'	.40	.33	.28
	.50	.45	.40
ALTHEA—(See Hibiscus).	. 61		
ARONIA—(Pyrus) arbutifolia. Red Chokeberry		90	10
	.30 $.35$.22	.18
	.35	.30 .40	.25
3 to 4' 4 to 5'	.75	.65	.35
atropurpurea. Purple Chokeberry—6'	.10	.00	
$1\frac{1}{2}$ to $2'_{}$.30	.26	.22
2 to 3'	.40	.35	.30
3 to 4'	.50	.45	.40
brilliantissima. Brilliant Chokeberry—6'	.00	.40	.40
1½ to 2'	.30	.26	.22
2 to 3'	.40	.35	.30
3 to 4'	.50	.45	.40
4 to 5'	.80	.70	•10
melanocarpa. (nigra). Black Chokeberry—6	3′	•••	
1½ to 2'	.30	.22	.18
2 to 3'	.35	.30	.25
3 to 4'	.45	.40	.35
AZALEA—(All Azalea B&B)			
amoena. Dark red—4'			
10 to 12"	1.40	1.15	1.00
12 to 15"	1.65	1.40	1.25
18 to 24"	2.50	2.25	=====
calendulacea. Flame Azalea—Yellow—8'			
1½ to 2'	1.90	1.65	1.50
2 to 3'	2.50	2.25	2.00
3 to 4'	3.25	3.00	2.75

AZALEA—Continued	l Each	5 Each	25 Each
canescens roseum. Downy Pinxterbloom-6'			
1½ to 2'\$		\$ 1.75	\$ 1.60
2 to 3'		2.25	2.00
gandavensis. Ghent Azalea—5'			2,00
1½ to 2'	3.00	2.75	
2 to 2½'	$\frac{3.00}{4.00}$	$\frac{2.15}{3.75}$	
hinodegeri. Carmine Azalea—3'	4.00	0.10	
10 to 12"	1.40	1.15	1.00
12 to 15"		$1.15 \\ 1.40$	$1.00 \\ 1.25$
	1.00	1.40	1.20
kaempferi. Torch Azalea—4'	1 50	1.05	1 10
12 to 15" 15 to 18"	1.50	1.25	1.10
	1.90	1.65	1.50
mollis. Chinese Azalea—3'	0.0	2.0	
9 to 12"	.80	.60	.50
12 to 15"		.85	.75
15 to 18"	1.65	1.40	1.25
2 to 2½'	$\frac{2.15}{2.25}$	1.90	1.75
	3.25	3.00	2.75
mucronulatum. Dahurian Azalea—5'			
12 to 18"	1.75	1.50	
1½ to 2'	2.25	2.00	
2 to 2½'		2.50	
2½ to 3′	3.35	3.00	
nudiflora. Pinxterbloom	4.00		
$1\frac{1}{2}$ to $2'_{}$		$\frac{1.65}{2.25}$	1.50
2 to 2½'	2.50	2.25	2.00
vaseyi. Pinkshell Azalea—4'	2 2 2	2.22	
$1\frac{1}{2}$ to $2'_{}$		2.00	1.85
2 to 2½'	2.75	2.50	2.35
yodogawa. Deep Lavender—3'			
12 to 15"	1.65	1.40	
15 to 18"		1.75	
$1\frac{1}{2}$ to $2'_{}$	2.50	2.25	2.00
BENZOIN (Lindera), aestivale. Spicebush—10'			
1 ½ to 2'	.27	.22	.17
2 to 3'	.30	.25	.20
3 to 4'	.45	.40	.35
4 to 5'	.70	.60	
BERBERIS			
koreana. Korean Barberry—6'. New			
9 to 12"	.25	.20	.16
12 to 18"	.30	.25	.20
1 ½ to 2'		.35	.30
1 ½ to 2' 2 to 2½'	.50	.45	.40
2 ½ to 3'	.70	.60	.50
3 to 4'	.80	.70	.60
4 to 5'		1.00	
thunbergi. Japanese Barberry—4'	Each	25 Each	250 Each
		.065	.05
12 to 15"			.03
15 to 18"			
$1\frac{1}{2}$ to $2'_{}$			
2 to 2½'	.10	1740	.120

BERBERIS—Continued	5 Each	25 Each	250 Each
thunbergi atropurpurea. Red Leaved	Japanese	Barberry	4'
12 to 15"		\$.10	\$.08
15 to 18"	.18	.15	.13
1½ to 2'		.20	.18
2 to 2½′	.30	.25	.225
2 ½ to . 3'	.40	.35	
3 to 4'		.50	
4 to 5'	.80	.70	
thunbergi erecta—Price, Page 2.			
thunbergi minor. Box Barberry—3'	•		
9 to 12"	18	.15	.13
12 to 15"	25	.20	.18
15 to 18"	. 33	.28	-
1½ to 2'		.32	
2 to 2½'		.37	
2½ to 3'	.50	.45	

BERBERIS-mentorensis.

(The Evergreen Barberry)—4'. U. S. Plant Patent No. 99. New. A fine, hardy, practically evergreen barberry which we are licensed to sell.

1	Each	$5~\mathrm{Ea}$	ach	25 E	lach
12 to 15"\$.30	\$.25	\$.18
15 to 18"	.35	•	.275	Ċ	.20
1½ to 2'	.45		.335		.25
2 to 2½'	.50		.375		.30

BUDDLEIA-alternifolia. 6'

A sensational introduction. Unlike all other "Butterfly Bushes" this variety is Hardy and does not freeze down in the winter. Charming lilac-purple flowers borne on long arching branches. Profuse in flower in early summer. Beautifully distinct foliage.

1 Each 5 Each 25 Each 1½ to 2'______\$.30 \$.25 \$.20

1½ to 2'\$.30	\$.25	\$.20
2 to 3'	.35	.30	.25
3 to 4'	.40	.35	.30

The state of the s		A A A A TON	
BUDDLEIA—Butterflybush or Summer Lilac 1 farquhari. Deep rose-lilac. Very prolific—5'	Each	5 Each	25 Each
	.20	\$.15	\$.12
2 years (\$140.00 per 1000)		.20	.16
Fortune. Plant Patent No. 206. Clear lavender-blue. 5'			
2 years, field grown (\$225 per 1000)	.35	.30	.25
hartwegi. Similar to Fortune. 2 years, field grown	.30	.25	.20
Ile de France. Dark claret-purple. Long spikes: free flowering. Vigorous.			
1 year	.20	.17	.14
2 years	.25	.21	.18
magnifica. Ox-eye Butterflybush-6'	.20	.15	.12
1 year (\$140.00 por 1000)	.25	.20	.16
2 years (\$140.00 per 1000)	.40	, .40	.10

BUDDLEIA CHARMING

BEST 1938 INTRODUCTION

New outstanding PINK Buddleia bearing throughout late summer and early autumn, long sprays of lavender pink flowers.

We like this variety the best of all and recommend it highly.

1 Each 5 Each 25 Each 250 Each

Strong plants _____\$.35 \$.275 \$.225 \$.20 2½" Pot Plants _____ .25 .20 .15 .12

CALLICARPA—japonica. Japanese Beautyberry	<i>u</i> 4'		
1	Each 5	Each	25 Each
2 to 3'\$.30 \$.25	\$.20
3 to 4'		.30	.25
purpurea. Chinese Beautyberry—5'			0
1½ to 2'	.25	.18	.14
2 to 3'	.30	.23	.18
3 to 4'	.35	.27	.22
CALYCANTHUS—floridus. Strawberry Shrub.			
Sweetshrub—5'			
1½ to 2'	.25	.20	.16
2 to 3'	.25 .35	.27	.22
3 to 4'	.40	.35	.30
		.55	.30
CARAGANA—arborescens. Siberian Pea-tree—1		2.0	
2 to 3'	.25	.20	.15
$\frac{3}{3}$ to $\frac{4}{3}$.30	.25	.20
CEANOTHUS—americanus. Jersey-tea—3'	4.0	~ =	
2 years	.40	.35	.30
CEPHALANTHUS—occidentalis. Buttonbush—6	3 ′		
$1\frac{1}{2}$ to $2'_{}$.30	.25	.20
2 to 3'	.35	.30	.25
3 to 4'	.4 0	.35	.30
4 to 5'	.55	.50	
CERCIS—See Ornamental Trees.			
CHIONANTHUS—virginica. White Fringe—15	,		
2 to 3'	.40	.35	.30
3 to 4'	.50	.45	.40
	.80	.70	.60
	1.10	.95	.85
	1.50	1.35	
CLETHRA—alnifolia. Sweet Pepper Bush—5'	1.00	1.00	1.20
12 to 18"	.30	.25	.20
1½ to 2'	.35	.30	.25
2 to 2½'	.45	.40	.35
2½ to 3'	.60	.50	.45
COLUTEA—arborescens. Common Bladder-senna		•••	•40
3 to 4'	.35	.30	.25
4 to 5'	.45	.40	.35
5 to 6'	.50	.45	.40
COMPTONIA—asplenifolia. Sweetfern—3'	.00	.40	•40
	.45	40	95
1½ to 2'		.40	.35
2 to 2½'	.60	.50	
472 W 0	.75	.65	

Secure a supply of Truehedge Columnberry.

America's Greatest Plant Sensation.

CORNUS	1 Each	5 Each	25 Each
alba elegantissima. Silverblotch Dogwood	<u>6'</u>		
1½ to 2'	_\$.35	\$.28	\$.22
2 to 3'	40	.33	.28
3 to 4'	45	.40	35
alba sibirica. Coral Dogwood—8'		_	
1½ to 2'	20	.15	.10
2 to 3'	20	.165	.125
3 to 4'		.20	.16
4 to 5'	$_{-}$ $.35$.30	.25
alba spaethi. Golden-leaved Dogwood—6'		6	
1 ½ to 2'	35	.30	.25
2 to 3'	40	.35	.30
3 to 4'	50	.45	
alternifolia. Pagoda Dogwood—18'			
2 to 3'	45	.40	.35
3 to 4'	40	.50	.35 $.45$
6 to 8'			.40
		$\frac{1.10}{1.40}$	
5	$-\frac{1.60}{0.00}$	1.40	
10 to 12'	$_{-}$ 2.00	1.75	;
amomum (sericea). Silky Dogwood—8'	٥٣	20	
2 to 3'	$_{-}$ $.25$.20	.15
3 to 4'		.25	.20
4 to 5'	40	.32	.27
florida—See Ornamental Trees.			
kousa—See Ornamental Trees.			
mas. Cornelian-cherry—20'			
18 to 24"	.50	.45	.40
2 to 3'	65	.55	.50
3 to 4'		.85	.75
4 to 5'		1.10	1.00
5 to 6'		1.40	1.00
6 to 8'		1.75	
8 to 10'		$\frac{1.10}{2.50}$	
paniculata. Gray Dogwood—12'	_ 2.10	2.00	
paniculata. Gruy Doywood—12			
11/ +0 9'	25	20	16
1½ to 2'		.20	.16
2 to 3'	35	.28	.225
2 to 3'3 to 4'	.35 .40	.28 .35	$.225\\.30$
2 to 3'	.35 .40 .50	.28 .35 .45	.225 .30 .40
2 to 3'	.35 .40 .50 .80	.28 .35 .45 .70	$.225\\.30$
2 to 3'	.35 .40 .50 .80	.28 .35 .45	.225 .30 .40
2 to 3'	35 40 50 80 - 1.15	.28 .35 .45 .70 1.00	.225 .30 .40 .60
2 to 3'	35 40 50 80 - 1.15	.28 .35 .45 .70 1.00	.225 .30 .40 .60
2 to 3'	.35 .40 .50 .80 .1.15 .20 .25	$\begin{array}{c} .28 \\ .35 \\ .45 \\ .70 \\ 1.00 \\ \end{array}$.225 .30 .40 .60 .125 .16
2 to 3'	35 40 50 80 - 1.15 20 25 35	.28 .35 .45 .70 1.00 .165 .20	.225 .30 .40 .60
2 to 3'	.35 .40 .50 .80 .1.15 .20 .25	$\begin{array}{c} .28 \\ .35 \\ .45 \\ .70 \\ 1.00 \\ \end{array}$.225 .30 .40 .60 .125 .16
2 to 3'	35 40 50 80 - 1.15 20 25 35 45	.28 .35 .45 .70 1.00 .165 .20 .30 .40	.225 .30 .40 .60 .125 .16 .25
2 to 3'	.35 .40 .50 .80 .1.15 .20 .25 .35 .45	.28 .35 .45 .70 1.00 .165 .20 .30 .40	.225 .30 .40 .60 .125 .16 .25
2 to 3'	.35 .40 .50 .80 .1.15 .20 .25 .35 .45	$\begin{array}{c} .28 \\ .35 \\ .45 \\ .70 \\ 1.00 \\ \\ .165 \\ .20 \\ .40 \\ \\ .165 \\ .20 \\ \end{array}$.225 .30 .40 .60 .125 .16 .25
2 to 3'	.35 .40 .50 .80 .1.15 .20 .25 .35 .45 .20 .25 .35	.28 .35 .45 .70 1.00 .165 .20 .30 .40	.225 .30 .40 .60 .125 .16 .25 .125 .16 .22
2 to 3'	35 40 50 80 - 1.15 20 25 35 45 20 25 35 45	.28 .35 .45 .70 1.00 .165 .20 .30 .40 .165 .20 .27 .35	.225 .30 .40 .60 .125 .16 .25 .125 .16 .22 .30
2 to 3'	.35 .40 .50 .80 .1.15 .20 .25 .35 .45 .25 .35 .45 .25 .35 .40 .50	.28 .35 .45 .70 1.00 .165 .20 .30 .40	.225 .30 .40 .60 .125 .16 .25 .125 .16 .22
2 to 3'	.35 .40 .50 .80 .1.15 .20 .25 .35 .45 .25 .35 .45 .35 .40 .50	.28 .35 .45 .70 1.00 .165 .20 .30 .40 .165 .20 .27 .35 .45	.225 .30 .40 .60 .125 .16 .25 .125 .16 .22 .30 .40
2 to 3'	.35 .40 .50 .80 .1.15 .20 .25 .35 .45 .25 .35 .45 .35 .40 .50	.28 .35 .45 .70 1.00 .165 .20 .30 .40 .165 .27 .35 .45	.225 .30 .40 .60 .125 .16 .25 .125 .16 .22 .30 .40
2 to 3'	.35 .40 .50 .80 .1.15 .20 .25 .35 .45 .25 .35 .40 .50 .50 .60d—6' .25 .30	.28 .35 .45 .70 1.00 .165 .20 .30 .40 .165 .20 .27 .35 .45	.225 .30 .40 .60 .125 .16 .25 .125 .16 .22 .30 .40
2 to 3'	.35 .40 .50 .80 .1.15 .20 .25 .35 .45 .25 .35 .40 .50 .50 .60d—6' .25 .30	.28 .35 .45 .70 1.00 .165 .20 .30 .40 .165 .27 .35 .45	.225 .30 .40 .60 .125 .16 .25 .125 .16 .22 .30 .40

CORYLUS americana. American Hazelnut—19	2 '		
	1 Each	5 Each	25 Each
1½ to 2'		\$.30	\$.25
2 to 3'		.35	.30
3 to 4'		.45	.40
4 to 5'		.55	
5 to 6'		.75	
6 to 8'avellana. Filbert—15'	1.15	1.00	
	.90	.80	.70
5 to 6' 6 to 8'		.95	.85
8 to 10'	1.35	1.15	1.00
10 to 12'	1.90	1.65	1.50
12 to 14'		2.25	2.00
COTONEASTER			
acutifolia. Peking Cotoneaster—10'			
1½ to 2'	.35	.27	.22
2 to 3'		.35	.30
adpressa. Creeping Cotoneaster—2'			
9 to 12" (8" Ball)	.90	.70	.60
12 to 15" (10" Ball)	1.25	1.00	.90
15 to 18" (11" Ball)	1.65	1.40	
1½ to 2′ (12″ Ball)	2.25	2.00	
dielsiana. Diels Cotoneaster—6'	4.05	4 4 0	4.00
2 to 3' (12" Ball)	1.25	1.10	1.00
3 to 4' (13" Ball)	1.65	1.40	1.25
divaricata. Spreading Cotoneaster—6' $1\frac{1}{2}$ to 2' $(11'')$ Ball)	1.00	90	.70
2 to 3' (12" Ball)	$\begin{array}{c} 1.00 \\ 1.25 \end{array}$	$\begin{array}{c} .80 \\ 1.00 \end{array}$.90
3 to 4' (13" Ball)	$\frac{1.25}{1.50}$	$1.00 \\ 1.25$	1.15
4 to 5' (15" Ball)	2.00	$\frac{1.25}{1.75}$	1.65
horizontalis. Rock Cotoneaster—3'	2.00	1.10	1.00
9 to 12" (8" Ball)	.85	.60	.50
12 to 15" (10" Ball)	1.10	.85	.75
15 to 18" (11" Ball)	1.35	1.10	1.00
$1\frac{1}{2}$ to 2' $(12'' \text{ Ball})_{}$	1.65	1.40	
integerrima. European Cotonester-4'			
2 to 3' (12" Ball Extra)	1.25	1.00	.90
3 to 4' (14" Ball Extra)	1.75	1.50	1.35
nitens—5'	1 10	0.0	0.0
3 to 4' (13" Ball Extra)		.90	.80
4 to 5' (15" Ball Extra)	1.50	1.25	1.10
rogersiana. Rogers Cotoneaster—3' Fine New Variety. Glossy foliage; masses	of huil	11:+ £	
12 to 15" (10" Ball)		1.25	1.10
CRATAEGUS—See Ornamental Trees.	1.50	1,25	1.10
CYDONIA—japonica. Japan Quince—5'			
	20	15	11
12 to 18"	.20	.15	.11
1½ to 2'	.25	.18	.14
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$.25 \\ .30$.18 .23	.14 .18
1 ½ to 2'	.25 .30 .35	.18	.14
1½ to 2'	.25 .30 .35 .35	.18 .23	.14 .18
1½ to 2′	.25 .30 .35 .35	.18 .23 .30	.14 .18 .25
1½ to 2′	.25 .30 .35 .35 .25 .30	.18 .23 .30	.14 .18 .25
1½ to 2′	.25 .30 .35 .35 .25 .30	.18 .23 .30 .21 .26	.14 .18 .25 .17 .22
1½ to 2′	.25 .30 .35 .35 .25 .30 .30	.18 .23 .30 .21 .26	.14 .18 .25 .17 .22

	Each	5 Each	25 Each
mezereum. February Daphne—4'	1 10	ф OF	. 75
12 to 15" (9" Ball)\$	1.10	\$.85	\$.75
DEUTZIA			
gracilis. Slender Deutzia—3'	•		
12 to 15"	.20	.17	.14
15 to 18"	.25	.22	.18
1½ to 2′	.30	.26	.22
2 to 2½'	.40	.35	.30
gracilis rosea. Rose Panicle Deutzia—4'		21	10
12 to 18"	.25	.21	.18
1 ½ to 2' 2 to 2 ½'	.30	.26	.22
	.40	.35	.28
2 ½ to 3'	.45	.40	.35
3 to $3\frac{1}{2}'$.60	.50	.45
lemoinei. Dwarf White—5'	90	. 105	105
15 to 18"	.20	.165	.125
1½ to 2′	.25	.20	.16
2 to 2½'	.30	.26	.22
	.40	.35	.30
magnifica. Beautiful Double White—7'	.20	15	11
1½ to 2' 2 to 3'	.20	.15 .17	.11 .13
3 to 4'	.20 $.25$.20	.16
4 to 5'	.25 .35	.20 .27	
5 to 6'	.40	.35	.22 $.30$
scabra candidissima. Snowflake Deutzia—9'		.00	.50
1½ to 2'	.20	.15	.11
2 to 3'	.20	.13	.13
3 to 4'	.25	.20	.16
4 to 5'	.35	.27	.22
scabra crenata rosea. Scallop-leaf Deutzia—	.00 –7'	.21	•44
1½ to 2'	.20	.15	.11
2 to 3'	.20	.17	.13
3 to 4'	.25	.20	.16
4 to 5'	.35	.27	.22
5 to 6'	.40	.35	.30
scabra. Pride of Rochester. Double Pink—9'	• 40	.00	•00
1½ to 2'	.20	.15	.11
2 to 3'	.20	.17	$\frac{1}{13}$
3 to 4'	$.\overline{25}$	$\frac{1}{20}$	$.\overline{16}$
4 to 5'	$.\overline{35}$	$.\overline{27}$	$\overset{\circ}{.}\overset{\circ}{2}\overset{\circ}{2}$
·		<i>5</i> _ <i>v</i>	
DESMODIUM—penduliflorum. (See Lespedeza.)			
DIERVILLA—rivularis. Georgia Bush-honeysuc	kle—	-5′	
2 to 3'	.40	.33	.28
sessilifolia. Southern Bush-honeysuckle—5'			
1½ to 2'	.25	.20	.16
2 to 3'	.30	.25	.20
3 to 4'	.35	.30	.25
ELEAGNUS—angustifolia. Russian Olive—15'			
1½ to 2'	.25	.20	.14
2 to 3'	.30	.23	.18
3 to 4'	.40	$.\overline{35}$	$\ddot{30}$
4 to 5'	.50	.45	.40
5 to 6'	.70	.60	
argentea. Silverberry—12'		-	
1 ½ to 2'	.35	.27	.22

,			
ELEAGNUS—Continued	Each	5 Each	25 Each
umbellata. Autumn Eleagnus—12'			
2 to 3'\$.40	35	\$30
3 to 4'	.55	.45	.40
4 to 5'	.70	.60	
5 to 6'	.90	.80	
6 to 8'		1.10	
8 to 10'	1.90	1.65	
0 10 10	1.00	. 1.00	
ELSHOLTZIA—stauntoni			
2 years	.45	.40	.35
TINIZIANIMILIO		1 = /	
ENKIANTHUS—campanulatus. Redvein Enkia	ntnus		75
12 to 18" (9" Ball)	1.00	.85	.75
campanulatus rubus.	4 40	4.05	4 4 0
12 to 18" (9" Ball)	1.40	1.25	1.10
EUONYMUS			
alatus. Winged Euonymus—8'			
aratus. Wingeu Enonymus—6	.40	25	.30
1½ to 2'		.35	
2 to 3'	.60	.50	.45
3 to 4'	.75	.65	.60
alatus compacta. New. Compact, dwarf—5'			
12 to 18"	.45	.40	.35
1½ to 2	.60	.50	.45
2 to 2½'	.75	.65	
2½ to 3'	.95	.85	
3 to 3½'	1.25	1.10	
americanus. Brook Euonymus—5'			
1½ to 2'	.30	.25	.20
2 to 3'	.35	.30	.25
atropurpureus. Wahoo—15'			
3 to 4'	.50	.40	.35
4 to 5'	.65	$.5\overline{5}$.50
5 to 6'	.90	.75	.65
6 to 8'	1.25	1.00	.00
bungeanus. Winterberry Euonymus—12'	1.20	1.00	
2 to 3'	.35	.30	
3 to 4'	.45	.40	
	.65	.55	
4 to 5'	.00	.00	
europaeus. Burning Bush—15'	.35	20	.25
2 to 3'		.30	
3 to 4'	.40	.35	.30
4 to 5'	.55	.45	.40
5 to 6'	.65	.55	.50
6 to 8'	.90	.80	.70
8 to 10'	1.25	1.10	
yedoensis. Yeddo Euonymus—10'			
2 to 3'	.35	.30	.25
3 to $4'_{}$.40	.35	.30
4 to 5'	.50	.45	.40
5 to 6'	.65	.55	.50
6 to 8'	.90	.80	.70
For EVERGREEN EUONYMUS see "Evergreen	en Shi	rubs''	
EXOCHORDA—grandiflora. Pearl Bush—10'			
	90	25	20
2 to 3'	.30	.25	.20
	.35	.30	.25
4 to 5'	.45	.40	.35

FONTANESIA—fortunei. Fortune Fontanesia-	—14'		
	Each	5 Each	25 Each
5 to 6'\$.60	\$.50	\$.45
6 to 8'	.80	.70	.60
8 to 10'	1.00	1.85	.75
10 to 12'	1.40	1.15	1.00
FORSYTHIA—intermedia. Border Forsythia—	7'		
2 to 3'	.20	.17	.13
3 to 4'	.25	.20	.16
4 to 5'	.30	.25	.20
5 to 6'	.40	.35	.30
intermedia primulina. <i>Primrose Forsythia</i> — 2 to 3'	-8 .25	.22	.18
3 to 4'	.35	.30	.25
4 to 5'	.45	.40	.35
intermedia spectabilis. Showy Border Fors			•••
2 to 3'	.20	.17	.13
3 to 4'	.25	.20	.16
4 to 5'	.30	.25	.20
5 to 6'	.40	.35	.30
6 to 7'	.60	.50	
suspensa. Weeping Forsythia—5'	90	10	105
1½ to 2' 2 to 3'	.20 .25	$\begin{array}{c} .16 \\ .20 \end{array}$.125 .15
3 to 4'	.23	.25	.20
4 to 5'	.40	.35	.30
5 to 6'	.50	.45	.40
6 to 8'	.70	.60	• 40
suspensa atrocaulis. Purplestem Forsythi		•••	
3 to 4'	.40	.35	
4 to 5'	.45	.40	
5 to 6'	.50	.45	
6 to 7'	.65	.55	
suspensa aurea. Goldenleaf Forsythia—7'	0.0	20	10
2 to 3'	.30	.23	.18
3 to 4'	.35	.30	.25
5 to 6' 6 to 8'	.50 $.65$.45 .55	$.40 \\ .50$
viridissima. Greenstem Forsythia—8'	.00	.00	.50
1½ to 2'	.20	.16	.12
2 to 3'	.25	.20	.15
3 to 4'	$.\overline{35}$	$.\overline{30}$	
HAMAMELIS—japonica. Japanese Witch Haz	<i>al</i> 1\$	2'	
$1\frac{1}{2}$ to $2'_{}$.80	.70	.60
2 to 3'	1.00	.90	.80
3 to 4'	1.25	1.15	1.00
virginiana. Witch Hazel—15'			
2 to 3'	.45	.40	.35
3 to 4'	.65	.55	.50
4 to 5'	.95	.85	.75
5 to 6'	1.25	1.10	1.00
6 to 7'	1.60	1.40	
HIBISCUS—syriacus. Althea—Rose of Sharon-	—15 ′		
2 to 3'	.20	.17	.14
3 to 4'	.25	.22	.18
4 to 5'	.35	.30	.25
5 to 6'	.45	.40	.35

25 Each 1 Each 5 Each HIBISCUS—syriacus—Continued Anemoneflora. Double pink. Ardens. Double violet purple. Banner. Double white; decided crimson stripes. Bicolor. Double White; streaked pink. Colestis. Single blue; add 10c each. 2 to 3 and 3 to 4' only. Duchesse de Brabant. Double red. Jeanne d'Arc. Double pure white. Lady Stanley. Mottled pink and white. Lucy. Semi-double, clear deep pink. Pulcherrima. Double flesh, red center. 2 to 3' and 3 to 4' only. Purpurea Semi-plena. Semi-double purple. Rubis. Single red. Add 10c each. Totus Albus. Large single white. Variegatus. Variegated leaved. Add 15c each.

SPECIMEN ALTHEA

SPECIMEN ALTHEA	A		
We can supply the following var	rieties:		
Double White. Double white, red center		de Bra	hant.
Jeanne d'Arc, Lady Stanley			. Datii
6 to 8'		\$.75	
8 to 10′	1 05	1.10	
10 to 12'	1.75	1.50	
HYDRANGEA arborescens grandiflora. Hills of	f Snow	v6'	
11/ 40 9'	.20	.17	\$.14
$1\frac{1}{2}$ to $2'$			•
2 to 3'	.30	.25	.20
3 to 4'	.40	.35	.30
paniculata (type). Panicle Hydrangea—12			
3 to 4'	.45	.40	.35
paniculata grandiflora. Peegee—7'			
12 to 18"	.20	.17	.14
1½ to 2′	.25	.20	.16
2 to 3'	.30	.26	.22
3 to 4'	.40	.35	.30
quercifolia. Oakleaf Hydrangea-4'	•40	.00	•00
12 to 18"	.40	.35	20
11/ 4- 0'			.30
1½ to 2′	.50	.45	.40
2 to 2½'	.65	.55	.50
HYPERICUM			
arnoldianum. Arnold St. Johnswort—3'			
	กะ	90	or.
1½ to 2′	.35	.30	.25
2 to 2½'	.45	.40	.35
aureum. Golden St. Johnswort—4'			
1½ to 2'	.30	.26	.22
2 to 2½′	.40	.35	.30
densiflorum. $St.\ Johnswort$ —4'			
1½ to 2'	.30	.26	.22
2 to 2½'	.40	.35	.30
kalmianum. Kalm Hypericum—3'	•		
12 to 18"	.30	.25	.20
12 to 18" 1½ to 2'	.35	.30	.25
lobocarpum. Gattinger Hypericum—4'	•00	•00	.20
1½ to 2'	.35	20	
2 to 91/2'		.30	
2 to 2 ½'	.45	.40	
2½ to 3′	.60	.50	
patulum henryi. Henry Hypericum—3'	2.5		
2 years	.30	.23	.18

ILEX verticillata. Black Alder or Winterberry—	1 Each	5 Each	25 Each
2 to 3'	3.45	•	\$.35
3 to 4'			.45
4 to 5'	.75	.65	
5 to 6'	1.15	1.00	
KERRIA—japonica—5' 1½ to 2'	.45	.40	.35
KOLKWITZIA—amabilis. Beauty Bush—6'			
1 ½ to 2'	.35	.30	.25
2 to 3'	.45	.40	.35
3 to 4'	.60	.50	.45
4 to 5' 5 to 6'	$\begin{array}{c} .85 \\ 1.15 \end{array}$	$\begin{array}{c} .75 \\ 1.00 \end{array}$	
LABURNUM—vulgare. Goldenchain—20'	1.10	1.00	
3 to 4'	1.00	.90	.80
4 to 5'		1.35	
5 to 6'		$\frac{2.00}{2.00}$	1.80
6 to 8'	$\frac{2.00}{3.00}$	$\overline{2.75}$	
LESPEDEZA—formosa (Desmodium) Purple Bushclover—4'			
2 years	.30	.25	.20
3 years, clumps	.40	.35	.30
4 years, heavy clumps	.55	.45	.40
LIGUSTRUM amurense. Amur River Privet—12'	5 Each	.25 Each 2	250 Each
12 to 18", 3 canes and up	\$.05	\$.031/4	$\$.02\frac{1}{2}$
1½ to 2', 3 canes and up			
2 to 3', 4 canes and up	.08	.06	.05
3 to 4', 5 canes and up	.11	.09	.08
ibolium. Hardy California Privet—10'	0 4	2011	0041
12 to 18"	.05		,
$1\frac{1}{2}$ to 2', 3 canes and up	.06	,	
2 to 3', 4 canes and up	$.08\frac{1}{2}$	$06\frac{1}{2}$	$.05\frac{1}{2}$
ibota. Chinese Privet—8'	.09	.07	.06
12 to 18"1½ to 2'	.11	.09	.08
2 to 3'	.15	.13	.12
3 to 4'		.18	.12
ibota regelianum. Regel Privet—6'			
12 to 18"	.15	.13	.12
1½ to 2′	.20	$.17\frac{1}{2}$	
2 to 2½'	.30	.27	.25
2½ to 3′	.42	.38	.35
nanum compactum. Lodense Privet—2½'	.15	.12	
9 10 12	.13	.12	
15 to 18"	.27	.22	
9 to 12"	$.\overline{35}$	$\frac{\sqrt{30}}{30}$	
2 to 2½'	.45	.40	
ovalifolium. California Privet—10'	001	0011	00
12 to 18", 2 canes and up	$03\frac{1}{2}$		
$1\frac{1}{2}$ to 2', 3 canes and up	$04\frac{1}{2}$	-	.03
2 to 3', 4 canes and up	$.07$ $.08\frac{1}{2}$		$.04\frac{1}{2}$
3 to 4', 4 canes and up	.00%	z .U (

LIGUSTRUM—Continued	5 Each	25 Each	250 Each
ovalifolium variegatum. Golden California	Prive	t5'	
12 to 18"\$		\$.16	\$.14
1 ½ to 2'	.25	.20	.18
2 to 3'	.30	$.2\overset{\circ}{5}$	
vulgare. English Privet—10'	•00	.20	
12 to 18"	.11	081	$\frac{1}{2}$.07 $\frac{1}{2}$
1½ to 2'	.11	.11	$\frac{2}{.0172}$
2 to 3'	.20	$.17\frac{1}{2}$	
3 to 4'	.25		2 .10 / 2
0 to 4	.20	•22 /	z
LONICERA—Bush Honeysuckle	Each	5 Each	25 Each
bella albida. White Belle Honeysuckle—8'			
2 to 3'\$.20	\$.17	\$.1 3
3 to 4'	.25	.21	.17
4 to 5'	.35	$.\overline{27}$	$.\overline{2}2$
5 to 6'	.45	.40	.35
6 to 8'	.70	.60	.50
bella rosea. Pink Belle Honeysuckle—8'	-		
2 to 3'	.20	.17	.13
3 to 4'	.25	$.\overline{21}$.17
4 to 5'	.35	.30	$.\overline{25}$
5 to 6'	.45	.40	$.\overline{35}$
fragrantissima. Winter Honeysuckle—8'			7.5
$1\frac{1}{2}$ to $2'$.25	.20	.15
2 to 3'	.30	.23	.18
3 to 4'	.35	.30	.25
			•20
korolkowi floribunda. Broad Blueleaf Honey 2 to 3'	.40	.35	.30
3 to 4'	.50	.45	.30 $.40$
MA	.00	.40	.40
maacki. Amur Honeysuckle—10'	40	25	20
2 to 3' 3 to 4'	.40	.35	.30
	.55	.45	.40
	.70	$.60 \\ .75$	
	$\begin{array}{c} .85 \\ 1.15 \end{array}$	1.00	
	1.13	1.00	
morrowi. Morrow Honeysuckle—8'	25	2.0	- -
1 ½ to 2'	.25	.20	.15
2 to 3'	.30	.23	.18
3 to $4'$.35	.27	.22
4 to 5'	.40	.35	.30
ruprechtiana. Manchurian Honeysuckle—10		.40	
2 to 3'	.25	.18	.14
ruprechtiana xanthocarpa. Golden Fruited			
$Manchurian\ Honeysuckle extstyle 10'$			
2 to 3'	.35	.30	.25
3 to $4'_{}$.45	.40	.35
syringantha wolfi. Wolf Lilac Honeysuckle.	4'		
12 to 18"	.50	.45	.40
12 to 18"	.65	.55	.50
2 to 3'	.85	.75	.65
tatarica alba. White Tatarian Honeysuckle	e-10'		
2 to 3'	.20	.17	.13
3 to $4'_{}$	$.25^{\circ}$	$.\overline{21}$.17
4 to 5'	.35	.30	$.\overline{25}$
5 to 6'	.45	.40	$.\overline{35}$
			_

Editional Communica	Each	5 Each	25 Each
tatarica rosea grandiflora. Pink Tatarian Honeysuckle—10'			
2 to 3'\$	20	\$17	\$.13
	.25	ψ · · · · · · · · · · · · · · · · · · ·	ϕ .13 \cdot .17
4 to 5'	.35	.30	.25
5 to 6'	.45	.40	.35
tatarica sibirica (rubra). Red Tatarian Ho			
2 to 3'	.25	.20	.16
3 to 4'	.30	.26	.22
4 to 5'	.40	.35	.30
MYRICA—carolinensis. Northern Bayberry—5'			
12 to 15"	$.40^{-75}$.35	.30
	.75	.65	
PHILADELPHUS. Syringa or Mockorange			
Banniere. New, early, semi-double pure			
white—8'	0.0	~ -	2.0
2 to 3'	.30	.25	.20
3 to $4'_{}$.35	.30	.25
4 to 5'	.45	.40	.35
5 to 6'	.55	.50	.45
6 to 7'	.75	.65	
Bouquet Blanc. Profuse, semi-double pure v	white-		
1½ to 2'	.30	.23	.18
2 to 3'	.35	.30	.25
3 to $4'_{}$.45	.40	.35
4 to 5'	.55	.50	
coronarius. Sweet Scented Syringa—9'			
2 to 3'	.20	.17	.13
3 to 4'	.25	.21	.17
4 to 5'	.35	.30	.25
coronarius aureus. Golden-leaved Mockorang	7e—5'		
12 to 15″	.30	.26	.22
15 to 18"	.40	.35	
falconeri. Star Mockorange—8'			
2 to 3'	.25	.21	.17
3 to 4'	.30	.26	.22
4 to 5'	.40	.35	.30
Girandole. New. Large white. Strong			
upright; excellent foliage—8'			
2 to 3'	.30	.25	.20
3 to 4'	.35	.30	.25
4 to 5'	.45	.40	.35
gordonianus. Strong, upright—10'			
2 to 3'	.25	.20	.15
3 to 4'	.30	.25	.20
4 to 5'	.35	.30	.25
5 to 6'	.40	.35	
6 to 8'	.55	.50	
8 to 10'	.90	.80	
grandiflora. Big Scentless Mockorange—12			
2 to 3'	.20	.17	.12
3 to 4'	.25	.21	.17
4 to 5'	.35	.30	.25
6 to 8'	.55	.50	.45
lemoinei. Semi-dwarf—5'			
1½ to 2'	.25	.20	
2 to 3'	.30	.25	
		-	

PHILADELPHUS—Continued	1 Each	5 Each	25 Each
Norma. New. Mammoth single flowers;			
fine foliage. Bushy and symmetrical-	-7 ′		
2 .to 3'	\$.30		\$.20
3 to 4'		.30	.25
4 to 5'		.40	.35
5 to 6'		.50	.45
6 to 8'	.75	.65	.55
Rosace. Semi-dwarf, large flowers—5'			
2 to 3'	.35	.30	.25
3 to 4'	.45	.40	
Virginal. Splendid new double—8'			
1½ to 2'	.30	.23	.18
2 to 3'		.30	.25
3 to $4'_{}$.40	.35
4 to 5'		.50	.45
5 to 6'	.75	.65	.55
PHOTINIA—villosa. Christmasberry—12'			
8 to 10'	1.25	1.10	1.00
10 to 12'	1.60	1.40	
PHYSOCARPUS—monogynus. Dwarf Ninebar	rk— $5'$		
1½ to 2'	.25	.20	.16
2 to 3'		.25	.20
3 to $4'_{}$.35	.30	.25
opulifolia. $Ninebark$ —10'			
2 to 3'		.18	.14
3 to 4'		.23	.18
4 to 5'	.35	.30	.25
opulifolia lutens. Goldleaf Ninebark—10'			
2 to 3'		.18	.14
3 to 4'		.23	.18
4 to 5'	.35	.30	.25
POTENTILLA—fruticosa. Shrubby Cinquefo	il—4'		
12 to 18"	.25	.20	.16
1½ to 2'	.30	.25	.20
fruticosa veitchi. Veitch Cinquefoil—3'			
12 to 18"	.30	.25	.20
12 to 18" 1½ to 2'	.35	.30	
PRUNUS—(See Shade for other Prunus).		•••	-
besseyi. Bessey Cherry—7'		•	
3 to 4'	.40	.35	.30
4 to 5'	.50	.45	.40
5 to 6'	.65	.55	.50
glandulosa. Double pink-flowering Almond	<i>l</i> —5′		
glandulosa. Double white-flowering Almo	nd—5'		
12 to 18"	.25	.20	.16
1½ to 2'	$.\overline{30}$.25	.20
2 to 3'		.35	$\ddot{30}$
(Own Root Almonds at 5c each a			.00
japonica. Chinese Bush Cherry—8'	autorom	w1 / •	
2 to 3'	.60	.50	.40
3 to 4'	.75	.65	.55
pumila. Sand Cherry—5'			
2 to 3'	.40	.35	.30
3 to 4'	.50	.45	.40
tomentosa. Nanking Cherry—10'			• • •
2 to 3'	.45	.40	.35
2 to 3' 3 to 4'	.55	.50	.45
4 to 5'	.75	.65	.55
- **		.00	.00

DDIINIIC Continued	Each	5 Floor	95 THe -1-
		5 Each	25 Each
triloba plena. Double pink-flowering Plum- $1\frac{1}{2}$ to 2^{\prime} \$		\$.35	\$.30
2 to 3'	.50	\$.35 .45	\$.30 .40
3 to 4'	.65	. 4 5	.50
4 to 5'	.85	.55 .75	.65
4 to 5' Tree Shape	1.50	1.20	.00
PYRACANTHA—coccinea lalandi. Laland Fire			
12 to 15", B&B	1.10	.85	.75
15 to 18", B&B	1.40	1.15	1.00
1½ to 2′, B&B	1.60	1.40	1.25
2 to 2½', B&B	1.90	1.65	$\frac{1.20}{1.50}$
2½ to 3′, B&B	$\frac{2.50}{2.50}$	2.25	2.00
3 to 3½', B&B	$\frac{2.05}{3.25}$	3.00	2.75
Our Pyracantha have been symmetri-	0.20	0.00	20
cally trimmed and root pruned yearly.			
RHAMNUS—cathartica. Buckthorn—12'			
1½ to 2'	.25	.18	.14
2 to 3'	.30	.23	.18
3 to 4'	.35	$.\overline{27}$.22
4 to 5'	.45	.40	.35
chadwicki. Chadwick Buckthorn-10'			
A grand new sort with lovely shiny foliage.	,		
2 to 3'	.40	.35	.30
3 to 4'	.50	.45	.40
frangula. Glossy Buckthorn—10'			
1½ to 2'	.30	.25	.20
2 to 3'	.35	.30	.25
3 to 4'	.40	.35	.30
4 to 5'	.50	.45	.40
5 to 6'	.65	.55	.50
6 to 7'	.80	.70	.60
RHODOTYPOS—kerrioides. Jetbead—6'			
1½ to 2'	.30	.25	.20
2 to 3'	.35	.30	.25
3 to 4'	.40	.35	.30
RHUS—canadensis. Fragrant Sumac—5'			
1½ to 2'	.40	.35	.30
2 to 3'	.45	.40	.35
3 to 4'	.55	.50	.45
4 to 5'	.90	.75	
copallina. Shining Sumac—12'			
2 to 3'	.40	.35	.30
3 to 4'	.50	.45	.40
4 to 5'	.65	.55	.50
5 to 6'	1.75	.65	.60
6 to 8'	1.15	1.00	
cotinus. Smoketree or Purple Fringe—12'	- 0		4.0
1½ to 2'	.50	.45	.40
2 to 3'	.65	.55	.50
3 to 4'	.95	.85	
4 to 5'	1.15	$1.00 \\ 1.25$	
5 to 6'	1.40	1.20	
glabra. Smooth Sumac—10'	.25	.18	.14
2 to 3' 3 to 4'	.25	.23	.14
4 to 5'	.35	.23	.25
5 to 6'	.45	.40	.25
0 00 0	• 10	• 10	.50

KII OB—Continued	Each	5 Each	25 Each
typhina. $Staghorn\ Sumac$ —15' 2 to 3'\$.25	\$.18	\$.14
2 to 3'\$ 3 to 4'\$.20	ψ .10 .23	ψ .14 .18
4 to 5'	.35	.30	.25
5 to 6'	.40	.35	.30
6 to 8'	.50	.45	.40
8 to 10'	.80	.70	.60
typhina laciniata. Shredded Sumac—15'	.00	.10	.00
2 to 3'	.30	.25	.20
2 to 3' 3 to 4'	.35	.30	$.2\overset{\circ}{5}$
4 to 5'	.45	.40	.35
5 to 6'	.50	.45	.40
6 to 8'	.70	.60	.50
RIBES odoratum. Golden Currant—10'			
3 to 4'sanguineum. Winter Currant—8'	.40	.33	.28
sanguineum. Winter Currant—8'			
3 to 4	.50	.45	.40
4 to 5'	.65	.55	.50
ROBINIA hispida. Rose Acacia, Flowering Loc	ust—8	3 ′	
2 to 3'	.40	.35	.30
3 to 4'	.50	.45	.40
viscosa. Clammy Locust—8'			
2 to 3'	.40	.35	.30
3 to 4'	.50	.45	.40
4 to 5'	.65	.55	.50
ROSA—(See Pages			
RUBUS—odoratus. Flowering Raspberry—6'			
1½ to 2'	.30	.25	.20
2 to 3'		$.\overline{35}$	$.\overline{30}$
CAMDICIC			
SAMBUCUS			
canadensis. Common Elder—10'	.20	17	.13
2 to 3' 3 to 4'	.20 $.25$	$\begin{array}{c} .17 \\ .22 \end{array}$.13 $.17$
4 to 5'	.25 .35	.30	.25
5 to 6'	.35 $.45$.30 $.40$.35
canadensis acutiloba. Cutleaf Elder—8'	.40	.40	.50
2 to 3'	.25	.20	.14
3 to 4'	.30	.23	.18
n'gra aurea. Golden European Elder—10'	•00	.20	•••
1 ½ to 2'	.20	.17	.13
2 to 3'	.25	.20	.16
3 to 4'	.30	.25	.20
4 to 5'	.40	.35	
racemosa. European Red Elder—10'			
3 to 4'	.45	.40	.35
SHEPHERDIA—argentea. Silver Buffaloberry	—15 [']		
2 to 3'	.35	.30	.25
3 to $4'_{}$.40	.35	.30
4 to 5'	.50	.45	.40
SOPHORA innoving Chivan Sahalantura 20	,		
SOPHORA—japonica. Chinese Scholartree—30 3 to 4'		0=	
4 to 5'	$\begin{array}{c} .95 \\ 1.35 \end{array}$	$\begin{array}{c} .85 \\ 1.20 \end{array}$	
5 to 6'	1.65	1.20 1.50	
0 00 0 ================================	1.00	1.00	

DOMESTICIA	l Each	5 Each	25 Each
aitchisoni. Kashmir False-spirea—7'	. 40	Φ 0.5	
3 to 4'		\$.35	\$.30
4 to 5'	.50	.45	
5 to 6'	.70	.60	
6 to 7'	.85	.75	
arborea. Tree-Spirea—6'	95	20	or.
$1\frac{1}{2}$ to $2'_{}$	$.35_{-40}$.30	.25
2 to 3' 3 to 4'	.40	.35	.30
3 to $4'$ sorbifolia. $Ural\ False$ -spirea—5'	.45	.40	.35
2 to 3'	.35	.30	.25
3 to 4'	.35 $.40$.35	$.25 \\ .30$
4 to 5'	.50	.45	.40
5 to 6'	.65	.55	.50
	.00	.00	.50
SPIRAEA Anthony Waterer. Dwarf pinkflowering—3	,		
15 to 18"	.20	.16	.12
1 ½ to 2'	$.\overline{25}$.20	$.\overline{16}$
2 to 2½'	.30	$.\overline{25}$.20
2 ½ to 3'	.40	$.\overline{35}$	
arguta. Garland Spirea—7'			
2 to 3'	.25	.20	.16
3 to 4'	.30	.25	.20
4 to 5'	.35	.30	.25
5 to 6'	.45	.40	.35
6 to 7'	.55	.50	.45
billiardi. Pink Flowering—5'			
1½ to 2'	.18	.13	.09
2 to 3'	.20	.16	.12
3 to 4'	.25	.20	.16
4 to 5'	.30	.25	.20
douglasi. Rosy Red flowers—6'			
1½ to 2′	.20	.15	.11
2 to 3'	.25	.18	.14
3 to 4'	.30	.23	.18
4 to 5'	.35	.30	.25
froebeli. Dwarf pink—4'			
15 to 18"	.15	.12	.08
1 ½ to 2'	.20	.16	.12
2 to 2½'	.25	.20	$.\overline{16}$
2½ to 3'	.30	.25	.20
japonica ovalifolia (Callosa alba.). White			
Japanese Spirea—3'			
15 to 18"	.25	.19	.14
1½ to 2'	.30	.23	.18
2 to 2½'	.35	.30	.25
2½ to 3'	.40	.35	.30
macrothursa Improved Rillardi A new and	huink	ou minle	mara l

macrothyrsa. Improved Billardi. A new and brighter pink, more free-flowering and with better foliage.			
-		5 Each	25 Each
1½ to 2'\$.25 \$.20 \$.16
2 to 3'	.30	.25	.20
3 to 4'	.35	.30	.25
4 to 5'	.45	.40	.35

SPIRAEAContinued	1 Each	5 Each	25 Each
multiflora. Snowgarland—6'			
2 to 3'	\$.30	\$.23	\$.18
3 to 4'		.27	.22
4 to 5'	.40	.35	.30
• • • • • • • • • • • • • • • • • • • •	.50	.45	.40
nipponica rotundifolia. Big Nippon Spired —White, June. Beautiful foliage—9'	t		
1½ to 2'	.35	.27	.22
2 to 3'	.40	.33	.28
3 to 4'	.45	.40	$.3\overline{5}$
4 to 5'	.60	.50	.45
5 to 6'	.80	.70	.60
	.00	.70	.00
opulifolia—(See Physocarpus.)			
prunifolia plena. Double Bridalwreath—8'		٥٢	0.0
1½ to 2'	.30	.25	.20
2 to 3'	.35	.30	.25
thunbergi. Early single white flowering—5	5 ′		
1½ to 2'	.25	.18	.14
2 to 2½'	.30	.23	.18
2½ to 3'		.30	.25
3 to 4'		.40	.35
4 to 5'		.50	.45
5 to 6'	.75	.65	. 5 5
• • • • • • • • • • • • • • • • • • • •	.10	.00	.00
tomentosa. Hardhack—4'	2.0		
2 to 3'		.23	.18
3 to 4'	.35	.30	.25
tricocarpa. Korean Bridalwreath. New-5'			
1½ to 2'	.20	.16	.12
2 to 3'	.25	.20	.16
	.30	.25	.20
4 to 5'	.40	.35	.30
vanhouttei. Single white flowering—10'			
1½ to 2'	.15	.11	.08
2 to 3'	.20	.15	.11
3 to 4'	.25	.20	.15
4 to 5'		.25	.20
5 to 6'		.30	.25
6 to 7'		.40	.35
0 10 1	.40	•40	.00
STEPHANANDRA—flexuosa. Cutleaf Stepha	nandra	—6'	
1 ½ to 2'	.25	.20	.15
2 to 3'	.30	.25	.20
SYMPHORICARPOS mollis. Spreading Snow		6'	
1 1/ 4. O'	.20	.15	.10
1½ to 2'			
2 to 3'		.18	.14
3 to 4'	.25	.22	.18
4 to 5'	. 3 5	.30	.25
racemosus. Snowberry or Waxberry-6'	•		
$1\frac{1}{2}$ to 2', (\$75.00 per 1000)	.17	.13	.09
2 to 3', (\$100.00 per 1000)		.16	.12
3 to 4', (\$140.00 per 1000)		.20	.16
4 to 5'	.35	.30	.25
4 W U ==================================	.00	.00	.40
vulgaris. Coralberry or Indian Currant—	4'		
1½ to 2′, (\$75.00 per 1000)		.13	.09
2 to 3', (\$100.00 per 1000)		16	.12
3 to 4', (\$140.00 per 1000)	.25	.20	$.\overline{16}$
ο το π, (φιποίου βοι τουο)		.20	•10

SYMPHORICARPOS—Continued	1 Each	5 Each	25 Each
vulgaris chenaulti. Improved Coralberry-	-5'		
1½ to 2', (\$75.00 per 1000)	\$.16	\$.12	\$.09
2 to 3', (\$100.00 per 1000)	.20	.16	.12
3 to 4', (\$140.00 per 1000)	.25	.20	.16
SYMPLOCOS—paniculata. Asiatic Sweetleaf-	-10'		
2 to 3'	.60	.50	.45
3 to 4'	.75	.65	.55
4 to 5'		.80	.70
5 to 6'	1.75	1.50	
SYRINGA—Lilac			
chinensis (rothomagensis.) Red flowering-	—10′		
$1\frac{1}{2}$ to $2'_{}$.35	.30	.25
2 to 3'	.40	.35	$.\overline{30}$
3 to 4'	.50	.45	.40
4 to 5'	.65	.55	
dilatata. (New). Korean Lilac—12'			
2 to 3'	.60	.50	.45
3 to 4'	.80	.70	.60
4 to 5'	1.00	.90	.80
5 to 6'	1.40	1.25	1.10
emodi. <i>Himalayan Lilac</i> —8'	_,_,	_,_,	
3 to 4'	.85	.75	.65
4 to 5'		.90	.00
japonica. Japanese Tree Lilac—20'	2.00	•••	
japonica. Jupanese 17ee Luuc—20	.50	.45	.40
3 to 4' 4 to 5'	.80	.70	.60
5 to 6'	1.00	.90	.00
• • • • • • • • • • • • • • • • • • • •	1.00	•00	
josikaea. Hungarian Lilac—10'	25	20	O.E.
2 to 3'	.35 $.45$.30	.25
0 00	.40	.40	.35
microphylla. Littleleaf Lilac—10'			
A lovely variety—recurrent in bloom			
2 to 3'	.90	.80	.70
3 to 4'	1.10	1.00	.90
4 to 5'		1.35	
palibiniana. (New) Broadleaf Korean Lile			F 0
3 to 4'	.65	.55	.50
4 to 5'		.80	.70
5 to 6' 6 to 7'		1.00	.90
persica. Persian Lilac—10'	1.40	1.25	1.15
	.35	.30	.25
1½ to 2' 2 to 3'		.35	.30
3 to 4'		.45	.40
4 to 5'		.60	•40
villosa. Late Lilac—8'	•••	.00	
1½ to 2'	.30	.23	.18
2 to 3'		.30	.25
3 to 4'	.45	.40	
vulgaris. Common Purple Lilac—12'	0		
Specimen Clumps, Double Price			
	.25	.20	.16
- A		الكم	•10
2 to 3'			99
2 to 3'	.30	.26	.22
2 to 3'	.30 .40		.22 .30

	Each	5 Fach	95 Foob
SYRINGA—Continued vulgaris alba. Common White Lilac—12'	Each	5 Each	25 Each
2 to 3'\$.35	\$.30	
3 to 4'	.45	.40	
4 to 5'	.60	.50	
vulgaris. Hybrids—Following Named Sorts-		4.5	
1½ to 2'	.45	.40	\$.35
2 to 3' 3 to 4'	.60		.45
Belle de Nancy. Double satiny pink.	.80	.70	
Chas. Joly. Dark purplish red.			
Congo. Single red.			
Gloire de Lorraine. Heavenly blue. Dou	ble.		
La Tour d'Auvergne. Double Red.			
Ludwig Spaeth. Single red.			
Marie Le Graye. Single white.			
Michael Buchner. Double mauve.			
Mme. Abel Chatenay. Double white. Mme. Lemoinei. Single white.			
President Grevy. Double blue.			
Tresident drevy. Bouste stack			
NEWER AND BETTER VARIETIES	OF I	TILACS	
Claude Bernard. Semi-double mauve.	01 1		
1½ to 2'	.80	.70	.60
2 to 3'			.75
	1.25	1.10	
Descartes. Single mauve pink.	0.0	70	0.0
1½ to 2' 2 to 3'	.80 $.95$		$.60 \\ .75$
Gaudichaud. Deep lilac. Especially fine.	.55	.00	.10
15 to 18"	.65	.55	.50
1½ to 2'	.80	.70	.60
2 to 3'	.95	.85	.75
hyacinthiflora. Hyacinth-flowered Lilac	. • .	0 1	
Lamartine. Mammoth trusses of b	eautii	tul	
pale pink.	.80	.70	.60
2 to 3'	.95	.85	.75
	1.25	1.10	
Jan Van Tol. Purest of all whites. Mammot	h		
trusses. Single.	2.	/	
$\frac{1}{2}$ to $\frac{2}{2}$.80	.70	.60
2 to 3'M. Van Aerschot. Single pale mauve. Large	.95	.85	.75
1½ to $2'$.80	.70	.60
2 to 3'	.95	.85	.75
3 to 4'	1.25	1.10	
Paul Hariot. Double deep purplish red.			
15 to 18"	.65	.55	.50
Ruhm von Horstenstein. Single reddish vio	let.		
1½ to 2'	.80	.70	.60
2 to 3'	.95	.85	.75
3 to 4'	1.25	1.10	
TAMARIX africana. Early, light pink—12'			•
1½ to 2'	.20	.15	.11
2 to 3'	.22	.18	.14
3 to 4'	.25	.22	.18

TAMARIX—Continued	1 Each	5 Each	25 Each
amurensis. Amur Tamarix—Deep pink.			
Bluish-green foliage. July—8'	A C C C		.
1½ to 2'		•	\$.13
2 to 3'		.20	.16
3 to 4'4 to 5'		$.26\\.35$.22
5 to 6'			$.30\\.40$
gallica. French Tamarix—Deep pink.	00	.40	.40
Bluish-green foliage. July—8'			
2 to 3'	.25	.18	14
3 to 4'	.30		.18
hispida aestivalis rubra. Summer Glow	Tamari	2x8'	
New. Bright wine red blossoms			
throughout the summer.	CF		5 0
2 year plants		.55	.50
odessana. Late pink — Bluish-green folis		.20	.16
3 to 4'		.26	.22
9 99 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
pentandra (Hispida aestivalis). $Fivestan$ $1\frac{1}{2}$ to $2'$.13
2 to 3'			.16
3 to 4'			.22
4 to 5'			.30
tetandra. (purpurea). Fourstamen Tamo			
Deep green foliage—10'	01 000		
$1\frac{1}{2}$ to $2'$.20	.17	.13
2 to 3'		.20	.16
3 to 4'	30	.26	.22
4 to 5'	40	.35	-
5 to 6'	50	.45	
VIBURNUM—acerifolium. Mapleleaf Viburn		•	
1½ to 2'	.40	.35	.30
americanum (oxyoccos). American Cran			,,,
$1\frac{1}{2}$ to $2'$.22
2 to 3'			.28
3 to 4'	$\stackrel{-}{_{-}}$ $\stackrel{\cdot \cdot \cdot \cdot}{_{-}}$		
4 to 5'			
carlesi. Fragrant Viburnum—4'			
$1\frac{1}{2}$ to $2'$ (12" Ball Extra)	_ 1.25	1.10	
2 to 2½' (13" Ball Extra)	_ 1.60	1.40	
2½ to 3' (14" Ball Extra)	2.00	1.75	
cassinoides. Withe Rod-6'			
1½ to 2'	45	.40	.35
2 to 3'			.45
3 to 4'	75	.65	.55
dentatum. $Arrowwood$ —12'			
1½ to 2'			.16
2 to 3'			.22
3 to 4'		_	.20
4 to 5'			.40
5 to 6'			.50 $.60$
6 to 7' 7 to 8', Heavy Clumps			.90
Truehedge Columnberry prices are			
See inside front cover			

VIBOIM Continued	Each	5 Each	25 Each
dilatatum. Linden Viburnum—8'	.35	\$.30	\$.25
1½ to 2'\$ 2 to 3'\$.45	φ .30 .40	φ .25 .35
2 to 3' 3 to 4'	.75	.65	.55
4 to 5'	.90	.80	.70
5 to 6'		.95	.85
3 33 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	1.10	•00	•00
lantana. Wayfaring Tree—15'	25	90	0.5
2 to 3' 3 to 4'	.35 $.45$.30 $.40$.25 .35
3 to 4' 4 to 5'	.50	.40 $.45$.33 .40
5 to 6'	.70	.60	.50
-	•••	•00	.00
lentago. Sheepberry—20'	G E	5 E	50
2 to 3' 3 to 4'	.65 $.80$.55 $.70$.50 $.60$
4 to 5'	.95	.85	.75
5 to 6'	1.15	1.10	.10
6 to 7'	1.60	1.40	
·	1.00	1.10	
molle. Kentucky Viburnum—10'	45	40	95
3 to 4' 4 to 5'	$.45 \\ .65$.40 $.55$.35 .50
	.00	.55	.00
nudum. Smooth Withe-rod-8'			
2 to 3'	.55	.45	
3 to 4'	.65	.55	
4 to 5'	.85	.75	
opulus. European Cranberrybush—10'			
1½ to 2'	.30	.26	.22
2 to 3'	.35	.32	.28
3 to 4'	. — —	.40	.35
4 to 5'	.60	.50	.45
5 to 6'	.75	.65	.55
6 to 8' 8 to 10'	$\begin{array}{c} 1.00 \\ 1.25 \end{array}$	$\begin{array}{c} .85 \\ 1.10 \end{array}$	$\begin{array}{c} .75 \\ 1.00 \end{array}$
	1.20	1.10	1.00
opulus nanum. Very dwarf—2'		0=	0.0
9 to 12"	.40	.35	.30
12 to 15"	.50	.45	.40
opulus sterile. Common Snowball—12'			
1½ to 2'	.30	.25	.20
2 to 3'	.35	.32	.28
3 to $4'_{}$.45	.40	.35
4 to 5'	.60	.50	.45
5 to 6'	.75	.65	.55
6 to 8'	.85	.75	.65
prunifolium. Blackhaw—12'			
1½ to 2'	.65	.55	.50
2 to 2½'	.80	.70	.60
$2\frac{1}{2}$ to $3'_{}$.95	.85	.75
pubescens. Downy Viburnum—6'			
2 to 3'	.50	.45	
5 to 6'	.85	.75	
6 to 7'	1.15	1.00	
rhytidophyllum. Leather Leaf Viburnum—			
2 to 2½′ (13″ Ball)		1.50	
2½ to 3' (14" Ball)	2.25	2.00	

VIBURNUM—Continued	1 Each	5 Each	25 Each
sieboldi. Siebold Viburnum—10'	e 40	e 05	Ф 90
2 to 3'		\$.35	\$.30
3 to 4'		.45	.40
4 to 5'		.60	
5 to 6'	90	.80	
tomentosum. Doublefile Viburnum—8'	40	0.5	0.0
2 to 3'		.35	.30
3 to 4'		.45	.40
4 to 5'		.55	.50
5 to 6'	85	.75	.65
6 to 8'		1.00	.90
tomentosum plicatum. Japan Snowball—8		9.0	0.5
1½ to 2′		.30	.25
2 to 3'		.40	.35
3 to 4'		.50	.45
4 to 5'		.60	.55
5 to 6'		.85	.75
6 to 7'		, 1.15	1.00
tomentosum rotundifolium. Early Double Prolific in fruit, very showy.	efile Vi	burnum–	8
2 to 3'	.50	.45	.40
3 to 4'		.60	.50
4 to 5'		.75	.65
VITEX—agnus-castus. Lilac Chaste-Shrub4	!		
2 years	.30	.25	.20
negundo incisa. Cutleaf Chaste-Shrub-4	•		
2 years	.30	.25	.20
macrophylla. Big-leaf Chaste Shrub.			
2 years	.35	.30	.25
WEIGELA Abel Carriere. Beautiful rose colo	r—10'		
. 2 to 3'		.17	.14
3 to 4'		.22	.18
4 to 5'		.30	.25
amabilis. Rose Weigela—8'			
2 to 3'	.25	.20	.15
3 to 4'		$.\overline{25}$.20
4 to 5'		.30	
candida. Snow Weigela—10'			
2 to 3'	.20	.17	.14
3 to 4'		.22	.18
4 to 5'		.30	.25
5 to 6'		.40	.35
Eva Rathke. Crimson flowering—5'			
12 to 18"	.25	.20	.16
1½ to 2'	.30	.25	.20
2 to 3'		.30	$.\overline{25}$
3 to 4'	45	.40	.35
floribunda. Crimson Weigela—8'			
1½ to 2′	.25	.20	.15
2 to 3'		$.\overline{23}$.18
3 to 4'		.30	$\frac{125}{25}$
4 to 5'		.40	.35
hendersoni. Henderson Weigela—10'		, 20	
3 to 4'	30	.25	.20
4 to 5'		.30	$.\overline{25}$
5 to 6'		.35	.30
6 to 8'		.45	

THE COLE NURSERY CO., PA	INESVILLE,	оню	
WEIGELA—Continued	1 Eacl	h 5 Each	25 Each
rosea. Pink Weigela—8'			
1½ to 2'	\$.20	\$.16	\$.12
2 to 3'	.20	•	.14
3 to 4'	.25		.18
4 to 5'			$.\overline{25}$
rosea folius purpureis. Purple foliag		• • • • • • • • • • • • • • • • • • • •	
15 to 18"		.20	.16
rosea nana variegata. Variegated-le	aved Weige		•10
11/6 to 2'	20		.14
1½ to 2' 2 to 3'	25		.18
$\frac{2}{2}$ to $\frac{3}{4}$	35		.25
3 to 4'steltzner Weigela—8'	,00	.50	.20
2 to 3'	30	.25	.20
			.20 $.25$
			.30
5 to 6'		.45	.40
vaniceki. Vanicek's Red Weigela—6	1		
Fine new variety. Strong and s	symmetrical	,	
prolific and colorful.	9.0	.26	.22
$\frac{1}{2}$ to $2'$	30		
2 to 3'			.28
3 to 4'	45	.4 0	.35
Evergre	ens		
Prices include balling and b		roots	
			or Hook
ABIES concolor. White Fir—50'	1 Eac		25 Each
3 to 4' (16" Ball)	\$ 3.00	\$ 2.75	\$2.50
4 to 5' (17" Ball)	4.00	3.60	3.25
5 to 6' (19" Ball)		4.40	4.00
6 to 7' (21"Ball)	6.00	5.50	5.00

ABIES concolor. White Fir—50'	ch 5 Each	25 Each
3 to 4' (16" Ball)\$ 3.00	$0 \ \$ \ 2.75$	2.50
4 to 5' (17" Ball) 4.00	3.60	3.25
5 to 6' (19" Ball) 4.78		4.00
6 to 7' (21"Ball) 6.00	5.50	5.00
7 to 8' (24" Ball) 8.50		7.00
8 to 9' (26" Ball) 12.00		
9 to 10° (29" Ball) 15.00		
10 to 11' (31" Ball) 17.00		
11 to 12' (33" Ball) 22.00		
12 to 14' (36" Ball) 27.50		
14 to 16' (39" Ball) 35.00		
16 to 18' (42" Ball) 42.50		
18 to 20' (45" Ball) 50.00		
CHAMAECYPARIS lawsoniana. Lawson Cypress		
$1\frac{1}{2}$ to 2' (12" Ball) 1.80		1.50
2 to 2½' (14" Ball) 2.50	2.25	
nootkatensis glauca. Blue Nootka Cypress—20		_,,,
3 to 4' (15" Ball) 2.50	2.25	
4 to 5' (16" Ball) 3.60		
5 to 6' (17" Ball) 4.90		
6 to 7' (18" Ball) 6.00		
For other Chamaecyparis, see Retinospora.		
JUNIPERUS chinensis albovariegata. Whiteleaf		
Chinese Juniper—12'		
$1\frac{1}{2}$ to $2'$ ($12''$ Ball) 1.80	0 1.65	1.50
$2 \text{ to } 2\frac{1}{2}$ (14" Ball) 2.50		$\frac{1.00}{2.00}$
6 to 7' (20" Ball) 9.25		2.00
7 to 8' (23" Ball) 12.00		
8 to 9' (26" Ball) 15.00	$11.00 \\ 14.00$	
0 0 0 0 (20 Dan) = 10.00	, 14.00	

JUNIPERUS—Continued	1 Each	5 Each	25 Each
chinensis columnaris glauca. Silver Colum	mn		
$Chinese\ Juniper-20'$			
2 to 3' (12" Ball)	\$ 250	\$ 2.25	\$ 2.00
3 to 4' (13" Ball)	-φ 4.00 2 AA	$\frac{9}{2.75}$	ϕ 2.00 2.50
4 to 5' (14" Ball)	3.50	$\frac{2.15}{3.35}$	
5 to θ' (16" Rell)	3.90 4.75		3.00
5 to 6' (16" Ball)	4.75 6.00	4.35	4.00
6 to 7' (17" Ball)	$\frac{6.00}{7.75}$	5.50	5.00
7 to 8' (19" Ball)		7.00	6.25
8 to 9' (20" Ball)	10.00	9.00	
9 to 10' (22" Ball)	12.00	11.00	
10 to 11' (23" Ball)	15.00	14.00	
11 to 12' (25" Ball)	17.00	16.00	
12 to 14' (27" Ball)	19.50	18.00	
chinensis mascula—10'			
2 to 3' (13" Ball)	2.50	2.25	2.00
3 to 4' (14" Ball)		2.75	2.50
4 to 5' (15" Ball)	3.75	3.35	3.00
5 to 6' (16" Ball)	4.75	4.35	4.00
6 to 7' (18" Ball)		5.50	5.00
7 to 8' (20" Ball)	7.75	7.00	
·		•••	
chinensis pfitzeriana. Pfitzer Juniper—6		1.50	1.05
15 to 18" spread (11" Ball)		1.50	1.35
1½ to 2' spread (12" Ball)	2.15	1.90	1.75
2 to 2½' spread (13" Ball)	2.75	2.50	2.25
2½ to 3' spread (15" Ball)		3.00	2.75
3 to 4' upright type (17" Ball)	4.25	3.85	3.50
3 to 4' spread (17" Ball)	4.25	3.85	3.50
4 to 5' upright type (20" Ball)	5.00	4.65	4.25
4 to 5' spread (20" Ball)		4.65	4.25
5 to 6' upright type (23" Ball)	6.00	5.50	
5 to 6' spread (23" Ball)	6.00	5.50	
6 to 7' spread (26" Ball)		7.00	
	1.10	1.00	
chinensis procumbens—7'	9.95	2.00	0.75
2 to 2½' (13" Ball)	3.35	3.00	2.75
2½ to 3′ (15″ Ball)		3.65	
3 to 3½′ (16″ Ball)	4.75	4.25	
6 to 7' (26" Ball)	10.00	9.00	
chinensis sargenti. Sargent Juniper—2'			
15 to 18" spread (11" Ball)	1.90	1.65	1.50
1½ to 2' spread (12" Ball)	2.50	2.25	2.00
2 to 2½' spread (13" Ball)	3.60	3.25	
communis depressa plumosa. Purple Spr			_3′
12 to 18" spread (11" Ball)	1.50	1.25	1.10
	1.75	$\frac{1.25}{1.50}$	
1½ to 2' spread (12" Ball)			1.35
2 to 2½' spread (13" Ball)	2.25	2.00	1.85
communis hibernica. Irish Juniper—8'			
$1\frac{1}{2}$ to 2' (10" Ball)	1.00	.80	.70
2 to 2½' (11" Ball)	1.40	1.15	1.00
2½ to 3′ (12″ Ball)	1.75	1.50	1.35
communis suecica. Swedish Juniper—8'			
1½ to 2' (10" Ball)	1.10	.85	.75
2 to 2½' (11" Ball)	1.40	1.15	1.00
2½ to 3′ (12″ Ball)	1.75	1.50	1.35
3 to 3½' (13" Ball)	2.15	1.90	1.75
0 00 0 12 (10 2011)		1.00	. 1.10

(Ball sizes are only approximate)

JUNIPERUS—Continued	1 Each	5 Each	25 Each
excelsa stricta. Spiny Greek Juniper—4'	105 6	1 1 00	Φ 00
12 to 15" (10Z Ball)\$	1.25		•
15 to 18" (11" Ball)	1.50	1.25	
1½ to 2' (12" Ball)	1.90	1.65	1.50
2 to 2½' (14" Ball)	2.50	2.25	2.00
2½ to 3' (15" Ball)	3.00	2.75	
3 to 3½' (17" Ball)	3.85	3.50	
horizontalis. Trailing Juniper—1½'			
12 to 18" spread (11" Ball)	1.35 .	1.10	1.00
1½ to 2' spread (12" Ball)	1.65	1.40	1.25
2 to 2½' spread (13" Ball)	1.90	1.65	1.50
2½ to 3' spread (15" Ball)	2.75	2.50	
3 to 4' spread (17" Ball)	3.60	3.25	
horizontalis douglasi. Waukegan Juniper-	—2 ′		•
1½ to 2' spread (12" Ball)	1.65	1.40	1.25
2 to 2½' spread (13" Ball)	1.90	1.65	1.50
2½ to 3' spread (15" Ball)		2.50	
3 to 3½' spread (17" Ball)		3.25	
· · · · · · · · · · · · · · · · · ·	0.00	0.20	
japonica. Japanese Juniper—8'	2 25	9 00	9.75
2½ to 3' spread (15" Ball)		3.00	
3 to 3½' spread (17" Ball)		3.65	3.25
prostrata venusta. Excellent new creeping			
type. Bright bluish foliage. Very dwa			
and slow-growing. Best for rockery—			
12 to 15" spread (10" Ball)		1.40	1.25
15 to 18" spread (11" Ball)		1.90	1.75
18 to 21" spread (12" Ball)	2.75	2.50	
sabina. Savin Juniper—6'			
15 to 18" spread (11" Ball)	. 1.35	1.10	1.00
$1\frac{1}{2}$ to 2' spread (12" Ball)	1.65	1.40	1.25
2 to 2½' spread (13" Ball)		1.65	1.50
2½ to 3' spread (15" Ball)		2.25	2.00
3 to 4' spread (17" Ball)	3.35	3.00	
sabina horizontalis. Bar Harbor Juniper-		0.00	
12 to 18" spread (11" Ball)		1.10	1.00
		1.10 1.40	1.25
1½ to 2' spread (12" Ball)	2.00		
2 to 2½' spread (13" Ball)	. 2.00	1.75	1.60
scopulorum. Colorado Juniper—25'	0.05	0.00	0.55
3 to 4' (14" Ball)	3.35	3.00	2.75
4 to 5' (15" Ball)	4.25	3.85	
5 to 6' (16" Ball)	. 5.50	5.00	
6 to 7' (18" Ball)	7.75	7.00	
7 to 8' (20" Ball)		8.50	
scopulorum Chandlers Silver. New, intens			
$2\frac{1}{2}$ to 3' (13" Ball)		2.75	2.50
3 to 4' (14" Ball)		3.60	3.25
4 to 5' (15" Ball)	5.00	4.50	
squamata meyeri. Meyer Juniper-4'			
1½ to 2' (12" Ball)	1.90	1.65	1.50
- /2 00 2 (12 2011)		1.00	1.00

Customers are usually pleasantly surprised to find that their plants are much larger and stronger than they expected.

We reserve the privilege of making an additional charge for trees of special grade or quality personally selected by purchaser. to keep them in dense, symmetrical, salable condition.

The state of the s			
JUNIPERUS—Continued	1 Each	5 Each	25 Each
virginiana. Redcedar—25'			
3 to 4' (14" Ball)	\$ 2.15	\$ 1.90	\$ 1.65
4 to 5' (15" Ball)		$\frac{1.50}{2.50}$	$\frac{4}{2.25}$
5 to 6' (16" Ball)	4.00	$\frac{2.60}{3.60}$	
6 to 7' (18" Ball)	5.50	5.00	
7 to 8' (20" Ball)		6.50	
8 to 9' (21" Ball)		8.00	
9 to 10' (23" Ball)		10.00	
10 to 11' (24" Ball)		12.50	
		$12.30 \\ 16.00$	
,	99.50		
,		20.00	
virginiana cannarti. Cannart Redcedar			2 2 2
2 to 3' (13" Ball)		2.25	2.00
3 to 4' (14" Ball)		3.00	2.75
4 to 5' (15" Ball)		3.85	3.50
5 to 6' (17" Ball)	5.50	5.00	4.50
6 to 7' (18" Ball)	-2-7.75	7.00	
virginiana elegantissima. Goldtip Redce	edar—15'		
2 to 2½' (12" Ball)		2.00	1.85
2½ to 3′ (13″ Ball)	2.65	$\frac{2.40}{2.40}$	$\frac{2.15}{2.15}$
3 to 4' (14" Ball)	3.35	$\frac{2.10}{3.00}$	$\frac{2.15}{2.75}$
4 to 5' (15" Ball)	4.25	3.85	2.10
virginiana glauca. Silver Redcedar—20		0.00	
2 to 3' (13" Ball)		2.25	2.00
3 to 4' (14" Ball)		2.75	$\frac{2.00}{2.50}$
,		3.35	
,			3.00
5 to 6' (16" Ball)		$\frac{4.10}{5.00}$	3.75
6 to 7' (18" Ball)		5.00	$\frac{4.65}{6.05}$
7 to.8' (20" Ball)	7.25	6.75	6.25
8 to 9' (21" Ball)		9.25	
9 to 10' (23" Ball)	13.50	12.50	
10 to 11' (24" Ball)	16.00	15.00	
11 to 12' (26" Ball)		18.00	
12 to 13' (28" Ball)		22.00	
virginiana keteleeri. Keteleer Redcedar			
2 to 3' (12" Ball)		2.25	2.00
3 to 4' (14" Ball)		3.00	2.75
4 to 5' (15" Ball)	4. 25	3.85	3.50
5 to 6' (16" Ball)	5.50	5.00	4.50
6 to 7' (18" Ball)		7.00	
7 to 8' (20" Ball)		9.00	
virginiana kosteri. Koster Redcedar—4			
15 to 18" spread (11" Ball)	1.75	1.50	1.35
1 ½ to 2' spread (12" Ball)	2.15	1.90	1.75
2 to 2½' spread (13" Ball)		2.50	2.25
2½ to 3' spread (15" Ball)		$\bar{3.00}$	2.75
3 to 3½' spread (17" Ball)		3.75	
- · · · · · · · · · · · · · · · · · · ·		31.13	
virginiana pyramidiformia. Dundee Ju	nuper—10	Ω $\Lambda\Lambda$	1 00
2 to 2½' (12" Ball)		$\frac{2.00}{2.50}$	$1.80 \\ 2.25$
2 ½ to 3′ (13″ Ball)		$\frac{2.50}{2.00}$	
3 to 4' (14" Ball)		3.00	2.75
4 to 5' (15" Ball)		3.85	
5 to 6' (16" Ball)		5.00	
6 to 7' (18" Ball)	7.75	7.00	

We have sheared practically all of our evergreens where it is necessary to keep them in dense, symmetrical, salable condition.

PICEA canadensis (alba). White Spruce—50' 1 Each	5 Each	25 Each
3 to 4' (15" Ball)\$ 1.90		\$ 1.50
4 to 5' (16" Ball) 2.50	$\frac{4}{2.25}$	$\frac{4}{2.00}$
5 to 6' (18" Ball) 3.00		$\frac{2.50}{2.50}$
6 to 7' (20" Ball) 4.25		$\frac{2.50}{3.50}$
7 to 8' (23" Ball) 5.50		
8 ' to 10' (26" Ball) 7.75		4.00
	1.00	
canadensis albertiana. Black Hills Spruce—50'	0.15	1.00
3 to 4' (15" Ball) 2.35		$\frac{1.90}{2.50}$
4 to 5' (17" Ball) 3.00		2.50
5 to 6' (19" Ball) 4.25		3.50
6 to 7' (21" Ball) 5.50		4.60
7 to 8' (24" Ball) 6.50		5.50
8 to 10' (28" Ball) 9.00	8.25	7.50
excelsa. Norway Spruce—80'		0.0
2 to 3' (13" Ball) 1.15		.80
3 to 4' (15" Ball) 1.50	_	1.10
4 to 5' (16" Ball) 2.25		1.80
5 to 6' (18" Ball) 3.00		2.50
6 to 7' (20" Ball) 4.25		3.50
7 to 8' (23" Ball) 5.25	4.85	4.50
excelsa maxwelli. Maxwell Spruce—60'		
15 to 18" (12" Ball) 3.50	3.25	
$1\frac{1}{2}$ to 2' (13" Ball) 4.75	4.50	
excelsa nidiformis. A new, very dwarf,		
spreading type. Very compact—2'		
$1\frac{1}{2}$ to $2\frac{1}{2}$ (13" Ball) 4.40	4.00	
$2 \text{ to } 2\frac{1}{2}$ (15" Ball) 5.50	5.00	
excelsa pygmea. Pygmy Norway Spruce—8'	•	
1 ½ to 2' (13" Ball) 4.40	4.00	
2 to 3' (15" Ball) 6.00		
3 to 4' (17" Ball) 8.25		
polita. Tigertail Spruce—70'	1.00	
1 ½ to 2' (12" Ball) 1.78	5 1.50	1.35
$2 \text{ to } 2\frac{1}{2}$ ' (12" Ball) 2.25		
$2\frac{1}{2}$ to $3'$ (14" Ball) 2.76		
$3 \text{ to } 3\frac{1}{2}$ '(15 " Ball) 3.89		
) o.00	
pungens. Colorado Green Spruce—60' 3 to 4' (15" Ball) 2.00	1.75	1.60
4 to 5' (17" Ball) 2.50		
5 to 6' (19" Ball) 3.0	_	
6 to 7' (21" Ball) 4.2		
7 to 8' (24" Ball) 5.50		
8 to 10' (27" Ball) 7.7		
10 to 12' (31" Ball) 11.0		
12 to 14' (35" Ball) 17.5	$0 \qquad 15.00$	
pungens glauca. Colorado Blue Spruce—60'	r 40°	
4 to 5' (17" Ball) 4.7	_	
5 to 6' (19" Ball) 6.0		
6 to 7' (21" Ball) 7.2		
7 to 8' (24" Ball) 9.0		
8 to 10' (27" Ball) 12.0		
10 to 12' (31" Ball) 16.5	0 15.00	
12 to 14' (35" Ball) 22.0	0 20.00	18.00

(Ball sizes are only approximate)

PICEA—Continued	1 Each	5 Each	25 Each
pungens glauca kosteri. Koster's Blue Spa	ruce— 5	55'	
1 ½ to 2' (12" Ball)	\$ 2.25	\$ 2.00	\$ 1.80
2 to 2½' (13" Ball)	3.00	2.75	2.50
2½ to 3' (14" Ball)	3.75	3.35	3.00
3 to 3½' (15" Ball)		3.85	3.50
3½ to 4′ (16″ Ball)		4.85	4.50
4 to 5' (17" Ball)		6.25	5.75
5 to 6' (19" Ball)		8.00	7.50
6 to 7' (21" Ball)		11.00	10.00
		15.00	14.00
,			$14.00 \\ 18.00$
8 to 9' (26" Ball)		20.00	
9 to 10' (29" Ball)		27.50	25.00
10 to 11' (31" Ball)		35.00	30.00
11 to 12' (33" Ball)	47.50	42.50	
12 to 13' (35" Ball)			
pungens moerheimi. Moerheim Blue Spri			
$1\frac{1}{2}$ to 2' $(12'' \text{ Ball})_{}$	2.50	2.25	2.00
2 to 2½' (13" Ball)	3.25	3.00	2.75
$2\frac{1}{2}$ to 3' (14" Ball)		3.65	3.25
3 to 3½' (15" Ball)		4.10	3.75
3½ to 4' (16" Ball)		5.10	4.75
4 to 5' (17" Ball)	7.50	6.75	6.25
PINUS flexilis. Limber Pine—80'	1.00	0.10	0.20
6 to 7' (21" Ball)	6.50	6.00	5.50
7 to 8' (23" Ball)	11.00	8.25	7.50
8 to 9' (26" Ball)	11.00	10.00	9.00
9 to 10' (29" Ball)		12.50	11.50
10 to 12' (32" Ball)		16.00	
12 to 14' (36" Ball)	22.50	20.00	
montana. Swiss Mountain Pine—15'			
1½ to 2' (12" Ball)	1.65	1.40	1.25
2 to 2½' (13" Ball)	2.00	1.75	1.60
$2\frac{1}{2}$ to 3' (15" Ball)	2.50	2.25	2.00
3 to 4' (17" Ball)	3.35	3.00	2.70
4 to 5' (20" Ball)	4.75	4.35	4.00
montana mughus. Dwarf Mountain Pine-	-3'		
12 to 15" spread (10" Ball)	1.45	1.20	1.10
15 to 18" spread (11" Ball)	1.75	1.50	1.35
1½ to 2' spread (12" Ball)	2.25	2.00	1.75
2 to 2½' spread (12" Ball)	2.65	$\frac{2.00}{2.40}$	2.15
2½ to 3' spread (15" Ball)		2.85	
3 to 3½' spread (16" Ball)		$\frac{3.65}{4.25}$	$\frac{3.25}{4.00}$
3½ to 4' spread (18" Ball)		4.35	
4 to 5' spread (20" Ball)	6.25	5.75	5.25
nigra. Austrian Pine—60'		a a -	
5 to 6' (20" Ball)		3.85	
6 to 7' (22" Ball)		5.25	
7 to 8' (24" Ball)		7.00	
8 to 10' (28" Ball)	12.00	11.00	10.00
10 to 12' (32" Ball)	15.00	13.50	12.50
During these lean years one has been		neglect i	nanv

During these lean years one has been apt to neglect many important duties. Root-pruning of Evergreens is most necessary yet not immediately apparent if neglected.

Cole has a regular schedule for Root-pruning — In fact, the majority of our Evergreens are Root-pruned at least every

two years.

	· .		
PINUS—Continued	1 Each	5 Each	25 Each
strobus. White Pine—80'			
5 to 6' (19" Ball)	¢ 175	\$ 4.35	
6 to 7' (21" Ball)		φ 4 .55 6.00	\$ 5.50
7 to 8' (21' Ball)		8.25	φ 5.50 7.50
8 to 9' (26" Ball)		10.00	9.50
9 to 10' (29" Ball)		$10.00 \\ 12.50$	
10 to 12' (31" Ball)			
10 to 12 (31 Ball)		16.00	
		20.00	
		27.50	
16 to 18' (42" Ball)			
18 to 20' (46" Ball)			
20 to 22' (50" Ball)			
22 to 25' (54" Ball)			
PSEUDOTSUGA douglasi Douglas Fir—70)'	4.00	
2 to 3' (13" Ball)		1.00	.90
3 to 4' (15" Ball)		1.40	1.25
4 to 5' (16" Ball)		2.25	2.00
5 to 6' (18" Ball)	$_{-}$ 3.75	3.35	3.00
6 to 7' (20" Ball)		4.35	4.00
7 to 8' (23" Ball)		6.00	5.50
8 to 10' (26" Ball)	$_{-}$ 9.00	8.25	7.50
10 to 12' (30" Ball)	$_{-}$ 13.50	12.50	
12 to 14' (33" Ball)	$_{-}$ 20.00	17.50	
RETINOSPORA			
filifera. Thread-branched Japanese Cypr	ress-12'	•	
12 to 18" (11" Ball)		1.00	
4 to 5' (16" Ball)		3.50	
5 to 6' (18" Ball)		4.25	
6 to 7' (23" Ball)		5.25	
7 to 8' (25" Ball)			
filifera aurea. Golden thread-branched	_ 0.20	1.00	-
Japanese Cypress—7'			
12 to 18" (11" Ball)	_ 1.65	1.40	
1½ to 2' (12" Ball)	$\begin{array}{ccc} -1.00 \\ 2.25 \end{array}$	2.00	
2 to 2½' (13" Ball)		2.50	
$2\frac{1}{2}$ to $3'$ (14" Ball)	$\begin{array}{ccc} 2.15 \\ 3.35 \end{array}$	$\frac{2.00}{3.00}$	
3 to 3½' (15" Ball)	$-\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $	3.75	
$3\frac{1}{2}$ to $4'$ (16" Ball)	$\frac{4.10}{4.90}$	4.50	
$4 \text{ to } 4\frac{1}{2}$ (17" Ball)	-6.00	5.50	
4 to 472 (11 Dall)	_ 0.00 _ 7.75	7.00	
4½ to 5′ (18″ Ball)			
5 to 5½' (20" Ball)		9.00	
obtusa gracilis. Slender Hinoki Cypress-		9.95	2.00
3 to 4' (15" Ball)	_ 3.75	3.35	3.00
pisifera. Pea-fruited Japan Cypress—			
Sawara Retinospora—25'	4.05	4 00	0=
1½ to 2′ (11″ Ball)	- 1.25	1.00	.85
2 to 2½' (12" Ball)	- 1.40	1.15	1.00
2½ to 3′(13″ Ball)	-1.65	1.40	1.25
3 to 4' (15" Ball)	$_{-}$ 2.35	2.10	1.90
4 to 5' (16" Ball)	_ 3.00	2.75	
5 to 6' (18" Ball)	_ 4.40	4.00	
7 to 8' (23" Ball)	-6.50	6.00	
8 to 9' (25" Ball)	-8.50	7.75	7.00
9 to $10'$ $(27''$ Ball)	_ 11.00	10.00	9.00
10 to 11' (29" Ball)	$_{-}$ 15.50	14.00	
11 to 12' (31" Ball)	_ 19.00	17.50	

102 121 Oct Outil Collection	Each	5 Each	25 Each
pisifera aurea. Golden Pea-fruited Japan		ss— $25'$	
Sizes and prices same as "pisif	era."		
plumosa. Plume Cypress—20'			
1½ to 2' (11" Ball)\$	1.25	\$ 1.00	\$.85
2 to 2½' (12" Ball)	1.50	1.25	1.10
2½ to 3' (13" Ball)	1.75	1.50	1.35
3 to 4' (15" Ball)	2.35	2.10	1.90
4 to 5' (16" Ball)	3.00	2.75	2.50
5 to 6' (18" Ball)	3.85	3.50	
6 to 7' (20" Ball)		4.50	
7 to 8' (23" Ball)	6.50	6.00	
plumosa aurea. Goldenplume Cypress—18'			
(Sizes and prices same as "plumosa	a" abo	ve).	
plumosa compacta aurea. Dwarf Goldenplum	me Cy	press-4'	
1½ to 2' (12" Ball)	1.75	1.50	1.35
2 to 2½′ (13″ Ball)	2.25	2.00	1.75
2½ to 3′(15″ Ball)	2.75	2.50	2.25
3 to 3½′ (16″ Ball)		3.10	
3½ to 4′ (18″ Ball)		3.60	
4 to 4½' (19" Ball)	5.00	4.50	
squarrosa. Silver Cypress—20'			
1½ to 2' (11" Ball)	1.25	1.00	.85
2 to 2½' (12" Ball)	1.50	1.25	
2½ to 3′ (13″ Ball)	1.75	1.50	1.35
3 to 4' (15" Ball)	2.35	2.10	.1.90
4 to 5' (16" Ball)	3.00	2.75	
5 to 6' (18" Ball)	4.00	3.60	

Depression spoiled evergreens in huge quantities are available throughout the country at the buyer's price. NONE are available at Coles. Ours are dense and shapely, they are root pruned, and they are properly spaced to give light and air on all sides. We will be happy to have you visit us and inspect our plant.

TAXUS baccata repandens. Spreading English		
Yew—2' 1 Each	5 Each	25 Each
15 to 18" spread (11" Ball)\$ 1.90	\$ 1.65	\$ 1.50
1½ to 2' spread (12" Ball) 2.50	2.25	2.00
2 to 2½' spread (13" Ball) 3.25	3.00	2.75
2½ to 3' spread (15" Ball) 4.50	4.00	
cuspidata. $Japanese Yew$ —6'		
12 to 15" spread (10" Ball) 1.25	1.00	.90
15 to 18" spread (11" Ball) 1.60	1.35	1.20
1½ to 2' spread (12" Ball) 2.15	1.90	1.65
2 to 2½' spread (13" Ball) 2.75	2.50	2.25
2½ to 3' spread (15" Ball) 3.75	3.35	3.00
3 to 3½' spread (16" Ball) 5.50	5.00	4.50
3½ to 4' spread (17" Ball) 7.00	6.50	6.00
4 to 4½' spread (19" Ball) 9.50	8.75	8.00
4½ to 5' spread (21" Ball) 12.50	11.50	
5 to 5½' spread (23" Ball) 17.50	16.00	

We make a ball of sufficient size for successful transplanting.

TAXUS—Continued	1 Each	5 Each	25 Each
cuspidata capitata. Upright Japanese Yell 15 to 18" (10" Ball)	\$ 1.50 1.90 2.15 3.35 4.50 5.75	\$ 1.25 1.65 1.90 3.00 4.10 5.25 6.50 8.25	\$ 1.10 1.45 1.75 2.75 3.75 4.75 6.00
cuspidata nana (brevifolia)—Dwarf Japa 9 to 12" (9" Ball)———————————————————————————————————	1.40 1.65 2.00 2.75 4.00	Yew-4' 1.15 1.40 1.75 2.50 3.60 5.50	1.00 1.25 1.60 2.25 3.25
media. Semi-Upright—6' 2 to 2½' (13" Ball)		2.50 3.25 5.00 6.50	
media hatfieldi. <i>Hatfield Yew</i> —8' 1½ to 2' (11" Ball) 2 to 2½' (12" Ball) 2½ to 3' (13" Ball) media hicksi. <i>Hicks Yew</i> —10' 15 to 18" (10" Ball) 1½ to 2' (11" Ball)	3.35 4.40 1.40 1.65	2.25 3.00 4.00 1.15 1.40	2.00 2.75 3.65 1.00 1.25
2 to 2½' (12" Ball)	2.15 3.35 5.50 7.25	1.90 3.00 5.00 6.50	1.75 2.75

ROSES

We add a number of thoroughly tested roses to our collection each year and at the same time eliminate a few of the least worth-while.

We endeavor to always have a very high class collection to meet all needs. (See Pages 58 to 63).

THUJA occidentalis. American Arborvitae-	25′		
2 to 3' (12" Ball)	1.15	.90	.80
3 to 4' (14" Ball)	1.40	1.15	1.00
4 to 5' (15" Ball)	1.80	1.55	1.40
5 to 6' (16" Ball)	2.25	2.00	1.80
6 to 7' (18" Ball)	3.00	2.75	2.50
7 to 8' (20" Ball)		3.60	3.25
8 to 9' (21" Ball)		4.75	4.25
9 to 10' (23" Ball)	6.25	5.75	5.25
10 to 11' (24" Ball)		7.25	6.50
11 to 12' (26" Ball)		9.25	8.50
12 to 13' (27" Ball)	12.50	11.00	10.00

(Ball sizes are only approximate)

THUJA—Continued	1 Each	5 Each	25 Each
occidentalis caucasica. Large Globe—5'			
12 to 15" (10" Ball)	\$ 1.00	\$.75	\$.65
15 to 18" (11" Ball)		.90	.80
1½ to 2' (12" Ball)		1.25	1.10
2 to 2½' (13" Ball)		1.50	1.35
2½ to 3' (15" Ball)		2.00	1.80
3 to 4' (17" Ball)		3.00	
4 to 5' (20" Ball)		4.50	
· · · · · · · · · · · · · · · · · · ·			
occidentalis Columbia. Columbia Arborv 2 to 3' (12" Ball)		1.00	
		$\frac{1.00}{1.50}$	
		1.50	
7 to 8' (20" Ball)	5.00	4.50	
8 to 9' (21" Ball)	- 0.00	5.50	
9 to 10′ (23″ Ball)			
10 to 11' (24" Ball)			
occidentalis compacta. Parson's Arborvita			
15 to 18" (11" Ball)	1.10	.90	.80
1½ to 2' (12" Ball)	1.50	1.25	1.10
2 to 2½' (13" Ball)	1.75	1.50	1.35
$2\frac{1}{2}$ to 3' $(15'' \text{ Ball})_{}$		1.75	1.60
3 to 3½' (16" Ball)	-2.75	2.50	
occidentalis douglasi aurea. Douglas Gold	den Arbo	rvitae—	-12'
3 to 4' (14" Ball)	1.65	1.40	1.25
4 to 5' (15" Ball)		1.90	1.75
5 to 6' (16" Ball)		2.50	-2.25
6 to 7' (18" Ball)		3.35	3.00
7 to 8' (20" Ball)		4.25	3.90
8 to 9' (21" Ball)		5.50	
9 to 10' (23" Ball)		6.75	
occidentalis elegantissima. Golden Arbo			
2 to 2½' (12" Ball)		.90	.80
2 to 2 /2 (12 Ball) 2 ½ to 3' (13" Ball)		1.15	1.00
3 to 4' (14" Ball)	1.75	$1.10 \\ 1.50$	1.35
4 to 5' (15" Ball)		$\frac{1.50}{2.25}$	1.00
5 to 6' (17" Ball)		$\frac{2.25}{2.90}$	
6 to 7' (19" Ball)		$\frac{2.50}{3.65}$	
7 to 8' (21" Ball)		$\frac{3.05}{4.35}$	${4.00}$
8 to 9' (22" Ball)		5.50	5.00
9 to 10' (24" Ball)		$\frac{3.30}{7.00}$	6.50
10 to 11' (25" Ball)		8.75	8.00
11 to 12' (27" Ball)		12.00	0.00
12 to 13' (28" Ball)		15.00	
· · · · · · · · · · · · · · · · · · ·			
occidentalis ellwangeriana. Tom Thumb			
15 to 18" (11" Ball)		.85	1.00
$1\frac{1}{2}$ to $2'$ (12" Ball)		$\frac{1.15}{1.05}$	1.00
2 to 3' (13" Ball)		1.65	1.50
occidentalis globosa. Globe Arborvitae—			
12 to 15" (10" Ball)		.75	.65
15 to 18" (11" Ball)		.85	.75
1½ to 2' (12" Ball)		1.15	1.00
2 to 2½' (13" Ball)		1.40	1.25
2½ to 3′ (15″ Ball)		$\frac{1.90}{2.50}$	1.75
3 to 3½' (16" Ball)		2.50	2.25
3½ to 4′ (18″ Ball)		3.35	3.00
4 to 5' (20" Ball)	5,00	4.50	

THUJA—Continued	1 Each	5 Each	25 Each
occidentalis hoveyi. Hovey Arborvitae—6'			
15 to 18" (11" Ball)	£ 1 10	\$.85	\$.75
		•	•
1½ to 2′ (12″ Ball)		1.15	1.00
2 to 2½' (13" Ball)		1.40	1.25
2½ to 3′ (15″ Ball)		2.00	1.75
3 to 3½′ (16″ Ball)	2.75	2.50	
occidentalis lutea. George Peabody—Golde	en Arb	orvitae—	-12'
3 to 4' (14" Ball)		1.85	1.60
4 to 5' (15" Ball)		2.50	2.75
5 to 6' (16" Ball)		$\frac{2.50}{3.20}$	2.10 2.90
6 to 7' (18" Ball)		$\frac{3.20}{3.90}$	3.60
7 to 8' (20" Ball)		4.75	4.25
8 to 9' (21" Ball)		5.75	5.25
9 to 10' (23" Ball)		7.00	
10 to 11' (25" Ball)	10.00	9.00	
occidentalis plicata. Moss Arborvitae—15'			
1½ to 2′ (10″ Ball)		.90	.80
2 to 2½' (11" Ball)		1.15	1.00
· = ',		$1.10 \\ 1.40$	1.25
2½ to 3′ (12″ Ball)		-	
3 to 4' (13" Ball)		1.80	1.60
4 to 5' (14" Ball)		2.35	2.10
5 to 6' (16" Ball)		3.00	2.75
6 to 7' (17" Ball)	4.40	4.00	
7 to 8' (19" Ball)	6.00	5.50	
occidentalis pyramidalis. Pyramidal Arbor	vitae—	-25′	
2 to 2½' (11" Ball)		1.15	1.00
2½ to 3' (12" Ball)	1.65	1.40	1.25
3 to 4' (13" Ball)		1.75	1.60
4 to 5' (14" Ball)		2.35	2.10
5 to 6' (16" Ball)	3.35	$\frac{2.00}{3.00}$	2.75
6 to 7' (17" Ball)		3.85	$\frac{2.10}{3.50}$
7 to 8' (19" Ball)		5.00	4.50
		6.50	
<u> </u>			
9 to 10' (22" Ball)		8.00	
10 to 11' (23" Ball)		11.00	
11 to 12' (25" Ball)	15.00	13.50	
occidentalis reidi. Reid Arborvitae—5'			
3 to 3½′ (16″ Ball)		2.50	2.25
3½ to 4′ (18″ Ball)		3.35	3.00
4 to 5' (20" Ball)	4.75	4.35	
occidentalis umbraculifera. Umbrella Ar	borvita	e-4'	
15 to 18" (11" Ball)		.85	.75
1½ to 2' (12" Ball)		1.15	1.00
2 to 2½' (13" Ball)	1.75	1.50	1.35
3½ to 4′ (17″ Ball)		3.25	1.00
occidentalis vervaeneana. Vervaene Arbor			
2 to 3' (12" Ball)		1.00	.90
,		1.40	1.25
3 to 4' (14" Ball)			
4 to 5' (15" Ball)		2.00	1.75
5 to 6' (17" Ball)		2.50	2.25
6 to 7' (19" Ball)		3.35	
7 to 8' (21" Ball)		4.50	
8 to 9' (22" Ball)	6.00	5.50	
9 to 10' (24" Ball)	7.75	7.00	
10 to 11' (26" Ball)		9.00	
11 to 12' (27" Ball)	13.00	11.50	

THUJA—Continued	1 Each	5 Each	25 Each
occidentalis wareana. Ware or Siberian	Arborvi	tae-12'	
1½ to 2' (11" Ball)			\$.70
2 to 2½' (12" Ball)		•	
2½ to 3′ (13″ Ball)		· · · · -	
3 to 3½' (14" Ball)	$\frac{1.00}{2.00}$	$\frac{1.10}{1.75}$	
3½ to 4′ (15″ Ball)			
4 to 5' (16" Ball)			
occidentalis wareana lutescens. Golden S			ne19'
Same prices as wareana.	coortaire .	217007000	20 12
occidentalis woodwardi. Woodward Glob	o Arhor	nitaeA'	
12 to 15" (10" Ball)			
15 to 18" (11" Ball)	1 10	25	.75
15 to 18" (11" Ball) 1½ to 2' (12" Ball)	1 10	1.15	1.00
orientalis. Oriental Arborvitae—20'	_ 1.40	1.10	1.00
3 to 4' (13" Ball)	_ 1.65	1.40	
4 to 5' (14" Ball)			1.80
5 to 6' (16" Ball)			2.75
6 to 7' (17" Ball)	- 3.33 - 4.00		
7 to 8' (19" Ball)		4.50	
orientalis aurea. Golden Oriental Arborvi	<i>tae.</i> H ar		
2 to 3' (12" Ball)			1.50
3 to 4' (14" Ball)			
4 to 5' (15" Ball)			
5 to 6' (16" Ball)			
6 to 7' (18" Ball)			
orientalis aurea nana. Berckman's Golde			
12 to 15" (10" Ball)	_ 1.25	1.00	.85
15 to 18" (11" Ball)			
orientalis pyramidalis. Oriental Pyramid			5′
3 to 4' (13" Ball)	_ 1.90		
4 to 5 '(15" Ball)	_ 2.50	2.25	
TSUGA—canadensis. Hemlock Spruce—75'			
1½ to 2' (11" Ball)	_ 1.25	1.00	.90
2 to 2½' (12" Ball)		1.35	1.20
2½ to 3' (14" Ball)		1.65	1.50
3 to 4' (15" Ball)	$\frac{1}{2.50}$	2.25	2.00
4 to 4½' (16" Ball)		2.75	2.50
4½ to 5′(17″ Ball)	_ 4.00	$\frac{2.10}{3.60}$	3.25
5 to 6' (18" Ball)	- 5.25	4.75	4.35
6 to 7' (20" Ball)	_ 6.50	6.00	5.50
7 to 8' (23" Ball)		7.50	7.00
8 to 9' (25" Ball)		9.50	8.75
9 to 10' (28" Ball)		12.00	11.00
10 to 11' (30" Ball)		14.50	
11 to 12' (32" Ball)		17.00	
12 to 14' (35" Ball)		22.50	
caroliniana. Carolina Hemlock—50'	_ 20.00	22.00	
2½ to 3' (14" Ball)	2 50	2.25	2.00
3 to 4' (16" Ball)		3.00	2.75
5 to 6' (19" Ball)		6.25	4.10
6 to 7' (21" Ball)		$\frac{0.25}{7.50}$	${6.75}$
7 to 8' (24" Ball)		9.50	8.75
8 to 9' (26" Ball)	14 00	12.50	11.50
9 to 10' (29" Ball)	17 50	16.00	11.00
10 to 10 (29 Ball)	99 00		
Specimen Hemlock Extra Heavy	ΔΔ.σ ΑΑΑ	40.00 40%	
Specimen Hemiock Extra Heavy	-—Auu	40 /0	

Evergreen Shrubs

•	1 Each	5 Each	25 Each
ARCTOSTAPHYLOS—uva-ursi. Bearberry	1 110011	0 2200	
One of our best ground cover plants—12	"		
12 to 15" spread (9" Ball)		\$.60	\$.50
15 to 18" spread (11" Ball)		.85	.70
DAPHNE—cneorum. Garland Flower—18"			
6 to 9" (7" Ball)	.50	.40	.35
9 to 12 (8" Ball)		.50	.45
12 to 15" (9" Ball)		.75	.65
15 to 18" 10" Ball)		1.00	.90
mezereum. See Deciduous Shrubs	1.10	1.00	
EUONYMUS			
For other EUONYMUS see "Deciduous	Shrubs,	,	
patens (sieboldi). Spreading Euonymus—			
12 to 18"		.35	.30
1 ½ to 2'	55	.45	.40
2 to 2½'	75	.65	.55
radicans. Wintercreeper—Trailing	,0	•00	•00
9 to 12"	.30	.23	.18
12 to 15"		.27	.22
15 to 18"	.40	.35	.30
radicans acutus. Sharpleaf Wintercreep		•••	•••
12 to 15"	$.\overline{25}$.22	.18
15 to 18"	.30	.26	.22
1½ to 2'		.35	.30
2 to 2½'	.55	.45	.40
radicans argenteo-marginatus (Variegate			
Silveredge Wintercreeper—2'	,		
9 to 12"	.25	.22	.18
12 to 15"	.30	.26	.22
15 to 18"	.40	.35	.30
radicans carrierei. Glossy Wintercreeper-	3 ′		
9 to 12"	.30	.25	.20
12 to 15"		.30	.25
15 to 18"		.35	.30
radicans colorata. Red-leaved Wintercree,			
12 to 15"	.25	.22	.18
15 to 18"		.30	.25
1½ to 2'	.45	.40	.35
radicans erecta. Upright Wintercreeper-	– 3′	0.5	2.0
12 to 15"		.25	.20
15 to 18"		.35	.30
1½ to 2′	55	.45	.40
2 to 2½'	.65	.55	.50
radicans vegetus. Bigleaf Wintercreeper-		oc	00
9 to 12"		.26	.22
12 to 15'		.35	
15 to 18"	$\begin{array}{cc} -0.45 \\ -0.60 \end{array}$	$.40 \\ .50$.35 $.45$
3 to 4', Tree Shape, (15" Ball)		2. 50	.40
4 to 5', Tree Shape, (17" Ball)		2.50 3.50	
- '			
ILEX crenata convexa (bullata) Box-leaved 12 to 18" (11" Ball)	Japanes		4
18 to 21" (12" Ball)	2.00 2.75	2.50	
10 W 21 (12 Dail)	- 4.10	2,00	

ILEX—Continued

crenata latifolia. Bigleaf Japanese Holly 1 Each 5 Each 25 Each 1½ to 2′ (12″ Ball)
3½ to 4′ (16″ Ball) 4.85 5.50 • 4.25
glabra. Inkberry—5' 1 Each 5 Each 25 Each 12 Each 12 Each 25
12 to 15" (10" Ball)\$ 1.35 \$ 1.10 \$ 1.0 15 to 18" (11" Ball) 1.65 1.40 1.5
$1\frac{1}{2}$ to 2' (12" Ball) 2.25 2.00 1.
2 to 2½' (13" Ball) 2.75 2.50
opaca. $American\ Holly$ —20' 2 to 3' (14" Ball) 2.25 2.00 1.'
3 to 4' (16" Ball) 3.75 3.35
KALMIA—angustifolia. Lambkill—6'
1½ to 2' (12" Ball) 2.00 1.75
latifolia. $Mountain$ -laurel $-7'$ 1 ½ to 2' (12" Ball) 1.90 1.65 1.5
$2 \text{ to } 2\frac{1}{2}$ (12 Ball) 2.50
$2\frac{1}{2}$ to 3' $(15'' \text{ Ball})_{} 3.35 3.00 2.5$
3 to 4' (17" Ball) 4.50 4.00
LEUCOTHOE—catesbaei. Drooping Leucothoe—6'
15 to 18" (11" Ball) 1.35
$2 \text{ to } 2\frac{1}{2}$ (13" Ball) 2.15
2 ½ to 3' (15" Ball) 2.75 2.50
3 to $3\frac{1}{2}$ ' (17" Ball) 3.60 3.25
MAHONIA—aquifolium. Oregon Hollygrape—5'
12 to 15" (10" Ball) 1.10 .85 .7 15 to 18" (11" Ball) 1.35 1.10 1.0
15 to 18" (11" Ball) 1.35 1.10 1.0 PACHYSTIMA—canbyi. Canby Pachystima—10". Like a miniatur
box with tiny evergreen foliage; excellent for ground cover, rocl
ery or wall crevices; likes moisture.
$2\frac{1}{2}$ " Pot plants
PACHYSANDRA—terminalis. Japanese
Spurge—Evergreen ground cover—10" 1 year (\$50.00 per 1000)12 .08 .0
1 year (\$50.00 per 1000)
PIERIS—floribunda. (Andromeda floribunda).
-Mountain Andromeda-3'
15 to 18" (11" Ball) 1.90 1.65 1.5
1½ to 2′ (12″ Ball) 2.50 2.25 2.0
2 to $2\frac{1}{2}$ ' (13" Ball)
$1\frac{1}{2}$ to 2' (12" Ball) 2.50 2.20 2.6
$2 \text{ to } 2\frac{1}{2}$ (13" Ball) 2.75 2.50 2.2
2½ to 3′ (15″ Ball) 3.35 3.00 2.7
RHODODENDRON carolinianum. Carolina Rhododendron—6'
RHODODENDRON carolinianum. Carolina Rhododendron—6' 1 ½ to 2' (12" Ball) 2.50

10110202=1(2:101) Continued	Each	5 Each	25 Each
catawbiense. Lavender Pink—6'	1.00	Ф 1 <i>С</i> Г	e 150
12 to 18" (11" Ball)\$ 1½ to 2' (12" Ball)\$		$\begin{array}{c} \$ \ 1.65 \\ 2.25 \end{array}$	\$ 1.50 2.00
2 to 3' (13" Ball)	$\frac{2.50}{3.10}$	2.25 2.85	2.60
hybridum. (Named Colors).	0.10	4.00	2.00
1½ to 2' (11" Ball)	3.00	2.75	2.50
2 to 2½' (13" Ball)	4.10	3.75	$\frac{2.50}{3.40}$
maximum. Rosebay Rhododendron—8'	1.10	0.10	0.40
12 to 18" (11" Ball)	1.65	1.40	1.25
1½ to 2′ (12″ Ball)	2.00	1.75	1.60
2 to 3' (13" Ball)	2.60	2.35	2.10
3 to 4' (15" Ball)		3.20	2.90
Vines			
	Eoch	r Tooh	95 Took
21012112211 4184141 20101, 11000	Each	5 Each	25 Each
2 years\$		\$.30	\$.25
3 years	.40	.35	.30
AKEBIA—quinata. Fiveleaf Akebia	20	or.	20
2 years	.30 $.35$.25 $.30$.20 .25
3 yearsAMPELOPSIS—	.59	.50	.20
heterophylla. Porcelain Ampelopsis			
2 years	.35	.27	.22
quinquefolia. Virginia Creeper			
1 year $(\$70.00 \text{ per } 1000)$.15	.12	.08
2 years (\$90.00 per 1000)	.20	.14	.10
3 years	.25	.18	.14
quinquefolia engelmanni			
1 year (\$70.00 per 1000)	.15	.12	.08
2 years (\$90.00 per 1000)	.20		.10
3 years	.25	.18	.14
tricuspidata (veitchi.) Boston Ivy	10	- 4	
2 years, medium (\$90.00 per 1000)	.18	.14	.11
2 years (\$130.00 per 1000)	.20	.17	.14
3 years (\$180.00 per 1000)	.30	.25	.20
tricuspidata lowi. <i>Geranium Ivy</i> Pot Plants	.45	.40	.35
ARISTOLOCHIA sipho. Dutchmans-pipe	.40	.40	•99
19 to 18"	.40	.35	.30
12 to 18" 1½ to 2'	.45	.40	.35
BIGNONIA grandiflora. Chinese Trumpetcreepe		• • • •	.00
2 years	.50	.40	.35
radicans. Trumpetcreeper			
2 years, medium (\$65.00 per 1000)	.15	.11	.08
2 years (\$ 80.00 per 1000)	.20	.14	.10
3 years (\$125.00 per 1000)	.25	.20	.15
CELASTRUS—			
orbiculatus. Oriental Bittersweet	-1.0		
2 years, medium (\$95.00 per 1000)	.18	.14	.11
2 years (120.00 per 1000)	.20	.17	.14
3 years	.30	.25	.20
scandens. American Bittersweet 2 years, medium ($$95.00$ per 1000)	.18	1.4	11
2 years, medium (\$95.00 per 1000)	.18	.14 .17	.11 .14
3 years	.30	.25	.20
J (415)	•00	.20	•40

CLEMATIS paniculata. Sweet Autumn Clematis		
1 Each	5 Each	25 Each
2 years\$.25	\$.20	\$.16
hybrid Crimson King. New mammoth	7	1
vinous red. June to September75	.65	.60
hybrid Duchess of Edinburg	.40	.35
hybrid Edouard Andre. Single bright red .45	.40	.35
hybrid henryi. Single white45	.40	.35
hybrid jackman ⁱ . Single purple45	.40	.35
lawsoniana. Blue flushed mauve. June to		
September	.65	.60
montana undulata. New hardy pink45	.40	.35
texensis syn. coccinea. Scarlet Clematis45	.40	.35
HEDERA helix— $English\ Ivy$ 35	.30	.25
HYDRANGEA petiolar's. Climbing Hydrangea		
3" Pots, 12 to 18"45	.40	.35
3" Pots, 12 to 18"45 3" Pots, 18 to 24"50	.45	.40
LONICERA		
aureoreticulata. Yellownet Japanese Honeysuckle		
2 years25	.20	.15
3 years30	.25	.20
halleana. Hall Japanese Honeysuckle		
2 years (\$80.00 per 1000)20	.15	.10
henryi. Henry Honeysuckle		
2 years45	.40	.35
periclymenum belgica. Dutch Woodbine	0	,,,,
2 years25	.20	.16
3 years30	.25	.20
sempervirens. Scarlet Trumpet Honeysuckle		
2 years25	.20	.15
3 years30	.25	.20
LYCIUM—chinense. Chinese Matrimonyvine		
2 years20	.15	.10
POLYGONUM—auberti. China Fleecevine		
2 years, medium20	.15	.12
2 years (\$140.00 per 1000)25	.20	.16
SCHIZOPHRAGMA—hydrangeoides. Japanese		
$Hydrangea ext{-}vine$		
3" Pots, 12 to 18"45 3" Pots, 18 to 24"50	.40	.35
3" Pots, 18 to 24"50	.45	.40
VINCA—minor. Periwinkle or Myrtle		
Strong plants $(\$45.00 \text{ per } 1000)_{}$.12	$.08\frac{1}{2}$	$\stackrel{\prime}{_{2}}$.06
minor Bowles Variety.		
1 year (\$70.00 per 1000)15	.10	.08
VITIS aestivalis. Summer Grape		
2 years35	.30	.25
coignetiae. $Gloryvine$	•30	•=0
2 years40	.35	.30
cordifolia. Frost or Winter Grape		,,,,
2 years35	.30	.25
rotundifolia. $Muscadine$ $Grape$.30	0
2 years40	.35	.30
WISTERIA floribunda rosea. Rosy Weeping Wisteria		
2 years65	.55	.50
2 years	•00	

Secure a supply of Truehedge Columnberry America's greatest plant sensation.

frutescens magnifica. Yelloweye Wisteria—I			25 Each
2 years\$ sinensis. Chinese Purple Wisteria	.30	\$.23	\$.18
2 years (Grafted)	.35	.30	.25
3 years (Grafted)	.45		
sinensis alba. Chinese White Wisteria	• • •	• • •	•00
2 years (Grafted)	25	.30	.25
3 years (Grafted)	.45		.35
5 years (Granted)	.40	.40	.00
Roses-Hybrid T	ea		
Prices are for Strong 2 yrs. No. 1 grade. 2 yrs. N	[₀ 11	6 modin	m grada
deduct 30%. Patented varieties in No. 1			m grade
ALEZANE. Plant Patent No. 116.	Each	5 Each	25 Each
(Retails \$1.25 each; \$12.50 per dozen).			•
Sorrel to rich apricot\$.75	\$.70	\$.60
AMELIA EARHART. Plant Patent No. 63.		•	
(Retails \$1.25 each; \$12.50 per dozen).			
New Deep yellow to cream with blush			
overtone	.75	.70	.60
Ami Quinard. Crimson on maroon	.35	.30	.25
ANGELS MATEU. Plant Patent No. 175.	.00	.50	.20
(Retails \$1.25 each; \$12.50 per dozen).	00	7 5	60
Old Rose flushed orange	.90		-
Autumn. Burnt orange and red	.35		.25
Betty Uprichard. Salmon pink	.30	.25	.22
CARILLON. Plant Patent No. 136.			
(Retails 85c each; \$8.50 per dozen).			
Long pointed orange-scarlet bud			
opening to coral-flame	.50	.45	.40
Catherine Kordes. Glowing scarlet	.40	.35	.30
Christopher Stone. Vivid scarlet-crimson	.45	.40	.35
Condesa de Sastago. Copper and yellow	.35	.30	.25
COUNTESS VANDAL. Plant Patent No. 3			
(Retails \$1.00 each; \$10.00 per dozen).			
New. Blended copper, salmon and gold	.60	.55	.50
CRIMSON GLORY. Plant Patent No. 105.	•00	.00	•00
(Retails \$1.25 each; \$12.50 per dozen).			
Velvety crimson shaded with deep red	.75	.70	.60
Dainty Bess. Single, ruffled, soft pink	.40	.35	.30
Dame Edith Helen. Pure pink	.35	.30	.25
	.40	.32	.27
Director Rubio. Rosepink; large	.40	.04	.4 (
Duquesa de Peneranda. Early flowers rich			
coppery apricot. Autumn flowers	4.0	95	9.0
beautiful cinnamon peach	.40	.35	.30
ECLIPSE. Plant Patent No. 172.			
(Retails \$1.25 each; \$12.50 per dozen).		5 0	0.0
Rich golden yellow	.75	.70	.60
Edel. White, shaded ivory	.35	.30	.25
Edith Nell'e Perkins. Rich salmon pink	.35	.30	.25
Editor McFarland. New. Brilliant pink	.30	.25	.22
E. G. Hill. Massive blooms of deep ma-			
roon. Very fragrant	.30	.25	.22
Etoile de Hollande. Finest velvety crim-	_		
son	.30	.25	.22
Frederico Cazas. Coppery pink and orange	.40	.35	.30

ROSES—Hybrid Tea—Continued			
	1 Each	5 Each	25 Each
(Retails \$1.00 each; \$10.00 per dozen		o interior	20 Each
Of unusual coloring, fawn-orange	- / -		
in bud; full blooms-pink overlaid sal-			
mon	.60	•	
Golden Dawn. Sunflower yellow	.30	.25	.22
GOLDEN MAIN. Plant Patent No. 254.			
(Retails \$1.25 each; \$12.50 per dozen	•		0.0
Pure dandelion yellow	.75	.70	.60
GOLDEN STATE. Plant Patent No. 303.			
(Retails \$1.50 each, \$15.00 per dozen)		1 00	
Buds buff-yellow opening to orange		-1.00	.75
Grenoble. Pure scarlet Gruss an Teplitz. Brilliant crimson		.25	.22
Heinrick Wendland. Golden yellow and	.35	.30	.25
nasturtium red	.35	.30	.25
Imperial Potentate. Dark rose-pink	.35	.30	.25
Joanna Hill. Indian yellow center,			
surrounded by bold cream petals	.30	.25	.22
Joyous Cavalier. Red. Very free bloomer	.35		.25
Kardinal Piffl. Glorious orange pink	.40		.30
K. A. Viktoria. Pure white, Double	.35		.25
Konigin Carola. Silver-pink Lady Margaret Stewart. Yellow veined	.35	.30	.25
copper	.35	.30	.25
Leonard Barron. Mammoth salmon-rose	.50	•90	.20
with amber glow	.35	.30	.25
Luna. Moonlight yellow	.40	.35	.30
Margaret McGredy. Brilliant red petals			
on hinges of deep gold	.30		.22
McGredy's Scarlet. Velvety scarlet	.30	.25	.22
Mevrouw G. A. Van Rossem. Brownish yellow, shaded apricot pink	.30	.25	.22
Miss Rowena Thom. Satiny pink, shaded	.50	.20	•22
orange-flame at center	.30	.25	.22
MME. COCHET-COCHET. Plant Patent			
		. J.	
(Retails \$1.00 each; \$10.00 per dozen Salmon pink with silvery sheen	ι). .70	.60	.50
Mme. Joseph Perraud. Buff, flushed shell-	.10	.00	.00
pink	.50	.40	.35
Mme. Jules Bouche. White with primrose		7 - 0	•00
center	.30	.25	.22
Mrs. E. P. Thom. Deep golden yellow	.30	.25	.22
Mrs. Henry Morse. Bright pink with sil-	0.5	9.0	25
very shading Mrs. Pierre S. DuPont. Golden yellow	.35	.30	.25
Mrs. Sam McGredy. Coppery scarlet-or-	.30	.25	.22
ange	.40	.35	.30
National Flower Guild. Rich crimson	.35	.30	.25
Nuntius Pacelli. Fragrant white	.40	.35	.30
President Herbert Hoover. Beautiful suf-			_
fusion of maroon, orange, and gold	.30	.25	.22
President Plumecocq. soft coppery yellow	4.0	~=	
and salmon	.40	.35	.30

NORTHERN GROWN ROSES

Our trade recognizes the uniform quality, hardiness, and "trueness to name" of Cole's Painesville Grown roses. We have guarded this reputation zealously and have gone to no end of labor to see that we had an ample crop for our regular customers in the face, many times, of adverse economic, trade, and weather conditions.

We hope you will bear in mind the conditions herein mentioned when selecting your source of supply.

	Each	5 Each	25 Each
Radiance. Rosy carmine\$.30	\$.25	\$.22
Red Radiance. Rose red	.30	.25	.22
Rev. F. Page-Roberts. Golden yellow,			
stained copper	.30	.25	.22
REX ANDERSON. Plant Patent No. 335.			
(Retails \$1.50 each, \$15.00 per dozen).			
Mammoth. Cream turning to pure			
white	1.00	.90	.75
R. M. S. QUEEN MARY. Plant Patent No.	249.		
(Retails $$1.50$ each, $$15.00$ per dozen).			
A blending of rich, glowing salmon			
with exquisite pure pink, orange base.			
Full flowers, delicately perfumed, free-	•		
ly produced on vigorous plants	1.00	.90	.75
Rouge Mallerin. Rich velvety scarlet. One			
of most striking of the newer roses	.40		.30
Schawabenland. Rose-pink	.35	30	.25
SIGNORA. Plant Patent No. 201.			
(Retails \$1.25 each; \$12.50 per dozen).	•		
Long bud of burnt sienna opening to			
mandarine	.75	.70	.60
Senora Gari. Buff apricot	.40	.35	.30
Sir Henry Seagrave. Primrose yellow,			
chrome base	.30	.25	.22
Soeur Therese. Chrome yellow	.40	.35	.30
Souvenir de Mme. C. Chambard. Rose-red	~ ~	2.0	0 =
to deep rose-pink	.35	.30	.25
Syracuse. Crimson-scarlet	.35	.30	
Vaterland. Rich scarlet-maroon	.35	.30	.25
Ville de Paris. Sunflower yellow	.35	.30	.25
WHITE BRIARCLIFF. Plant Patent No.			
(Retails \$1.00 each; \$10.00 per dozen)).		
Purest sating white, finest form; vig-	0.0	بر بر	F 0
orous plantsWillowmere. Flame pink	.60	.55	.50
Willowmere. Flame pink	.30	.25	.22
HYBRID PERPETUAL	4.0	0.5	9.0
Druschki Rubra. Bright crimson	.40	.35	.30
Frau Karl Druschki. Pure white	.30		.22
General Jacqueminot. Crimson red	.30		.22
Henry Nevard. New. Crimson scarlet	.35		.25
Mme. Albert Barbier. Cream and Apricot	.30		.22
M. P. Wilder. Dark red	.30		.22
Mrs. John Laing. Soft pink	.30		.22
Paul Neyron. Large pink	.30		.22
Pres Briand. Bright pink	.35	.30	.25

POLYANTHA	Each	5 Each	25 Fach
ANNE POULSEN. Plant Patent No. 182.	Liacii	o Each	20 Each
(Retails \$.75 each; \$7.50 per dozen).			
Semi-double, scarlet crimson\$ Cecile Brunner. Sweetheart Rose. Light		\$.40	\$.35
pinkCole's Pink Lafayette. A light pink	.35	.30	.25
form of Lafayette	.35	.30	.25
Eblouissant. Deep red	.30		.22
Else Poulsen. Bright rose-pink Golden Salmon. Bright orange-salmon.	.30	.25	.22
A most worth-while novelty Joseph Guy. (Lafayette). Striking cherry-	.30	.25	.22
crimson. Large flowers; free bloomer	.35	.30	.25
Kirsten Poulsen. Single, bright scarlet	.30	.25	.22
Marie Pavie. White with rose-center	.40	.32	.27
PERMANENT WAVE. Plant Patent No. 10 (Retails \$75 each \$7.50 per dozen).			
Rose pink with waved edges	.45	.40	.35
Pink Gruss an Aachen. Deep salmon-rose	.35	.30	.25
Climbing and Rambler	Ro	oses	
1	Each	5 Each	25 Each
American Pillar. Large, single rosy pink_\$.30	\$.25	\$.20
BLAZE. New Everblooming Pauls Scar- let. Plant Patent No. 10.	60	.55	.50
(Retails \$1.00 each; \$10.00 per dozen)			
Climbing American Beauty. Large pink	.30	.25	.20
Doctor Van Fleet. Double flesh pink	.30	.25	.20
Dorothy Perkins. Pink	.30	.25	.20
DOUBLOONS. Plant Parent No. 152. (Retails \$1.50 each; \$15.00 per dozen)	1 00	0.0	77.
Double cupped, rich gold	1.00	.90	.75
Jacotte. Coppery yellow tinted coppery red Max Graf. Trailing Rugosa. Large waxy	.35	.30	.25
single pink flowers. Glossy foliage	.30	.25	.22
Pauls Scarlet Climber	.30	.25	.20
PRINCESS VAN ORANGE. Plant Patent I	No. 1	· —	•20
(Retails \$1.00 each; \$10.00 per dozen). Salmon-red	.65	.55	.50
Prosperity. Everblooming. White	.35	.30	.25
Reveil Dijonnais. Light yellow edged car- mine, crimson and scarlet	.80	.70	.60
SNOWBANK. Plant Patent No. 279.	.00	•••	.00
(Retails \$85 each; \$8.50 per dozen). Blush white turning to pure white	.50	.45	.40
Cilron Many Tames single white	.30	.26	.22
Silver Moon. Large single white THE NEW DAWN. Plant Patent No. 1	.50	.20	.22
	•		
(Retails \$1.50 each; \$15.00 per dozen) New. Everblooming Dr. Van Fleet	1.00	.85	.75

HYBRID RUGOSA	1 Each	5 Each	25 Each
C. F. Meyer. Double velvety pink	\$.35	\$.30	\$.25
F. J. Grootendorst. Crimson			ψ .23 \cdot .22
Hansa. Dark wine-red		.25	.22
Max Graf. See Ramblers.	•00	.20	•44
Mme. Georges Bruant. Double white	.35	.30	.25
Pink Grootendorst. Double pink	.35	.30	.25
Rosa Rugosa. See Rose Species.	•00	.00	.20
Sir Thos. Lipton. Snowy white	.35	.30	.25
AUSTRIAN BRIER	.00	•00	.20
Persian Yellow	.35	.30	.25
Rose Species			
-	4 ***		
ROSA blanda. $Meadow$ $Rose$ —4' 1 ½ to 2'	1 Each	5 Each	25 Each
$1\frac{1}{2}$ to $2'_{}$	\$.30	.25	\$.20
cinnamomea. Cinnamon Rose—5'		-	
2 years	.50	.45	.40
2 yearshugonis. Golden Rose of China—6'			
$1\frac{1}{2}$ to $2'_{}$.30	.25	.20
2 to 3'	.40	.35	.30
humilis. Pasture Rose—5'			
1½ to 2'		.26	.22
2 to 3'		.35	.30
3 to 4'		.40	.35
lucida. Virginia Rose. Light pink flowers-	-6'		
12 to 18"	.25	.21	.17
1½ to 2'	.30	.25	.20
multiflora japonica. Japanese Rose.			
Single rose-pink—8'			
2 to 3'		.21	.18
3 to $4'_{}$.26	.22
4 to 5'		.35	.30
5 to 6'	.45	.40	.35
nitida. Bristly Rose—4'	•		
1½ to 2'	.30	.26	.22
2 to 3'	.40	.35	.30
palustris (Carolina).Swamp Rose-5'	٠,	0.4	
12 to 18"	25	.21	.17
1½ to 2'		.25	.20
2 to 3'	40	.35	.30
rouletti—New Swiss Rock Garden			
Rose—8". Small double rose-pink			
flowers in profusion all year; small		0.0	05
dense foliage; 3" pots	35	.30	.25
rubiginosa. Sweetbriar—6'	0.0	25	00
2 to 3'		.25	.22
3 to 4'		.32	.27
4 to 5'	.45	.40	.35
rubrifolia. Redleaf Rose-5'	0.5	0.0	05
2 to 3'		.30	.25
3 to 4'		.40	.35
4 to 5'	.50	.45	.40
rugosa. Rugosa Rose—5'	05	04	4.5
12 to 18"	25	.21	.17
1½ to 2'	.30	.25	.20
2 to 3'	.40	.35	.30

ROSE SPECIES—Continued	1 Each	5 Each	25 Each
setigera. Prairie Rose. Deep pink—6'			
12 to 18"		.17	\$.14
1½ to 2'	25	.21	.17
2 to 3'	.30	.25	.22
3 to 4'	40	.36	.28
4 to 5'	.45	.40	.35
wichuriana—Memorial Rose. Trailing			
2 years, Medium	22	.18	.14
2 years, No. 1	25	.21	.17
3 years, No. 1	.35	.30	.25

Peonies

Rating Variety Description 5 Each 25 Each 8.6 Albert Crousse. Light rose-pink; late\$.25 \$.20 8.7 Avalanche. Blush white; late midseason20 .15	ch
8.7 Avalanche. Blush white; late midseason20 .15	
9.0 Baroness Schroeder. Flesh-white; late midseason27 .22	
8.4 Chestine Gowdy. Large, light rose, creamy white	
collar. Late20 .16	
8.1 Couronne d'Or. White, light yellow center; mid-	
season20 .15	
7.5 Delicatissima. Light pink; early20 .15	
8.3 Eugene Bigot. Red, late25 .20	
8.4 Felix Crousse. Brilliant crimson; late midseason20 .15	
9.3 Festiva Maxima. White, very large; early20 .15	
8.9 Georgiana Shaylor. Very large. Light rose pink;	
late midseason55 .45	
8.5 Germaine Bigot. Light rose-pink; midseason20 .15	
7.9 Gloire de Chas. Gombault. Pink; midseason25 .20	
8.8 Grandiflora. Bright pink; very late25 .20	
8.8 Karl Rosenfield. Bright crimson; midseason22 .17	
8.8 Kelway's Queen. Large, bright rose-pink; late mid-	
season	
9.2 La Fee. Very large, light old-rose-pink; early mid- season35 .30	
season35 .30 8.1 Livingstone. Large old-rose pink; late20 .16	
7.8 Lord Kitchener. Red25 .20	
8.6 Marchioness of Landsdowne. Large, brilliant, rose-	
pink; midseason25 .20	
8.9 Marie Crousse. Pale pink, shaded rose; midseason .22 .17 8.5 Marie Lemoine. Creamy-white; midseason .25 .20	
8.5 Marie Lemoine. Creamy-white; midseason25 .20 7.8 Marquis C. Lagergrin. Red25 .20	
7.9 Mme. Ducel. Pale rose, silvery sheen; midseason20 .15	
8.5 Mme. Emile Galle. Rose-pink; late20 .15	
9.2 Mons. Jules Elie. Light rose-pink; early22 .17	
8.8 Mons. Martin Cahuzac. Darkest red; early mid season50 .40	
season50 .40 8.5 Octavie de May. Light rose-pink; early midseason .25 .20	
8.6 Officinalis Rubra Plena. Red; early40 .35	
8.6 Primevere. Sulphur yellow; midseason 35 .30	

PEONIES—Continued 5	Each	25 Each
8.7 Reine Hortense (President Taft). Rose-pink; mid-	00	\.
season\$ 7.2 Rubra Superba. Bright crimson: very late		\$.25
7.2 Rubra Superba. Bright crimson; very late 9.0 Sarah Bernhardt. Rose-pink; late	.25 $.30$	$.20 \\ .25$
7.9 Simonne Chevalier. Pink; midseason	.20	.16
9.7 Solange. Large. Creamy-white; late	.60	.50
9.8 Therese. Translucent old-rose-pink; midseason	.50	.40
9.5 Walter Faxon. Vivid shell-pink; midseason	.50	.40
Red, pink, white or mixed	.17	$.12\frac{1}{2}$
Single and Japanese Peonies		
Fusyama. Flesh-pink\$.85	\$.75
8.6 Mikado. Dark, dull crimson; midseason	.75	.65
7.5 Mistral. Carmine; midseason	.75	.65
7.8 The Moor. Single, red; early midseason	.40	.35
Perennial Plants		
Items starred (*) are useful for rock garden planting	ıg.	
		25 Each
ageratum. Yellow—June—2'\$ Cerise Queen. Cherry red. June—2'\$.10	
*The Pearl. White. June to August—2'	.09	.07
ACONITUM—		
fischeri. Dwarf. Dark-blue. August—2½′	.20	.15
Spark's Variety. Violet-blue; July and August wilsoni. <i>Wilson Monkshood</i> . Mauve. Fall-Flowering	.25	.20
—6' ———————————————————————————————————	.20	.15
*AJUGA—reptans. Carpet Bugle. Blue. May—4" ALTHAEA—rosea. Hollyhock—6'	.10	.08
Double pink, red, white, yellow, salmon—6'	.09	.07
Imperator. Double, fringed, mixed colors—6'	$.12\frac{1}{2}$.10
*ALYSSUM— *argentum. Silver Alyssum. Yellow. Summer—15"	.09	.07
*rostratum. Yellowhead Alyssum. Yellow. June,	.09	.07
July—12"saxatile compactum. Yellow. May—1'	.09	.07
saxatile compactum. Yellow. May—1'serpyllifolium. Dwarf Pale yellow. May—6"	$.09$ $.12\frac{1}{2}$	$.07\\.10$
ANCHUSA—italica. Blue. June to Sept.—3'	$.12\frac{72}{2}$.10
*mysotidiflora. Bright Blue. May 1'	.15	.12
ANEMONE—		
*hupehensis. Early Anemone. Dwarf. Mauve rose,	15	.12
Sept. 1'japonica alba. Large white. Fall—2½'	.15 $.15$.12
" Queen Charlotte. Rose. Fall—2½'	.15	.12
" Rubra. Red. Fall—2½′ " Whirlwind. Pure white. Fall—2½′	$.15 \\ .15$.12 .12
*pulsatilla Lilac. Pasqueflower. April, May—1'	.15	.12

ANTHEMIS— *montana. White—1'		25 Each \$.08
AQUILEGIA—(Columbine)	_φ •τυ	φ .0δ
chrysantha. Yellow. June—2½'	09	.07
chrysantha. Silver Queen. White. June—2½'		
*coerulea. Blue. June— $1\frac{1}{2}$ '	$12\frac{1}{2}$	-
Farguhar's Pink—2½′	$12\frac{1}{2}$	_
Mrs. Scott Elliott. Long-spurred hybrids—3'	$12\frac{1}{2}$	_
*ARABIS—alpina white. April and May—6"		.07
alpina rosea. Pink. April—6"		
ARMERIA—		
formosa hybrids. Large flowered mixed—15"		.07
ARTEMESIA—lactiflora. White. August—4'		.07
Silver King. (New). Silvery foliage—3'		.09
ASCLEPIAS—tuberosa. Butterflyweed—2'ASTER—		.07
*alpinus. Blue. May and June—6"	$12\frac{1}{2}$	=
nova anglae. Purple. Sept. and Oct.—4'	10	.08
*Star of Wartburg. Lilac blue with orange centers.	2.0	<u>۔</u>
Spring	20	.15
Sunset. Fine pink. September—1½'	$12\frac{1}{2}$	
White Lady. September—2'		
*AUBRETIA—deltoidia gracea. Violet. May—4" BAPTISIA—australis. False Indigo. Dark blue.	$-12\frac{1}{2}$.10
June—2'	09	.07
BOLTONIA—asteroides. White. September—6'	08	.06
latisquama. Pink. August—5'	08	.06
*CALAMINTHA—alpina. Purple. Summer—6" CAMPANULA	$12\frac{1}{2}$	2 .10
medium. Blue, rose, or white. June and July—2½'		.07
medium calycanthema. Blue, rose, or white—2½'		.07
persicifolia coerulea. Blue. June—2'		
Telham Pride. China-blue	20	.15
*CENTAUREA—montana. Mountain Bluet. Blue.	0.0	0.7
June and July—1½'	09	.07
*CERASTIUM—tomentosum. White—6"	.09	.07
*CERATOSTIGMA—plumbaginoides. Dwarf, deep blue	15	.12
September and October—6"CHELONE—lyoni. Rosy purple. August—2'	15	.09
	- •11	.03
CHRYSANTHEMUM—	1.0	00
Following varieties	10	.08
Adironda. Bronze and yellow. Pompom. Early.		
Capt. R. H. Cook. Clear deep rose. Midseason—3'		
Champagne. Ruby red—2½'		
	0/	
Harvest Home. Golden-yellow. Midseason. Large-	-2	
Irene. White pompom. 15"		
L'Argentuillais. Chestnut-brown. Very early. Dece	rative-	$-2\frac{1}{2}'$
Metzi. Golden-yellow. Pompom—2'		
Mrs. Calvin Coolidge. Single scarlet. Midseason—2'		
	Q <i>'</i>	
Mrs. L. Birchard. Light pink. Midseason. Large—		
Mrs. J. W. Martin. New striking orange-rose. Lar		
Petite Louise. Shaggy pale pink. Very early. Larg	e—2'	
White Doty. Pure white. Large. Midseason—3'		

CHRYSANTHEMUM—	5 Each	25 Each
coccineaum. Jas. Kelway Hybrids. Painted Daisy Velvety red shades. June—12"	\$.12	\$.10
coccineum. Pyrethrum roseum. Painted Daisy. Pink to red. May and June—2½′		.10
maximum. Shasta Daisy. White. July to Oct.—2'		:07
maximum. Mrs.C. Lothian Bell. Very Large. White. June to August—20"		.07
NEW AND FINER CHRYSANTHEMUM	S	
Cavalier Deep wine. Single—2½′	.12½	.10
Crimson Splendor. Magnificent crimson-maroon, golden center. Very early. Single—2½'	.12	.10
Granny Scovill. Warm. coral-bronze. Extra large flowers Healthy foliage. Early. Decorative—2'		.15
Grenadier. Bright crimson red with an underlying sheen of bronze. Large free-flowering. Early.		10
Single—2½′		.10
Jean Treadway. Mammoth pink, salmon red center. Early. Decorative—2'	.20	.15
Judith Anderson. Clear butter-yellow pompom—15"	.20	.15
Murillo. Glorious lavender-pink. Early midseason. Large—2'	20	.15
Old Orchard. Light pink, yellow center. Midseason. Large pompom—3'	15	.12
Vivid. Color of American Beauty Rose. Large,		
vigorous and free-flowering. Decorative. Early		.12

NEW KOREAN CHRYSANTHEMUMS

Without question the greatest new creation in the perennial world. Korean Chrysanthemums are perfectly hardy—a requisite for satisfaction lacking in the old types; they are easier to grow and are more profuse in blooming. The lovely pastel shades defy description. Wonderful for table decorations and compelling for color effect in the garden.

5	Each 2	5 Each
AGNES SELKIRK CLARK. Mammoth single shading		
from bronzy pink to salmon—2'\$.25 \$.15
APHRODITE. Pink and ivory. Profuse bloomer	$.12\frac{1}{2}$.10
APOLLO. Bronze-red, suffused old gold and salmon.		
2½′	.10	.08
ASTRID. Single shell-pink. Early	.20	.15
CALIPH. Rich velvety, oxblood red—2½'	.25	.20
CERES. Chamois-yellow and coppery gold	.10	.08
COUNTRY GIRL. Glistening pink; soft lilac tones	.15	.12
DAPHNE. Lovely Daphne-pink	.10	.08
DIANA. Rose pink shaded salmon—2½'	.10	.08
EMBER. Brilliant bronze—2½′	.20	.15

HEBE. Lovely, luminous pink, maturing to soft laven- der-pink. A 1935 introduction. Very early.		25 Each
Single—2½′\$.15	\$.12
INDIAN SUMMER. Vivid orange. Very hardy—21/2'_	.20	.15
INNOCENCE. Pure white changing to soft pink—18"_	.15	.12
KING MIDAS. Soft yellow shaded bronze—2½'	.25	.20
LOUISE SCHLING. Glowing coppery red—2½'	.15	$.12\frac{1}{2}$
MANDARIN. Coral, salmon, copper, and bronzy-gold		. 2.0
blended—2'	.25	.20
MARS. Deep amaranth-red	.10	.08
MERCURY. Coppery bronze and red	.10	.08
NANCY COPELAND. Spectrum red—2'	.20	.15
PINK LUSTRE. Single. Orchid-pink—2½'	.25	.20
PYGMY GOLD. Golden yellow pompom—12"	.25	.20
ROMANY. Carmine with bronze tone—2½'	.20	.15
SALADIN. Oriental red shading to coral red—2½'	.25	.20
SATURN. Sparkling orange-bronze	$.12\frac{1}{2}$.10
SYMPHONY. Mauve-rose overcast soft coppery rose— 2½'	.25	.20
THE MOOR. Port wine red—2'	.20	.15
VULCAN. Carmine red. October—2½′	$.12\frac{1}{2}$	
VOLCAN. Carmine red. October—2 ½	.1472	, .10
*CONVALLARIA majalis. Lily of the Valley 2 year plants	.08	.06
COREOPSIS lanceolata. Golden yellow. Summer—2'	.09	.07
Mayfield Giants. A vigorous, improved strain—3'	.09	.07
DELPHINIUM—	4044	4.0
belladonna. Skyblue. June to September—4' bellamosa. Dark blue. June to Sept.—4'	$.12\frac{1}{2}$	0.10
Blackmore & Langdon's hybrids. Various colors.	.03	.01
	$.12\frac{1}{2}$.10
July—4'Cliveden Beauty. Belladonna improved	$.12\frac{1}{2}$.10
Double Hybrids. Finest doubles. July-4'	.20	.15
DIANTHUS-	٠	
barbatus. Sweet William. Separate colors. Red,		
white and pink: May and June—1½'*plumarius semperflorens. Scotch Pink. Mixed. June	.09	.07
and July—9"	.09	.07
DIANTHUS GRENADIN—		
	$.12\frac{1}{2}$	
	$12\frac{1}{2}$	
White Gold. Delicate pastel yellow. All summer	$.12\frac{1}{2}$.10
*DICENTRA—eximea. Fringed Bleeding Heart. All	101/	10
summer—12"spectabilis. Bleeding Heart. May, June—2'	$.12\frac{1}{2}$	$\frac{.10}{.20}$
		.20
purple; separate colors. June, July—2½′	.09	.07
Giant Shirley. A recent introduction far surpass-		
ing the older types. June, July—3½′	.10	.08
DORONICUM—caucasicum. Leopardbane. Yellow		
flowers 2½" across. May, June—2'	.20	.15

		
ECHINACEA—purpurea. Rudbeckia purpurea. Purple cone flower. July, Aug.—3'\$		25 Each
ECHINOPS RITRO—Thistle. Steel blue		.07
EULALIA—(See Micanthus).	.00	.01
*EUPATORIUM—coelestinum. Blue. September October—2'	.09	.07
FUNKIA—(See Hosta).	•00	•••
GAILLARDIA—	,	
aristata (grandiflora.) Blanket Flower. Yellow and crimson. All summer—2' aristata. The Dazzler. Brilliant red, all summer—2' Burgundy. Wine red. All summer—2' Goblin. Yellow to red. All summer—12" Portola hybrids. New Mammoth Tangerine. Orange—2'	.09 .12½ .12½ .12½ .09 .10	.07 .10 .10 .10 .07
GERANIUM—sanguineum. Bloodred Cranesbill. All summer—1½'	.12½	.10
*GEUM—Lady Stratheden. Orange, all summer—15" _ Mrs. Bradshaw. Ruffled scarlet flowers. All sum-	$12\frac{1}{2}$.10
mer—15"Orange Queen. Large double flowers in a striking	$.12\frac{1}{2}$.10
shade of deep orange. Summer—1½'	.12½	.10
GYPSOPHILA— paniculata. Baby's Breath. White. June and July—2' paniculata fl. pl paniculata Bristol Fairy. Fine double white Baby Breath. June and July—30"	.25	.07 .20
HELIOPSIS scabra zinniaeflora. Large double yellow, zinniae-like flowers. Summer—3 to 4'	.12½	.10
IIEMEROCALLIS—Yellow Day Lily. aurantiaca. Orange shaded brown. July—2½′ Bay State. Deep yellow. August—1½′ flava. Lemon yellow. June—2½′ J. A. Crawford, Apricot yellow. July—1½′	.08 .20 .08 .20	.06 .15 .06 .15
Kwanso fl. pl. Double-flowered golden bronze. July,	.09	.07
August—4'Goldeni. Golden orange. July—3'	.20	.15
Lemona. Pale lemon-yellow. June—1½′	.20	.15
minor. Dwarf lemon-yellow. First of June—2' Mrs. W. H. Wyman. A shade lighter than Lemona.	.08	.06
June—18" thunbergi. Lemon-yellow. July— $2\frac{1}{2}$ '	.20	.15
The Gem. Deep orange yellow. Early July— $1\frac{1}{2}$ '	$.09 \\ .20$	$.07 \\ .15$
HESPERUS-matronalis. Dame's Rocket. Purple, June,		
July—2½′	.09	.07
brizoides. Pinkbells. Pale pink. May—1½′ *sanguinea. Coralbells. June to August—1′ HIBISCUS—Mallow Marvels—5′	$.20 \\ .20$.15 .15
Crimson Eye. White, crimson center. August and September	.08	.06

The state of the s		
HIBISCUS—Continued 5	Each	25 Each
Pink. August and September\$.08	\$.06
Red. August and September	.10	.08
Mixed	.08	.06
coccineus. Scarlet Rosemallow. Deep red. Finely cut foliage. August—6'	$.17\frac{1}{2}$.14
HOSTA	.11/2	*11
plantaginea. White Day Lily. Fragrant—1½'	.15	.12
undulata variegata. White and green foliage—1½'		.10
IBERIS—sempervirens. White. May and June—10"	$.12\frac{1}{2}$.10
IRIS—germanica. German Iris. May, June—1½ to 3' S, standards; F, falls.		
Ambassadeur—		
S, velvety purple: F, velvety purple-maroon	11	00
Asia S, soft blue; F, brilliant purple. Tall	.11 .11	$.09 \\ .09$
Ballerine—S, Light violet blue; F, deeper	$.11$ $.12\frac{1}{2}$	
Gold Imperial—Chrome yellow, orange beard	$.09^{-1.2}$.07
Isoline. S, silver-rose, flushed bronze; F, mauve	.00	•01
shot with gold	.11	.09
Lent A. Williamson—	•111	•00
S, bright lobelia-blue; F, velvety pansy-violet	.09	.07
Lohengrin. Soft cattleya-rose. Very large	.09	.07
Lord of June—	00	0.7
S, lavender purple; F, rich violet-purple Queen Caterina—	.09	.07
Pale lavender-violet. Very large fowers	.09	.07
Shekinah—Clear soft yellow. Extra	.09	.07
•	•00	•••
IRIS—kaempferi. Japanese Iris. July—3'	20	.15
Astarte. Double deep violetCrimson Tuft. Reddish purple. 3 petaled	$.20\\.25$.20
Double Blue Bell. Beautiful deep blue. Late. 6	.20	.20
petaled	.25	.20
Gold Bound. Creamy white, orange center. Early.		
6 petaled	.20	.15
Iphigenie. Beautiful rose. 6 petaled	.25	.20
Kamochi-guma. Dark purplish indigo. Midseason. 6	25	2.0
petaled	.25	.20
Mahogany. Velvety mahogany red. Midseason. 6	or.	20
petaledPurple and Gold. Rich violet purple. Midseason.	.25	.20
6 petaled	.20	.15
Mixed	.20	.15
	.20	•10
*IRIS—pumila. Sambo Miniature Flag. Dark violet-	00	07
blue—4"	$.09 \\ .09$	$.07\\.07$
	.09	.07
IRIS—sibirica	4.0	0.0
aurea. Intense yellow. Novelty. June—2½′	.10	.08
Purple blue. June—3'Snow Queen. White. June—3'	.10	.08
	.10	.08
KNIPHOFIA—uvaria grandis. Tritoma pfitzeri. Red	و من جو من	4.0
Hot Poker. July to Sept.—3'	$.12\frac{1}{2}$.10
Perry's Hardy Hybrids. Yellow to red. July to Sept.—3'	.12½	.10
LATHYRUS—latifolius. Perennial Pea. Summer—2½'	.1272	.07
LAINIKUS—latifolius. Perenniai Pea. Summer—2 1/2	.บฮ	.01

5 :	Each :	25 Each
*LAVANDULA—officinalis. True Sweet Lavender.		
July and August—1½'\$.09	.07
LIATRIS—pynostachya. Gayfeather. Aug. Sept.—4'	$.12\frac{1}{2}$.10
LIMONIUM— latifolium. Sea Lavender. Blue. July and Aug.—2'	10	.07
LOBELIA—cardinalis. Cardinal flower. Scarlet. Au-		
gust and September—2½′	.12½	.10
LYCHNIS—chalcedonica. Vermilion. Midsummer—2½'	.09	.07
LILIUM—auratum. Gold Band Lily—3'	.20	.15
auratum platyphyllum. Giant Gold Band Lily.		
Larger flowers than the above	.25	.20
canadense. Yellow to red. June to $August-4'$.14	.11
candidum. White. June—3'	.20	.15
henryi. Apricot yellow—4'	.15	$.12\frac{1}{2}$
regale. White. August—5'		
4 to 5" circumference	.09	.07
5 to 6" circumference	.10	.08
6 to 7" circumference	$.12\frac{1}{2}$.10
speciosum rubrum magnificum. Rich carmine.	,2	
Aug. 4'	.18	.15
superbum. Orange. July and August—6'	.10	.08
tenuifolium. Coral Lily. June-11/2', Tiny scarlet		•
flowers	$.12\frac{1}{2}$.10
tigrinum fl. pl. Double Tiger Lily. Orange spotted. August—4'	.16	.12½
umbellatum grandiflorum. June—2'. Orange	.18	.14
MISCANTHUS—		
sinensis gracillimus. Hardy plume grass. Green—6'	.09	.07
sinensis variegatus. White striped plume grass—5'	.09	.07
sinensis zebrinus. Zebra striped plume grass $-5'_{}$.09	.07
*MITCHELLA—repens. Partridgeberry. White, shad-		
ed pink. March—4"	.09	.07
MONARDA—2½′.		
didyma. Cambridge Scarlet. August to Sept	$.12\frac{1}{2}$.10
didyma rosea	$.12\frac{1}{2}$.10
MYOSOTIS—	· /2	
*palustris. Forget-Me-Not. Blue. April and May—8"	.09	.07
*NEPETA—mussini. Blue. June, July—1'	$.12\frac{1}{2}$.10
Souvenir de Andre Chaudron. June to Sept.—1'		.10
OENOTHERA—	-	
*missouriensis. Ozark Sundrops. Large yellow. June		
to August—10"	$.12\frac{1}{2}$.10
youngi. Evening Primrose. Yellow, June, July,	114 /2	•10
August 1½'	$.12\frac{1}{2}$.10

PAPAVER—Poppy	5 Each	ı 25 I	Each
bracteatum. Orange-scarlet. June-2'	\$.10	\$.	08
*nudicale. Mixed colors. All summer—1'	10	.(08
orientale. Orange scarlet. June—2½'	10	.(08
orientale. Beauty of Levermere. Deep red	.12	1/2	10
orientale. Fairy. Pure pale pink	.12	1/2	10
orientale. Lulu A. Neeley. Brilliant ox-blood red_	.25	• 1	20
orientale. May Sadler. Salmon pink, black marking	gs .12	1/2	10
orientale. Mrs. Perry. Orange-apricot	12	1/2	10
orientale. Olympia. Flame and salmon	12	1/2 .	10
orientale. Wurtembergia. Glowing rose-red	.12	1/2	10
PENTSTEMON—barbatus torreyi. Coral red. July an August—3'		.(07
PEONIES—(See Page 63-64).			
PHLOX—Columbia Plant	Patent	No.	118
Soft cameo pink.			
Prices, 3 for 75c; 12 for \$2.25\$ 12.00 per 10)0		
Retails at 50c each; 3 for \$1.25; \$4.00 per 12;	; \$30.0	0 per	100
PHLOX-paniculata. Aug., Sept.	5 Each	25 I	Each
Africa. Carmine-red— 2½'	\$ 12	1/6 \$ -	1 ()
Baron von Heeckeren. Delicate salmon pink_21/2			
B. Compte. Deep rich oxblood-red. Fine—2½′			10
Beacon. Bright cherry red—3'			10
Border Queen. Beautiful new pink. Dwarf—1½'-			10
Bridesmaid. Pure white, crimson eye—2½'			07
Daily Sketch. Soft salmon-pink. Carmine eye_2½			10
Dr. Chas. Mayo. White, red eye—2½'		. —	10
Eclaireur. Brilliant rosy magenta. White eye—2½		. —	07
E. I. Farrington. Pleasing salmon, violet eye—3'_			12
Enchantress. Salmon pink; dark eye—3'			10
Europe. White, crimson eye—2½′			10
Fuerbrand. Brilliant orange-scarlet. Free bloom		/2	
ing-2'		1/2 .1	10
Jules Sandeau. Pure pink. Dwarf. Mammoth flow		,2	
ers—2'		1/2 1	10
Lassburg. Extra fine white—3'		. —	08
Leo Schlageter. Scarlet. One of the best reds—2½			10
Lillian. Pure pink—2'		· -	15
Lothair. Bright crimson—2½′			10
Miss Lingard. Early waxy white—3'		-	10
Mrs. Jenkins. White. Late—18"			07
Mrs. Milly von Hoboken. New. Most beautiful sof		• `	- •
pink. Very large flower heads—2½′		.(08
T ,	_	•	

PHLOX—Continued	5 Each	a 25 Each
Mrs. W. Van Bennigen. Salmon-red—2'	\$.20	\$.15
Painted Lady. Tall, delicate silver pink,		
cherry-red eye		$\frac{1}{2}$.10
P. D. Williams. Large soft applebossom pink—2 1/2	$\frac{1}{2}$.12	½ .10
Rheinlander. Salmon-pink, claret eye. Fine—2'	09	.07
Rynstrom. Pink; very large— $2\frac{1}{2}'_{}$.08
Special French. Large glowing pink—3'		
Von Hochberg. Dark red—2½′		$\frac{1}{2}$.10
Widar. light reddish violet. White eye—2½'		-
*PHLOX—divaricata. Lavender. April, May—12"	09	.07
PHLOX—Creeping Varieties.		
*amoena. Ground cover. Bright pink-cover—4"		
atropurpurea. Wine red with dark eye—4"		
*subulata rosea and alba. Ground cover—4"		
subulata lilacina. Pale blue. April—6"		
subulata Vivid. Bright pink, red eye. April—4"_	12	$\frac{1}{2}$.10
PHYSALIS—francheti. Chinese Lantern Plant. Red		
lanterns. October—2'	09	.07
PHYSOSTEGIA—virginiana. False dragonhead. Rose	<u>م</u>	
June and July—3'		.07
·	_	•••
PLATYCODON—Balloon flower.		
grandiflorum. Blue. July to October—2'	10	.08
PLUMBAGO—larpentae. (See Ceratostigma).		
*PRIMULA—		
Munstead. Red, Yellow, Cream. Separate colors	s.	
Late Spring—9"		.12
veris. Yellow. June and July—6"	15	.12
PANIINCIII IIS ronons fl. nl. Caramina Double But	Ļ	
RANUNCULUS—repens fl. pl. Creeping Double But tercup. May and June—10"		.07
tercap. May and sune—10	00	.01
RUDBECKIA—		
laciniata. Golden Glow. Double yellow. August an	d	
September—5'	09	.07
purpurea—(See Echinacea).		
SALVIA—azurea. Sky blue. Aug. and Sept—4'	.09	.07
azurea grandiflora—pitcheri. Rich gentian blue		.01
August and September—4'		.07
*SAPONARIA—	00	0.7
ocymoides splendens. Rosy pink. May to July		.07
SCABIOSA—caucasica. Pincushion Flower. Lavender		
June to September— $1\frac{1}{2}'_{}$	12	½ .10

SEDUM-		lach	25	Each
*acre. Yellow. June and July—3"	•	.09	\$.07
*album. White. July—4"		.09		.07
*glaucum. Blue foliage—2"	•	.09		.07
kamschaticum. Yellow. July—6"		.09		.07
kamschaticum variegatum. Golden variegated fol iage. Orange flowers. July—6"		.12½	2	.10
*sieboldi. Pink. Round blue foliage. August and September—8"		.12 ½	2	.10
*spectabile. Rose colored. August and September- 1½'	_	.10		.08
*spectabile Brilliant. Crimson. August and September—1½′	_	.121/2	, 2	.10
*stoloniferum coccineaum. Crimson. July and August—6"		.121/2	, 2	.10
SIDALCEA—Rosy Gem. Rose pink. July and Augus 3½'		.121/2	, 2	.10
STATICE—latifolia. (See Limonium).				
STOKESIA—laevis—Cyanea. Blue. August and September—3'		.09		.0′7
*THALICTRUM—adiantifolium. White. June—2'			<u>'</u>	.10
			2	
*serpyllum coccineum. Crimson Thyme—4'		.10	, 2	.08 .10
TRITOMA—pfitzeri. (See Kniphofia).				
T'ROLLIUS—Golden Queen. Yellow orange. Summar-		.15		.12
TUNICA—saxifraga. Light pink. June, July—6"		.10		.08
*VERONICA—amethystina. Gentian Blue. June, Jul —12"		.121/2	2	.10
*incana. White foliage. Blue flowers.July and August—1'		.121/	/ 2	.10
*longifolia subsessilis. Blue. Aug. to Oct.—2'		.121/2	_	.10
*teucrium. Gentian blue. June—12"		.121/2	2	.10
VIOLA—cornuta. Tufted Pansy. May to October—6" Jersey Gem. Rich violet. All summer—8"		.121/2	2	.10
Lavender Glory. Mammoth lavender. June t Sept.—1'		.20		.15
Purple Glory. Mammoth royal purple. June t		.20		.15
odorata Princess of Wales. Sweet-scented Englis violet—8"	h -	.121/2	2	.10
YUCCA—filamentosa. White. June and July—7' 2 years 3 years	· 	.10 .12		.07 .10
variegata. 2 years		.20		.15

Collected Native Plants

Owing to the increasing demand for wild flowers for naturalization purposes we are listing a number of the most popular varieties. All plants are collected by an expert and will be as fine as can be found in this part of the country.

an expert and will be as time as can be found in this part of the countri		
5 Es	ıch	25 Each
ACTAEA alba. White Baneberry. May and June—3'\$ ARISAEMA triphyllum. Jack-in-the-Pulpit. Purple.	.10	\$.08
April—1'	.07	.05
ASARUM canadense. Canada Wildginger. Chocolate. May		
<u>6"</u>	.09	.07
CALTHA palustris. Marsh Marigold. Yellow. Apr. May, 1'	.10	.07
CAULOPHYLLUM thalictroides. Blue Cohosh—2'	.10	.07
CHELONE glabra. White Turtlehead. White tinged rose. July—2'	.10	.07
CIMICIFUGA racemosa. Black Cohosh. White. July—5'_	.10	
EUPATORIUM agateroides. White Snakeroot. August,	.00	.06
September—3'	.10	.08
purpureum. Joe Pye Weed. Purple. Aug., Sept.—5'	.10	.08
GAULTHERIA procumbens. Wintergreen—6"	.10	.07
GENTIANA andrewsi. Closed Gentian. Blue. August—2'	.10	.08
GERANIUM maculatum. Wild Geranium. Pink. May,		
June—1'	.10	.07
HEPATICA triloba. Roundlobe Hepatica. Light blue.	.07	.05
HEUCHERA americana. American Alumroot. Greenish	.01	.00
	.10	.08
white—3'		
I ODELLA simbilities I was District I obalis Contamber 2'	.10	.08
LOBELIA siphilitica. Large Blue Lobelia. September—3' LYSIMACHIA nummularia. Moneywort. Yellow. June,	.10	.08
July—6" MERTENSIA virginica. Blue Bells. Purplish blue. March,	.10	.08
April—2'	.10	.07
POLYGONATUM biflorum. Solomonseal. Greenish white.		
April to June $-2'$.10	.08
SANGUINARIA canadensis. Bloodroot. White. April—6"	.07	.05
SMILACINA racemosa. False Solomonseal. White. April	10	00
SEDUM ternatum. Mountain Stonecrop. White. May, June	.10	.08
4"	.10	.07
THALICTRUM polygamum. Tall Meadowrue. White.		a ==
June to Sept.—6'TIARELLA cordifolia. Allegheny Foamflower. White.	.07	.05
June—8" Foamflower. White.	.07	.05
June—8"TRILLIUM erectum. Purple Trillium. Purple. May—1'	.07	.05
TRILLIUM grandiflorum. Large flowered Trillium. White.	.07	
May—1'	.07	.05
Hardy Ferns		
ADIANTUM pedatum. Maidenhair Fern	.10	.07
ATHYRIUM filixfemina. Lady Fern	.10	.08
	.08	.06
DICKSONIA punctiloba. Hay Scented Fern	.07	.05
DRYOPTERIS marginalis. Leather-Woodfern	.07	.05
spinulosa. Toothed Woodfern	.10	.03
ONOCLEA sensibilis. Sensitive Fern	.10	.08
OSMUNDA cinnamomea. Cinnamon Fern		
regalis. Royal Fern	.10	.08
POLYSTICHUM acrostichoides. Christmas Fern	$.07 \\ .09$.05 .07
PTERETIS nodulosa. Ostrich Fern	.00	.07

Fruit Department

	APPLES, Standard	1		
	, Standar	1 Each	5 Each	25 Each
4 to 5' \(\frac{9}{16}\) to \(\frac{11}{16}''\) 3 to 4'. \(\frac{7}{6}\) to \(\frac{9}{16}''\)		_\$.35 30 25	\$.27 .23 .20	\$.22 .18 .14 1.10
Astrachan Baldwin Cortland Delicious	Jonathan King Macoun	Red Ro R. I. G Rome Stark Stayma Sweet Turley Wealth Yellow	ome Beau reening Beauty an Bough	5
	APRICOTS			
$3\frac{1}{2}$ to $4\frac{1}{2}$, $\frac{9}{16}$ and 3 to 4 , $\frac{7}{16}$ to $\frac{9}{16}$	up	_\$.30	5 Each \$.23 .18	\$.18
Hungarian			\mathbf{Moorp}	ark
	CHERRIES, Sour			
	, , , , , , , , , , , , , , , , , , , ,		5 Each	25 Each
$3\frac{1}{2}$ to 4', $\frac{9}{16}$ to $\frac{11}{16}$ " Bearing Age, 5 to 7'	, 1 to 1¼" , 1¾ to 1½"	35 - 1.50	$\begin{array}{c} .27 \\ 1.25 \end{array}$	$\begin{array}{c} .22 \\ 1.10 \\ 1.60 \end{array}$
	CHERRIES, Swee	t		
5 to 7', \frac{11}{6}" and up 4 to 5', \frac{9}{16} to \frac{11}{6}"		_\$.55	5 Each \$.45 .40	
Lambert Napol eon	Black Tartarian Schmidt	Gov	vernor W Windson	
	NECTARINES			
$3\frac{1}{2}$ to $4\frac{1}{2}'$, $\frac{9}{16}''$ and 3 to $4'$, $\frac{7}{16}$ to $\frac{9}{16}''$	up	_\$.45	5 Each \$.35 .28	\$.30
	Gold Mine			
3½ to 4½', %" and 3 to 4', ½ to 5%" 2 to 3', % to ½" Champ	QUINCES up oion	_\$.55	.25	\$.40

PEACHES

	1	Tilo oh	To ab	25 Each	oro Trook	
3½ to 5′, ½ to ¾"				\$.17		
3 to 4', $\frac{7}{16}$ to $\frac{9}{16}''_{}$.25	.18	.13	.11	
2 to 3', 15 to 16"		.20	.14	.09	.08	3
Belle of Georgia			Iikado			
Buttercup	Golden Jubilee	R	adian	ce		9
Carmen	Hale, J. H.		cochest			
Champion	Halehaven			rs Big F	Red	
Crawford's Early Crawford's Late			outh I 'aliant			
Crawford's Late Cumberland	Hope Farm Late Elberta		edette			
Eclipse	Lemon Free		'eterar			
Elberta	Marigold	V	Vilma			
	PEARS, Stand	lard				
				5 Each	25 Each	
6 to 7', ¾" and up		\$.55	\$.45	\$.40)
5 to 7', $\frac{11}{16}$ " and up						3
4 to 5', $\frac{9}{16}$ to $\frac{11}{16}''_{}$.28	3
Bearing Age, 6 to 8'	, 1 to 1½"		1.50	1.25	1.10)
Anjou	Clapp's Favorite					
Bartlett	Duchess	S	eckel			
Buerre Bosc	Flemish Beauty	M	Vilder			
Cayuga	Gorman	V	Vorden	Seckel		
the contract of the contract of	the state of the s		35		. ,	
Bearing Ag	ge, Bartlett, Buerre					
		1 Ea	ch 5	Each 25		
1½ to 2", 8 to 1	0'	1 Ea \$ 1.9	ch 53 90 \$	Each 25 1.65 \$	1.5 0	
1½ to 2", 8 to 1 2 to 2½", 10 to 12'	0'	1 Ea \$ 1.9 2.5	eh 53 90 \$ 50	Each 25 1.65 \$ 2.25	1.5 0	
1½ to 2", 8 to 1 2 to 2½", 10 to 12'	0'	1 Ea \$ 1.9 2.5	eh 53 90 \$ 50	Each 25 1.65 \$	1.5 0	
1½ to 2", 8 to 1 2 to 2½", 10 to 12'	0'	1 Ea \$ 1.9 2.5 3.2	eh 53 90 \$ 50	Each 25 1.65 \$ 2.25	1.5 0	
1½ to 2", 8 to 1 2 to 2½", 10 to 12' 2½ to 3", 12 to 1	0' 5' PEARS, Dwa	1 Ea \$ 1.9 2.5 3.2 arf	ch 57 90 \$ 50 25	Each 25 1.65 \$ 2.25 3.00 _	1.50 2.00 	
1½ to 2", 8 to 1 2 to 2½", 10 to 12' 2½ to 3", 12 to 1	5'	1 Ea \$ 1.9 2.5 3.2 arf	ch 5 : 300 \$: 500 \$:	Each 25 1.65 \$ 2.25 3.00 _ 5 Each \$.38	1.50 2.00 25 Each \$.33	3
1½ to 2", 8 to 1 2 to 2½", 10 to 12' 2½ to 3", 12 to 1	5'	1 Ea \$ 1.9 2.5 3.2 arf	ch 5 : 300 \$: 500 \$:	Each 25 1.65 \$ 2.25 3.00 _ 5 Each \$.38	1.50 2.00 25 Each \$.33	3
1½ to 2", 8 to 1 2 to 2½", 10 to 12' 2½ to 3", 12 to 1	9' 5' PEARS, Dwa	1 Ea \$ 1.9 2.5 3.2 arf	Each .45	Each 25 1.65 \$ 2.25 3.00 _ 5 Each \$.38 .33	1.50 2.00 25 Each \$.33 .28	3
1½ to 2", 8 to 1 2 to 2½", 10 to 12', 2½ to 3", 12 to 1 3½ to 4½', 5%" and 3 to 4', ½ to 5%"	9'5'	1 Ea	Each .45 .40	Each 25 1.65 \$ 2.25 3.00 _ 5 Each \$.38 .33 1.10	1.50 2.00 25 Each \$.33 .28	3
1½ to 2", 8 to 1 2 to 2½", 10 to 12' 2½ to 3", 12 to 1 3½ to 4½', %" and 3 to 4', ½ to %" Bearing Age, 5 to 6', Bearing Age, 6 to 8',	9'5'	1 Ea	Each .45 .40 1.35	Each 25 1.65 \$ 2.25 3.00 _ 5 Each \$.38 .33 1.10	1.50 2.00 25 Each \$.33 .28	} }
1½ to 2", 8 to 1 2 to 2½", 10 to 12' 2½ to 3", 12 to 1 3½ to 4½', 5%" and 3 to 4', ½ to 5%"	9EARS, Dwarieties 1 to 11/2", varieties	1 Ea	Each .45 .40 1.35	Each 25 1.65 \$ 2.25 3.00 _ 5 Each \$.38	1.50 2.00 25 Each \$.33 .28	} }
1½ to 2", 8 to 1 2 to 2½", 10 to 12' 2½ to 3", 12 to 1 3½ to 4½', 5%" and 3 to 4', ½ to 5%"	0'5'	1 Ea	Each .45 .40 1.35	Each 25 1.65 \$ 2.25 3.00 _ 5 Each \$.38	1.50 2.00 25 Each \$.33 .28	3
1½ to 2", 8 to 1 2 to 2½", 10 to 12' 2½ to 3", 12 to 1 3½ to 4½', 5%" and 3 to 4', ½ to 5%" Bearing Age, 5 to 6', Bearing Age, 6 to 8', *Bartlett *Clapp's	PEARS, Dwarieties 1 to 1½", varietiesDuchess Favorite PLUMS	1 Ea	Each .45 .40 1.35 1.90 Sen Sec	Each 25 1.65 \$ 2.25 3.00 _ 5 Each \$.38	1.50 2.00 25 Each \$.33 .28 1.00 1.50	3 3)
1½ to 2", 8 to 1 2 to 2½", 10 to 12' 2½ to 3", 12 to 1 3½ to 4½', 5%" and 3 to 4', ½ to 5%" Bearing Age, 5 to 6', Bearing Age, 6 to 8', *Bartlett *Clapp's	PEARS, Dware ties 1 to 1½", varietiesDuchess Favorite PLUMS	1 Ea	Each .45 .40 1.35 1.90 Each .45	Each 25 1.65 \$ 2.25 3.00 _ 5 Each \$.38	1.50 2.00 25 Each \$.33 .28 1.00 1.50	3 3)
1½ to 2", 8 to 1 2 to 2½", 10 to 12' 2½ to 3", 12 to 1 3½ to 4½', %" and 3 to 4', ½ to %" Bearing Age, 5 to 6', Bearing Age, 6 to 8', *Bartlett *Clapp's 5 to 6', ½ to ½" and up- 4 to 5', ½ to ½" and up- 4 to 5', ½ to ½" and up-	PEARS, Dware ties 1 to 1 ½", varietiesDuchess Favorite PLUMS	1 Ea	Each .45 .40 1.35 1.90 Each .45 .40	Each 25 1.65 \$ 2.25 3.00 _ 5 Each \$.38	1.50 2.00 25 Each \$.33 .28 1.00 1.50	3 3)
1½ to 2", 8 to 1 2 to 2½", 10 to 12' 2½ to 3", 12 to 1 3½ to 4½', 5%" and 3 to 4', ½ to 5%" Bearing Age, 5 to 6', Bearing Age, 6 to 8', *Bartlett *Clapp's 5 to 6', ½ to ½" and up- 4 to 5', ½ to ½" and up- Abundance	PEARS, Dware ties 1 to 1 1/2", varietiesDuchess Favorite PLUMS	1 Ea	Each .45 .40 .40 .40 .40 .40 .40 .40 .40 .40 .40	Each 25 1.65 \$ 2.25 3.00 _ 5 Each \$.38	1.50 2.00 25 Each \$.33 .28 1.00 1.50	3 3)
1½ to 2", 8 to 1 2 to 2½", 10 to 12' 2½ to 3", 12 to 1 3½ to 4½', 5%" and 3 to 4', ½ to 5%" Bearing Age, 5 to 6', Bearing Age, 6 to 8', *Bartlett *Clapp's 5 to 6', ½ to ½" and up- 4 to 5', ½ to ½" and up- Abundance Bradshaw	PEARS, Dware ties 1 to 1½", varietiesDuchess Favorite PLUMS Fellenburg (Italian Prune)	1 Ea	Each .45 .40 .45 .40 .45 .40 .45 .40 .50 .50 .50 .50 .50 .50 .50 .50 .50 .5	Each 25 1.65 \$ 2.25 3.00 _ 5 Each \$.38 .33 1.10 1.65 Seckel kel 5 Each \$.38 .33 cd h	1.50 2.00 25 Each \$.33 .28 1.00 1.50	3 3)
1½ to 2", 8 to 1 2 to 2½", 10 to 12' 2½ to 3", 12 to 1 3½ to 4½', 5%" and 3 to 4', ½ to 5%" Bearing Age, 5 to 6', Bearing Age, 6 to 8', *Bartlett *Clapp's 5 to 6', ½ to ½" and up- 4 to 5', ½ to ½" and up- Abundance	PEARS, Dware ties 1 to 1½", varietiesDuchess Favorite PLUMS Fellenburg (Italian Prune)	1 Ea	Each .45 .40 .45 .40 .45 .40 .45 .40 .50 .50 .50 .50 .50 .50 .50 .50 .50 .5	Each 25 1.65 \$ 2.25 3.00 _ 5 Each \$.38 .33 1.10 1.65 Seckel kel 5 Each \$.38 .33 cd h	1.50 2.00 25 Each \$.33 .28 1.00 1.50	3 3)

RASPBERRIES

RASPBERRIES			
Spring Only	Per 10	Per 100	Per 1000
Chief Suckers No. 1	\$.35	\$ 2.25	\$ 18.00
Cumberland (Black) Tips	35	$\frac{42.26}{2.00}$	16.00
Latham (Red) Suckers No. 1	.35	$\frac{2.00}{2.25}$	18.00
Madison No. 1 (Black) Tips	.35	2.25	18.00
Newburg (Red) Suckers No. 1	.35	$\frac{2.20}{2.50}$	20.00
New Logan (Black) Tips	.35	$\begin{array}{c} 2.30 \\ 2.25 \end{array}$	18.00
Potomac (Best Purple) Tips	.40	$\begin{array}{c} 2.25 \\ 2.75 \end{array}$	
St Rogia (Rod) Suckeya No. 1	.4U		22.00
St. Regis (Red) Suckers No. 1	.35	$\frac{2.50}{2.00}$	20.00
Taylor (Red) Suckers	.40	3.00	25.00
GRAPE VINES			
	5 Each	25 Each	250 Each
Agawam, 2 years, No. 1			\$.05
1 year, No. 1	$06\frac{1}{2}$.03 ½
Brighton, 2 years, No. 1	$.08\frac{1}{2}$		$05\frac{1}{2}$
1 worn No 1	$.06\frac{1}{2}$,
1 year, No. 1	.18		.04
Caco, 2 years, No. 1	110		
1 year, No. 1	.14		
Catawba, 2 years, No. 1			_
1 year, No. 1	$.06\frac{1}{2}$. ,
Concord, 2 years, No. 1			
1 year, No. 1	.04	.02%	
Delaware, 2 years, No. 1	$.08\frac{1}{2}$. –	,
1 year, No. 1	.07	.05	
Fredonia, 2 years, No. 1	.12	$.08\frac{1}{2}$	
1 year, No. 1	.10	.06	
Niagara, 2 years, No. 1			·
1 year, No. 1	.06		
Ontario, 2 years, No. 1	.15		
1 year, No. 1	.12	.09	
Portland, 2 years, No. 1			
1 year, No. 1	.10	.08	
Worden, 2 years, No. 1	.08		.05
1 year, No. 1	$.06\frac{1}{2}$	$.04\frac{1}{2}$	$03\frac{1}{2}$
DILLIDADD			
RHUBARB			
	5 Each	25 Each	250 Each
Linneus or Victoria			
Strong roots	$3.04\frac{1}{2}$	\$.03	$3.02\frac{1}{2}$
BLACKBERRIES			
	5 Each	25 Each	250 Each
Blowers, No. 1	\$.03\\\\2	$\$$.02\\\\	\$.02
Eldorado, No. 1	.03	$.02\frac{1}{4}$.0134
Lucretia (Dewberry). No.1	.03	$.02\frac{1}{4}$.01%
Snyder, No. 1	$.0\overline{3}$	$.02\frac{1}{4}$ $.02\frac{1}{4}$.01 3/4
	- 2 3	/	, / =
TRUE TO NAME			
We foremently econe the convices of C	OVEDN	MENT	Vonictr

We frequently secure the services of GOVERNMENT Variety Experts to make thorough inspection of our Fruits. Proper corrections are made if found necessary.

		ASPARAGUS	25 Plan	nts 25	0 P	lants
Washington,	2	years	\$.30	\$	2.25
		TENDER OF THE	4 4 \			

MULBERRIES (See Morus Page 11)

PRICES FOR BOXING AND PACKING

Be sure to add these costs when paying cash before shipment.

Per foot over 6 feet 30 x 30\$.42 ½	6 feet	If Paper Lined, add 5c per ft. Small Boxes, 25c to 1.00 according to size.
28 x 2840 24 x 2435	$.37\frac{1}{2}$	BALES
20 x 2030	$.32\frac{1}{2}$	Minimum charge\$.35
16 x 1625	$.27\frac{1}{2}$	Up to 100 lbs., per lb01
14 x 14 22½	.25	Excess over 100 lbs.,
12 x 1220	$.22\frac{1}{2}$	per lb00 %

RESPONSIBILITY

We endeavor to send our patrons the grade and quality of stock ordered. We do not guarantee our products or assume any responsibility after they leave our nursery, as conditions always exist over which we have no control. It is understood, in case of error on our part, that we shall not be responsible for a greater amount than the price paid.

TERMS

5% OFF FOR CASH before shipment on purchases at prices listed herein. Be certain to add enough extra to cover packing. This will eliminate C. O. D. costs. Over-payments will be returned promptly.

To parties having satisfactory credit arrangement or account with us, 2% 10 days, 30 days net.

No claims for rejections or deficiencies will be entertained un-

less made within 10 days after arrival of goods.

5 to 25 of one variety and size will be furnished at the 10 rate, 25 to 250 at 100 rate; 250 or more at 1000 rate.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

SUPPLIES

Burlap, new or used, price on application.

Granulated Peat

Granulated reat.	
Per bale (20 to 22 bushels)\$	3.25
Per 10 bales	30.00
Paper, Krinkled Waterproof Kraft, per lb\$.12
Per 100 lbs	10.00
Paper, Kraft 50 lb. rolls, Basis 40 lb.—36" wide, per lb	.07
Labels, Copper Wired, 3½ inches, per 1000	1.85
Per 10,000	
Labels, Paper, per 1,000	

TRUCK DELIVERIES

During planting season, we are making daily deliveries to Cleveland and vicinity, and frequent deliveries to other cities within two hundred miles of Painesville. Charges reasonable.

PLANT PATENT NOTICE — PROPAGATION RIGHTS RESERVED

The Truehedge Columberry is protected by Plant Patent No. 110
under the U. S. Patent Laws. Asexual reproduction or disposition by
sale, gift or otherwise, of scions, buds, or cuttings for such reproduction
is prohibited unless license is previously obtained from the patent owners.
Unauthorized reproductions, sale, or distribution of propagation material
of this plant will subject the one engaging in the same to prosecution for
infringement. For resale at Ratail Only except under license from the infringement. For resale at Retail Only except under license from the patent owners.

The above conditions also apply to all other patented plants which we sell.

THE COLE NURSERY COMPANY

PAINESVILLE, OHIO

TRUEHEDGE GUARANTEE

Cole guarantees that Truehedge Columnberry plants sold by Cole at prices listed herein will create a formal hedge of height desired at less cost and more quickly than plants of Japanese Barberry twice as large under same conditions (See note below).

To cover this guarantee we will supply sufficient plants (Absolutely Free) for a hedge of the same length, your selec-

tion from Japanese Barberry or 3 kinds of Privet.

THE COLE NURSERY COMPANY, PAINESVILLE, OHIO Note:—A fair comparison using transplanted stock would be—Truehedge 9 to 12" size with Japanese Barberry 18 to 24" Truehedge 12 to 15" size with Japanese Barberry 24 to 30" Labor to be figured at ordinary rates.

In this catalogue where ball sizes are shown, viz., (15" Ball) etc., this is the approximate size supplied. If larger or smaller balls are required charge will be adjusted in conformity with the following schedule.

Where balling is shown as "Extra" or where balls are required on shrubs, trees and plants not catalogued "Balled (B&B)" add to listed price according to the following schedule.

Weight Shrub or

			Weight	Shr							
B	all S	Size	Pounds					1 Each	2 Each	5 Each	25 Each
10	11	10"	32	$1\frac{1}{2}$	to	2'	\$.35	\$.30	.25	\$.20
11	\mathbf{x}	10	38					.40	.35	.27	.22
12	\mathbf{x}	11	47	2	to	3'		.45	.40	.30	.25
13	X	11	55	3	to	4'		.50	.45	.35	.28
14	X	12	75					.60	.50	.40	.32
15	x	12	90	4	to	5'		.70	.60	.48	.40
16	\mathbf{x}	13	110	5	to	6 ′		.90	.75	.60	.50
17	\mathbf{x}	13	130					1.20	1.00	.80	.65
18	\mathbf{x}	14	160	6	to	7'		1.65	1.35	1.10	.90
20	\mathbf{x}	15	210	7	to	8′		2.50	2.00	1.60	1.30
22	x	16	270	8	to	10'		3.25	2.65	2.10	1.75
SHADE TREES											
20	\mathbf{x}	15	210	$1\frac{1}{4}$	to	1 ½"		2.50	2.00	1.60	1.30
22	\mathbf{x}	16	270	$1\frac{1}{2}$	to	$1\frac{3}{4}$ "		3.25	2.65	2.10	1.75
24	X	17	340	$1\frac{3}{4}$	to	2"		4.10	3.25	2.50	2.15
26	\mathbf{x}	18	410	2	to	$2\frac{1}{2}''$		5.00	4.00	3.00	2.50
30	\mathbf{x}	20	640	$2\frac{1}{2}$	to	3"		7.50	5.75	4.10	3.50
33	x	2 2	850	3	to	3½"		9.00	7.00	5.10	4.25
36	X	23	1050	$3\frac{1}{2}$	to	4"		10.50	8.25	6.25	5.00
40	\mathbf{x}	25	1400	4	to	4 ½ "		12.00	9.75	7.50	6.10
44	X	27	1950	$4\frac{1}{2}$	to	5"	,	13.50	11.25	8.75	7.25
48	\mathbf{x}	29	2600	5	to	5% $^{\prime\prime}$		15.25	12.75	10.00	8.25
52	\mathbf{x}	30	3250	$5\frac{1}{2}$	to	6''		17.50	14.50	11.50	9.50
56	\mathbf{x}	31	3900	6	to	$6\frac{1}{2}''$		20.50	16.75	13.25	11.00
6 0	x	32	4600	$6\frac{1}{2}$	to			23.50	19.20	15.25	12.50
64	X	33	5400	7	to	$7\frac{1}{2}''$		27.00	22.25	17.75	14.50
6 8	X	34	6400	$7\frac{1}{2}$	to	8"		33.00	27.25	21.75	17.75
											1 11

Ball sizes, weights, etc., are only approximate as varieties and soil causes them to vary.

Prices include loading on trucks.

Car loading on "Tree" sizes entails extra costs.

Platforms, if required, will be charged extra. Charge rebated if returned prepaid.

Propagation Rights Reserved

Oto REady. The gloriously beautiful "PLANT SENSATION" which will be introduced to the TRADE by The Cole Nursery Co. in Spring of 1940!

Fuchsia riccartoni 'Scarlet Beauty'

While the Fuchsia is of American origin and the tender varieties have long been known to flower fanciers, it has been left to The Cole Nursery Co., to introduce a herbaceous shrub type of sufficient hardiness to withstand the rigors of our northern winters.

The interesting story connected with its origin and naming is as follows:

One of our neighbors, Mr. Geo. C. Lodge, who had been a gardener in his homeland, England, in his younger days, came to the U.S. and settled within ten miles of Painesville. As the years rolled by and he had more leisure Mr. Lodge thought more and more of the beauty of the plants with which he had worked in his boyhood. So he determined to import some for trial in our climate, and, as the Fuchsia was his first love in the "Plant World," naturally he trnued to the origination of a type which would combine hardiness with the beauty of the variety which had grown around the dooryard of his boyhood home.

To this end he imported quantities of seed of these Fuchias. For several years he was doomed to disappointment as, out of the thousands of seedlings raised, not one survived the first winter.

Although discouraged Mr. Lodge

continued importing and planting seed. Finally his perseverance was re-warded in the finding of a single plant, which without protection, had survived one of the more severe winters in this locality. When this plant bloomed it exceeded by far his greatest expectations in size and quantity of flowers, vivid coloring, strength, character and other qualities sought. From this single plant he and The Cole Nursery Co., in about twelve years have propagated asexually approximately 100,000 plants.

The name "Scarlet Beauty" was given by a visitor who at her first sight of the plant exclaimed, "My, isn't that a scarlet beauty," whereupon Mr. Lodge replied, "Lady, you. have named it.'

Words cannot do justice to this plant but picture to yourself an upright plant having from twenty to forty stems which at maturity attain a height of three feet, and which from the middle of June until severe frosts will bear upwards of five thousand flowers one and one-half inches long, of rose-red, with corolla of mulberry purple, and you will visualize that which is destined to become the greatest "Plant Sensation" since the introduction of Truehedge Columnberry.

The Cole Nursery Company

Katharina kanadan Araba a Habira ka Kasa a Makarin Maraka Katharin ka Katharin a kanada ka Katharin Kala a Mar



FUCHSIA RICCARTONI 'Scarlet Beauty'

for Introduction Spring 1940

STOCK LIMITED — RESERVE YOUR ORDER NOW!
Retails 65c Each; 3 for \$1.50

Price	5 Each	25 Each	250 Each
3" Pot Plants	\$.27	\$.24	\$.21

